




**MAXXIS<sup>®</sup>** 2016 BICYCLE NORTH AMERICA





MAXXIS  
CORPORATE



MAXXIS  
DISTRIBUTION



Maxxis Technology Center - USA  
480 Old Peachtree Road / Suwanee, GA 30024, USA  
Tel: 1.678.376.4420 / Fax: 1.770.822.4361



Maxxis International - USA  
545 Old Peachtree Road / Suwanee, GA 30024, USA  
Tel: 1.800.4.MAXXIS / Tel: 1.770.962.5932  
Fax: 1.770.962.7705



Maxxis International - HQ  
215 Meei-Kong Rd. / Ta-Tsun, Chang-Hwa / Taiwan  
Tel: 886.4.852.5151 / Fax: 886.4.852.6468



Maxxis International  
Research and Development Center





PHOTO: HENSON

**AT MAXXIS** We strive to provide the highest quality products and customer service with the goal of creating lifelong Maxxis customers. Anchored by a strong commitment to our values, we form close partnerships with our stakeholders, and together we work to consistently exceed our customers' expectations.

From design to production, from the factory floor to your favorite road or trail, Maxxis products lead the way in technological advances. For bicycle, automotive, light truck, ATV, motorcycle, kart, trailer and lawn & garden, Maxxis provides the quality customers have come to depend on.

Total customer satisfaction has been Maxxis' guiding purpose since 1967. Working toward this goal has built Maxxis into the successful, worldwide company it is today. Champions around the world choose Maxxis because they know that our extensive product research, unique designs and rigorous testing standards produce tires that will elevate riders to the next level.

**FOR MORE INFORMATION ON THE ENTIRE MAXXIS PRODUCT LINE, VISIT US AT [MAXXIS.COM](http://MAXXIS.COM).**



PHOTO: LORD

# CONTENTS

## TECHNOLOGY

OVERVIEW	6
----------	---

### PROTECTION

NYLON BREAKER	7
SILK SHIELD	7
MAXXSHIELD	7
MAXXPROTECT	8
SILKWORM	8
KEVLAR INSIDE	8
KEVLAR COMPOSITE	8
EXO	9
BUTYL INSERT	9
DOUBLE DOWN	9

### CONSTRUCTION

TUBULAR ROAD	10
RADIAL ROAD	10
TUBELESS ROAD	11

### COMPOUNDS

SINGLE	12
DUAL	12
SUPER TACKY	12
3C TRIPLE COMPOUND ROAD	12
3C TRIPLE COMPOUND MTB	13

### TERRAIN GUIDES

ROAD/HYBRID	14
BMX / TRIALS	14
URBAN	14
CYCLOCROSS	14
GRAVEL / ADVENTURE	14
MOUNTAIN / DOWNHILL	15
FAT / PLUS	15

### ROAD TUBULAR

CAMPIONE	17
CAMPIONE TT	17
FORZA	18
VELOCITA	18

## ROAD TUBELESS

PADRONE	19
PADRONE TR	19
RADIALE-TL	20

### ROAD CLINCHER

RELIX	21
RELIX TT	21
COURCHEVEL	22
CORMET	22
COLUMBIERE	23
DOLOMITES	23
ROULER	24
DETONATOR	24
RE-FUSE	25

### CYCLOCROSS

RAZE	26
MUD WRESTLER	26

### GRAVEL / ADVENTURE

RE-FUSE	29
RAMBLER	29

### HYBRID

DETONATOR-HYBRID	31
OVERDRIVE	31
OVERDRIVE ELITE	32
OVERDRIVE II	32
ROAMER	33
GYPSY	33

### MOUNTAIN

MAXXLITE	35
TREAD LITE	35
PACE	36
ASPEN	36
RACE TT	37
CROSSMARK	37
CROSSMARK II	38
IKON	38

SNYPER	39
IGNITOR	39
ARDENT RACE	40
TOMAHAWK	40
ARDENT	41
AGGRESSOR	42
MINION SS	42
MINION DHF	43
MINION DHR II	43
HIGH ROLLER	44
HIGH ROLLER II	44
BEAVER	45
SHORTY	45

### DOWNHILL

GRIFFIN	47
MINION SS	47
MINION DHF	48
MINION DHR II	48
HIGH ROLLER	49
HIGH ROLLER II	49
SHORTY	50
WETSCREAM	50

### FAT/PLUS

MAMMOTH	53
CHRONICLE	53
COLOSSUS	54
MINION FBF	55
MINION FBR	55

### URBAN

HOLY ROLLER	57
DTH	57
TORCH	58
HOOKWORM	58
GRIFTER	59

### BMX RACE

MAXXDADDY	61
-----------	----

HOLY ROLLER	61
DTH	62
TORCH	62

### BMX FREESTYLE

RIZER	63
GRIFTER	64
HOOKWORM	64

### MODIFIED TRIALS

CREEPY CRAWLER F	65
CREEPY CRAWLER R	65

### MODULAR VALVE SYSTEM

MVS VALVE STEM SETS	66
MVS FLYWEIGHT TUBES	67
MVS ULTRALIGHT TUBES	67

### INNER TUBES

FLYWEIGHT	68
ULTRALIGHT	68
WELTERWEIGHT	69
FREERIDE	69
DOWNHILL	70
FAT BIKE	70

### QUICK REFERENCE

PRODUCT/SPEC LISTING	71
----------------------	----

MAXXIS MAKES EVERY EFFORT TO ENSURE THE ACCURACY OF THE INFORMATION WE PUBLISH. MAXXIS IS NOT RESPONSIBLE FOR ERRORS OR MISPRINTS IN OUR MATERIALS. SPECIFICATIONS AND ITEM AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. ACTUAL WEIGHTS AND MEASUREMENTS MAY VARY FROM THOSE PUBLISHED HEREIN. WEIGHTS ARE LISTED IN GRAMS.

© 2015 MAXXIS INTERNATIONAL.  
ALL RIGHTS RESERVED.



- ▼ Consult your owner's manual for specific tire information.
- ▼ Clearance around tires must be maintained. Increasing tire size may require an increased rim width. Inspect tires closely for sufficient clearance.
- ▼ Always wear protective eyewear when installing inner tubes or tires.
- ▼ When replacing tires, be sure to also replace the inner tubes. Stretched inner tubes can crease and fail due to thinning of the inner tube rubber.
- ▼ Consult your bicycle professional for correct rim strip replacement.
- ▼ Make sure your tube size markings match the tire size.
- ▼ Use tire only for designated terrain, on an appropriate bicycle and using proper safety equipment at all times.
- ▼ Follow tire pressure guidelines located on your tire.
- ▼ Check tire pressure before every ride.
- ▼ Check your valve cores for damage. If valve cores are damaged, replace them.
- ▼ Check your tires for damage before and after riding. Punctured, cracked, bulging or blistered tires should be replaced immediately. If not replaced, damage can result in sudden and complete tire failure.
- ▼ Check to ensure that the beads of the tires are fully and evenly seated around the entire circumference of the rims before every ride.
- ▼ After replacing worn tires, take time to become acquainted with the handling and performance of your new tires.
- ▼ Do not cut, sipe or otherwise modify your tires.
- ▼ Check for broken or damaged spokes and replace as necessary.
- ▼ Replace bent or damaged rims or wheels immediately.
- ▼ Liquid sealants should only be used in the following types of tires: Tubeless Road, Tubular, and Tubeless Ready. The use of liquid sealants in any other Maxxis tire will void the warranty.
- ▼ Tube-type tires should only be used in conjunction with an inner tube on an approved rim.
- ▼ Do not store tires in direct sunlight for extended periods of time.
- ▼ Allowing tires to stand in oil, gasoline or other chemicals may have an adverse effect on the rubber compounds of the tire.
- ▼ Failure to follow these guidelines can result in accelerated tread wear and may cause catastrophic tire failure.





PHOTO: TUMPORE



# TECHNOLOGY OVERVIEW

## BASIC TIRE CONSTRUCTION



## BEAD

The function of the bead is to keep the tire in contact with the rim while the tire is inflated.

### WIRE BEAD

A rigid metal wire is utilized as bead material in applications where ultimate strength is needed and transportability is not a factor.

### FOLDABLE BEAD

Foldable beads also keep the tire secured to the rim but are lighter weight and easily transported. The bead is made of spun aramid or Kevlar® fibers.

### CARBON FIBER BEAD

A flexible material with greater strength to withstand the forces exerted by a high-pressure road tire.

TIRE ILLUSTRATION DOES NOT DEPICT AN ACTUAL PRODUCTION TIRE. THE ILLUSTRATION IS USED SOLELY TO DEPICT BASIC TIRE CONSTRUCTION. SEE INDIVIDUAL PRODUCT SPECIFICATIONS FOR ACTUAL INCLUDED PRODUCT TECHNOLOGY.

## CASING

### SINGLE-PLY CASING

One layer of nylon wrapped from bead to bead. A single-ply casing conforms well to the terrain and is lighter weight.


### DOWNHILL (DH) CASING

Two layers of casing material are used from bead to bead, providing additional protection and sidewall stiffness for downhill applications.

### THREADS PER INCH (TPI)

The number of threads that cross through one square inch of a single ply of the tire's casing. Lower TPI gives better puncture, cut and abrasion resistance but is heavier. Higher TPI conforms better to the terrain, offering a smoother, more comfortable ride while reducing the weight of the tire.

Maxxis TPI ratings are the threads-per-inch of a single casing ply, as compared to some competitor TPI ratings.



## TUBELESS READY




Tubeless tires provide the rider with many benefits: the ability to run lower air pressures, which improves traction; lower rolling resistance when compared to a tube-type tire; and less chance of flatting since there is no tube. Maxxis Tubeless Ready (TR) tires provide the benefits of a UST tubeless tire without the weight penalty.

Liquid sealants should only be used in the following types of tires: Tubeless Road, Tubular, and Tubeless Ready. The use of liquid sealants in any other Maxxis tire will void the warranty.




## NYLON BREAKER



The nylon breaker is a reinforcement option that offers protection from punctures directly under the tread area. The nylon breaker is available in select road tires.

## SILKSHIELD




SilkShield offers protection from bead to bead whereas SilkWorm is found under the tread only. SilkShield provides an additional level of protection for sidewalls as well as under the tread.



PHOTO: SEQUIN

## MAXXSHIELD




MaxxShield represents the ultimate in flat protection. We begin with our SilkShield bead to bead protection and add our K2 (Kevlar® Composite) layer under the tread for unparalleled durability.




# TECHNOLOGY PROTECTION

## MAXXPROTECT




A poly-fiber material positioned between the tire tread and the casing. With varying thicknesses of 0.9mm - 1.5mm, MaxxProtect is designed to maximize puncture resistance in select hybrid models.

## SILKWORM




SilkWorm Technology is an exclusive material incorporated into the casing of select models, increasing puncture and tear resistance. SilkWorm is featured under the tread as a breaker (denoted as SilkWorm)

## KEVLAR® INSIDE



A Kevlar® material positioned between the tire tread and the casing. Similar to MaxxProtect technology, Kevlar® Inside varies in thickness and provides optimal puncture protection.

## KEVLAR® COMPOSITE



Available in select tires, this Maxxis-exclusive fabric provides greater puncture protection than both standard Kevlar® and Vectran®. The addition of this lightweight and supple material ensures that ride quality and performance remain unsurpassed.



## EXO

An extremely cut-resistant and abrasion-resistant material added to the sidewalls of select mountain tires. This densely woven fabric is also lightweight and highly flexible, ensuring that the performance of the tire remains unaffected. Choose EXO Protection for exceptionally rocky, treacherous trails where the chance of sidewall cuts and abrasions is high.

**EXO**  
PROTECTION

## BUTYL INSERT

An extra piece of butyl rubber that extends from the bead of a downhill tire up into the sidewall. The butyl insert helps prevent pinch flats, protects the rim from hard hits and adds sidewall stability.

**BUTYL**  
**INSERT**

## DOUBLE DOWN

**DD**  
DOUBLE DOWN

DoubleDown (DD) is the next step in the evolution of the dual-ply tire casing for enduro racing. Two 120 TPI casing layers reinforced with a butyl insert provide the enduro racer with the support and protection of a downhill tire, but in a lighter package.



NAME: **KATERINA NASH**

TEAM: **LUNA PRO TEAM**

HOMETOWN: **EMERYVILLE, CA**

SPECIALTY: **MTB, CYCLOCROSS**

SEASON HIGHLIGHT:

**2016 BC BIKE RACE WINNER**

**2ND US CUP OVERALL**

CAREER HIGHLIGHT:


**4 X OLYMPIAN**

**WORLD CUP WINNER IN BOTH MTB AND CYCLOCROSS**

For the 2016 BC Bike Race I rode an Ardent Race on the front and an Ikon on the back, both EXO protection. I run a little higher pressure than I typically do during XC races, around 22-24 PSI. I checked daily and expected my tires to start wearing out with long days, but I got through the entire race with one set of tires. BC Bike Race is an amazing event, and I would highly recommend entering.

# TECHNOLOGY TUBULAR/RADIAL

## TUBULAR



INNER TUBE


CASING

PUNCTURE PROTECTION LAYER

CLOTH-BASED TAPE


A traditional tire construction in which the tire casing is sewn or wrapped around an inner tube. These types of tires must be glued or taped onto tubular-specific rims.

## RADIAL ROAD



RADIAL CONSTRUCTION

PUNCTURE PROTECTION LAYER




A radial construction orients the casing threads perpendicular to the direction of rotation. This allows the sidewall to easily bend and flex, resulting in a very compliant and supple ride.



## TUBELESS ROAD



PHOTO: DEVICH



**BEAD CUSHION**

**PUNCTURE PROTECTION LAYER**

**BUTYL INNER LINER**

**CARBON FIBER BEAD**

Tubeless technology that combines a carbon fiber bead for strength and a butyl inner liner for air retention to eliminate the need for an inner tube. The puncture protection layer helps prevent damage from road debris. Choose Maxxis tubeless road tires for the ultimate road experience.



# TECHNOLOGY COMPOUNDS

## RUBBER COMPOUNDS

The most important part of a tire is arguably the rubber compound within the tread. By changing the amounts of various components of the rubber formula, engineers can make two identical looking tires perform completely differently. A list of Maxxis compounds and their distinct characteristics is below.

### SINGLE

One compound throughout the tread optimized for longevity and performance.

### DUAL

Two compounds used within the tread of select tires to offer lower rolling resistance and increased cornering grip.


### SUPER TACKY

A special low-rebound, high-traction compound used in select mountain tires.

**ST**  
SUPERTACKY



## 3C TRIPLE COMPOUND ROAD




Triple Compound road technology utilizes three distinct silica compounds in different locations within the tread of the tire. The center compound is optimized for exceptional treadwear and low rolling resistance. The progressively softer shoulder compounds provide increased grip while cornering. Choose a Triple Compound Maxxis road tire for the ultimate in tire handling in all conditions.



## 3C TRIPLE COMPOUND MOUNTAIN



Maxxis 3C Triple Compound mountain technology uses a harder, longer lasting base layer and two progressively softer top layers in order to optimize traction and stability. Maxxis offers three different configurations of our 3C Triple Compound mountain technology: Maxx Speed, Maxx Terra and Maxx Grip.



HARD COMPOUND BASE LAYER

MEDIUM COMPOUND TOP LAYER

SOFT COMPOUND SHOULDER LAYER



Used primarily in cross country and enduro tires, the two compounds in the outer layer are specially formulated to reduce rolling resistance and optimize treadwear and traction.

An intermediate compound configuration used in select mountain tires. 3C Maxx Terra is softer and offers more traction than 3C Maxx Speed, yet provides better treadwear and less rolling resistance than Maxx Grip.

3C Maxx Grip uses the softest rubber compounds to offer the ultimate in grip and slow rebound properties for unparalleled traction in downhill applications.



# TERRAIN GUIDES

## ROAD HYBRID

MODEL	RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
CAMPIONE	████				1234
CAMPIONE TT	████				1234
RADIALE-TL	████████				1234
VELOCITA	████████				1234
CORMET	████████				1234
COLUMBIERE	████████				1234
DOLOMITES	████████				1234
ROULER	████████				1234
RELIX	████████				1234
RELIX TT	████████				1234
PADRONE TR	██████				1234
COURCHEVEL		██████████			1234
PADRONE		██████████			1234
FORZA		██████			1234
DETONATOR		██████████			1234
RE-FUSE			██████████		1234
DETONATOR HYBRID			██████████		1234
OVERDRIVE				██████	1234
OVERDRIVE ELITE				██████	1234
OVERDRIVE II				██████	1234
ROAMER				██████	1234
GYPSY				██████	1234

## BMX / TRIALS

MODEL	DIRT	STREET	PARK	FLAT	VERT
MAXXDADDY	████				
CREEPY CRAWLER	██████████				
HOLY ROLLER	██████████				
DTH	██████████				
TORCH	██████████				
RIZER	██████████				
HOOKWORM		██████████			
GRIFTER		██████████			

## URBAN

MODEL	DIRT	STREET	PARK	FLAT	VERT
HOLY ROLLER	██████████				
DTH	██████████				
TORCH	██████████				
HOOKWORM		██████████			
GRIFTER		██████████			

## CYCLOCROSS

MODEL	HARDPACK	LOOSE OVER HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
RAZE	██████████						1234	1234
MUD WRESTLER		██████████					1234	1234

## GRAVEL / ADVENTURE

MODEL	HARDPACK	LOOSE OVER HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
RE-FUSE	██████████						1234	1234
RAMBLER	██████████						1234	1234



## MOUNTAIN / DOWNHILL

MODEL	HARDPACK	LOOSE OVER HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
MAXXLITE	██████████						1234	1234
TREAD LITE	██████████						1234	1234
ASPEN	██████████	██████████					1234	1234
CROSSMARK	██████████	██████████					1234	1234
PACE	██████████	██████████					1234	1234
RACE TT	██████████	██████████					1234	1234
CROSSMARK II	██████████	██████████					1234	1234
MINION SS	██████████	██████████					1234	1234
TOMAHAWK	██████████	██████████	██████████				1234	1234
IKON	██████████	██████████	██████████				1234	1234
SNYPER	██████████	██████████	██████████				1234	1234
GRIFFIN	██████████	██████████					1234	1234
ARDENT	██████████	██████████	██████████				1234	1234
IGNITOR		██████████	██████████				1234	1234
ARDENT RACE		██████████	██████████				1234	1234
AGGRESSOR		██████████	██████████				1234	1234
MINION DHF		██████████	██████████	██████████			1234	1234
MINION DHR II		██████████	██████████	██████████			1234	1234
HIGH ROLLER		██████████	██████████	██████████			1234	1234
HIGH ROLLER II		██████████	██████████	██████████			1234	1234
BEAVER				██████████	██████████		1234	1234
SHORTY				██████████	██████████		1234	1234
WETSCREAM					██████████	██████████	1234	1234

## FAT/PLUS

MODEL	HARDPACK	LOOSE OVER HARD	MEDIUM	LOOSE	WET	MUD	CORNERING EFFICIENCY	ROLLING EFFICIENCY
MAMMOTH	██████████	██████████					1234	1234
CHRONICLE	██████████	██████████					1234	1234
MINION FBF		██████████	██████████				1234	1234
MINION FBR		██████████	██████████				1234	1234
COLOSSUS			██████████	██████████			1234	1234





PHOTO: DEVICH



## CAMPIONE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB88104000	28x23	—	120	N/A	265 g	3C	170	Black	3C / K2
TB88205000	28x25	—	120	N/A	285 g	3C	170	Black	3C / K2

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 <b>3</b> 4

- ▼ M6R
- ▼ TUBULAR RACING TIRE
- ▼ 120-TPI CASING
- ▼ 3C TRIPLE COMPOUND TECHNOLOGY
- ▼ K2 (KEVLAR COMPOSITE) PUNCTURE PROTECTION (UNDER TREAD)
- ▼ SILKWORM PUNCTURE PROTECTION (UNDER TREAD)

The Campione is the race-specific tubular tire from Maxxis. The supple, high-TPI casing provides the ultimate in ride quality and feel, while the three compounds used in the tread lower rolling resistance and increase cornering grip. And because its Kevlar® Composite (K2) breaker outperforms both Vectran® and regular Kevlar® breakers, the Campione will get you to the finish line. The Campione is the obvious choice for the traditional road racer.



## CAMPIONE TT

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB88104100	28x23	—	120	N/A	250 g	3C	170	Black	3C
TB88205100	28x25	—	120	N/A	265 g	3C	170	Black	3C

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				<b>1</b> 2 3 4

- ▼ M6R
- ▼ TUBULAR
- ▼ 3C TRIPLE COMPOUND TECHNOLOGY
- ▼ PRO ROAD COMPETITION TIRE

Our goal with the Campione TT was to create our lightest tubular race tire to date. We started with the proven tread pattern, casing, and 3C Triple Compound of the Campione, but removed any added puncture protection. The result is a lighter weight tire, with a very supple ride, perfect for use in time trials or on the velodrome.



**NAME: JONNY CLARKE // TEAM: UNITEDHEALTHCARE PRO CYCLING TEAM // HOMETOWN: ASHEVILLE, NC  
SPECIALTY: ROAD CAPTAIN AND ALL-AROUNDER**

The Campione is my go-to race tire because it's super fast while also keeping me upright. The Maxxis tubulars provide the perfect mix of speed, durability, and grip needed to stay at the front of the peloton. I always feel safe and confident when I'm leaning into fast, tight corners, which is very important in my line of work.



# ROAD TUBULAR



## FORZA

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB88102000	28x23	—	60	N/A	285 g	Dual	130	Black	Silkworm
TB88200000	28x25	—	60	N/A	310 g	Dual	170	Black	Silkworm

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ MBS
- ▶ TUBULAR SPORT TRAINING TIRE
- ▶ 60-TPI CASING
- ▶ DUAL-COMPOUND RUBBER
- ▶ SILKWORM PUNCTURE PROTECTION (UNDER TREAD)

The Forza is the tubular tire for sport training. The casing provides the optimal mixture of performance and durability, and the dual-compound tread ensures that the tire will last for many miles, yet still grip hard when needed most. The proprietary Silkworm breaker makes the Forza extremely resistant to cuts and punctures. Choose the Forza if you prefer the feel of tubulars every day.

### PRO TIP

Take your time when gluing tubular tires. A little extra attention will give you a securely mounted tire with no wobbles or hops. Or, just take them to your local mechanic!



NEW



## VELOCITA

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB88150000	28x28mm	—	120	N/A	410 g	Dual	130	Black	MaxxShield

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ M9S
- ▶ ENDURANCE RACING TIRE
- ▶ MAXXSHIELD BEAD-TO-BEAD PUNCTURE PROTECTION
- ▶ DUAL-COMPOUND
- ▶ MVS VALVE TYPE

Born from the cobbles of Roubaix, the Velocita is a high-volume endurance racing tubular tire. A center diamond tread turns into a file tread on the edges of the Velocita for increased cornering control, while the MaxxShield provides puncture protection under the sidewalls and tread.



## PADRONE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB81794000	700x23C	23-622	120	Carbon Fiber	295 g	Dual	125	Black	Silkworm
TB86470100	700x25C	25-622	120	Carbon Fiber	310 g	Dual	125	Black	Silkworm

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ I-MAX
- ▶ TUBELESS ROAD
- ▶ SILKWORM PUNCTURE PROTECTION
- ▶ HIGH-STRENGTH CARBON FIBER BEAD
- ▶ DUAL-COMPOUND

The Padrone is designed with dual-compound technology for enhanced treadwear and improved cornering control. This tubeless road tire also uses our proprietary Silkworm material for puncture protection, along with a high-strength carbon fiber bead. Maxxis' tubeless technology allows the Padrone to easily conform to the road surface, resulting in the highest ride quality.




## PADRONE TR

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB81815100	700x23C	23-622	170	Carbon Fiber	250 g	Dual	125	Black	SilkShield / TR / ONE70
TB86459100	700x25C	25-622	170	Carbon Fiber	260 g	Dual	125	Black	SilkShield / TR / ONE70
<b>NEW</b> TB81815200	700x28C	28-622	170	Carbon Fiber	300 g	Dual	115	Black	SilkShield / TR / ONE70

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ M217RU
- ▶ TUBELESS READY ROAD RACING TIRE
- ▶ CARBON FIBER BEAD
- ▶ DUAL-COMPOUND
- ▶ ONE70 TECHNOLOGY

Building on the legacy of our original Padrone road tubeless tire is the Padrone-TR (Tubeless Ready). Using Maxxis' TR technology from our mountain bike tires along with a ONE70 (170 TPI) casing and a carbon fiber bead, we were able to create a race-ready tubeless road tire weighing just 260g for a 23c size! The Padrone-TR also features our SilkShield technology, protecting the tire from bead to bead.



**NAME: DANNY SUMMERHILL // TEAM: UNITEDHEALTHCARE PRO CYCLING TEAM // HOMETOWN: ENGLEWOOD, CO**  
**SPECIALTY: ALL-AROUNDER, LEAD-OUT SPECIALIST**  
**SEASON HIGHLIGHT: MULTIPLE MOST-AGGRESSIVE JERSEYS AT TOURS OF UTAH, ALBERTA AND USA PRO CHALLENGE**  
**CAREER HIGHLIGHT: U-23 NATIONAL CYCLOCROSS CHAMPION**

I've raced Paris-Roubaix several times as a U-23 rider, and twice as a professional. In my years as a bike racer, I have never raced on a tire as reliable and durable on the cobbles and rough pavement as the Maxxis Velocita. Hands down, it's one of the best tires on the market to tackle the harsh, demanding European classics season.



# ROAD TUBELESS



## RADIALE-TL

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB86175000	700x22C	22-622	120	Carbon Fiber	280 g	Dual	125	Black	Silkworm
TB86425000	700x24C	24-622	120	Carbon Fiber	305 g	Dual	125	Black	Silkworm

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ M214U
- ▶ TUBELESS ROAD
- ▶ RADIAL CASING CONSTRUCTION
- ▶ DUAL-COMPOUND
- ▶ SILKWORM PUNCTURE PROTECTION

The Maxxis Radiale-TL pushes road racing tire technology to new levels. The Radiale-TL combines the excellent ride quality our radial casing tires are known for and adds the benefits of road tubeless compatibility. When used on a road tubeless-compatible wheel, the Radiale-TL offers a supple ride, excellent cornering traction and a reduced chance of flatting. The Radiale-TL has a lightweight 120 TPI casing, dual-compound rubber and our Silkworm for puncture protection. Choose the Radiale-TL for your next local crit or century ride.

### PRO TIP

Some tire and rim combinations can make for a very tight-fitting bead. A little bit of dish soap and water can really ease the mounting process. Make sure to clean any excess soap off of braking surfaces (rims or rotors) before riding.



PHOTO: LORD



## RELIX

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB86238100	700x23C	23-622	170	Foldable	205 g	Dual	145	Black	SilkShield / ONE70
TB86372000	700x25C	25-622	170	Foldable	215 g	Dual	145	Black	SilkShield / ONE70

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ M215
- ▶ ONE70 TECHNOLOGY
- ▶ SILKSHIELD PUNCTURE PROTECTION

The Relix is the latest in a long line of race-ready road clincher tires from Maxxis. The Relix uses our lightest and most supple 170 TPI casing (ONE70) along with SilkShield puncture protection, which protects both the sidewalls and the underside of the tread.



## RELIX TT

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB86238200	700x23C	23-622	170	Foldable	160 g	Single	145	Black / Grey	—

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ M215
- ▶ ONE70 TECHNOLOGY
- ▶ PRO ROAD COMPETITION TIRE

The Relix TT is Maxxis' lowest rolling resistance road tire to date! It features our most supple ONE70 (170 TPI) casing and our fastest rolling rubber compound. The Relix TT is ideally suited for racing triathlons, time trials, and on the track. Due to its extremely light weight, the Relix TT is recommended only for race applications.

### PRO TIP

If you keep a spare tube in a saddle bag or hydration pack, be sure to check it at least once a season. It's possible for loose tools, keys, friction, etc. to cause a puncture. Putting your spare tube inside a small plastic bag will go a long way toward protecting it.



# ROAD CLINCHER



## COURCHEVEL

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB86345300	700x23C	23-622	120	Foldable	225 g	3C	130	Black / Grey / Grey	3C / MaxxShield

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
█				1 2 3 4

- ▼ M201-3C
- ▼ 3C TRIPLE COMPOUND TECHNOLOGY
- ▼ MAXXSHIELD PUNCTURE PROTECTION
- ▼ PRO ROAD COMPETITION TIRE

Maxxis continues to push the boundaries of the road racing market. The Courchevel was reinvented from rubber to casing. 3C Triple Compound Technology offers better treadwear and improved cornering traction with excellent transition from compound to compound. MaxxShield provides the highest level of puncture resistance and sidewall protection.



## CORMET

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB86331200	700x23C	23-622	170	Foldable	200 g	Single	130	Black	Nylon Breaker / ONE70

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
█				1 2 3 4

- ▼ M208
- ▼ ONE70 TECHNOLOGY
- ▼ 2-PLY NYLON BREAKER PUNCTURE PROTECTION
- ▼ PRO ROAD COMPETITION TIRE

The Cormet, featuring ONE70 Technology, utilizes a 170 TPI high-thread-count casing, reducing rolling resistance even further than our other racing tires. ONE70 Technology also provides better road feel and weight savings over other racing tires. From the most aggressive crit to the most epic climb, the Maxxis Cormet with ONE70 Technology is destined for racing greatness.

### PRO TIP

Road grit can work its way into the casing of a tire, eventually causing a puncture. That's why it's important to check for debris after a ride, especially if it's been raining.



## COLUMBIERE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB86355000	700x23C	23-622	120	Foldable	200 g	Single	130	Black	Nylon Breaker
TB86370000	700x25C	25-622	120	Foldable	205 g	Single	130	Black	Nylon Breaker

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
1	2	3	4	1 2 3 4

- ▶ M204
- ▶ GROOVED SLICK DESIGN
- ▶ 2-PLY NYLON BREAKER PUNCTURE PROTECTION
- ▶ PRO ROAD COMPETITION TIRE

The Columbiere is designed for true road racing enthusiasts. The Columbiere's slick design with subtle siping allows racers to cover ground in any condition with plenty of confidence.



## DOLOMITES

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB81808000	700x23C	23-622	120	Foldable	185 g	Dual	130	Black	Silkworm

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
1	2	3	4	1 2 3 4

- ▶ M210
- ▶ SILKWORM PUNCTURE PROTECTION
- ▶ PRO ROAD COMPETITION TIRE

Named after the rugged mountain range in Italy, the Dolomites was designed as a do-it-all competition road tire. With a lightweight 120 TPI casing and dual-compound rubber, the Dolomites is at home tackling big climbs and the descents afterwards. With our under-tread Silkworm puncture protection, the Dolomites can hold its own on rough roads.



**NAME: PETE MORRIS // TEAM: CLIF BAR // HOMETOWN: CARSON CITY, NV**  
**SPECIALTY: BREAKAWAYS**  
**SEASON HIGHLIGHT: 1ST AT THE CITY PARK CRITERIUM IN CO**  
**CAREER HIGHLIGHT: AWARDED "BEST CLIF BAR FLAVOR" IN THE CREATE-YOUR-OWN-BAR CONTEST AT THE 2014 CLIF ATHLETE SUMMIT**

I've been running the 25c Maxxis Columbiere in every race of the '15 season - rain or shine. Having such a versatile & reliable tire that's right at home railing corner after corner in all sorts of conditions is something that's very hard to come by.



# ROAD CLINCHER



## ROULER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB81793000	700x23C	23-622	120	Foldable	215 g	Dual	130	Black	Silkworm

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ M3D
- ▶ PRO ROAD COMPETITION TIRE
- ▶ SILKWORM PUNCTURE PROTECTION

A lightweight, supple and race-ready tire, the Rouler features a 120 TPI casing for a smooth ride, a Silk Worm breaker for puncture protection and a dual-compound tread pattern for improved cornering performance.

### PRO TIP

For training, consider going with a 25c or even 28c tire if your frame can accommodate them. The increased volume does wonders for ride comfort, especially on long days in the saddle.



## DETONATOR



PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB86352100	700x23C	23-622	60	Foldable	230 g	Dual	120	Grey	Silkworm
TB86353700	700x23C	23-622	60	Foldable	220 g	Dual	120	White	Silkworm
TB86353000	700x23C	23-622	60	Foldable	230 g	Dual	120	Blue	Silkworm
TB86352000	700x23C	23-622	60	Foldable	230 g	Dual	120	Red	Silkworm
TB86351700	700x23C	23-622	60	Foldable	220 g	Dual	120	Lime	Silkworm
TB86352200	700x23C	23-622	60	Foldable	230 g	Dual	120	Yellow	Silkworm
TB86352300	700x23C	23-622	60	Foldable	230 g	Dual	120	Orange	Silkworm
TB86353600	700x23C	23-622	60	Foldable	220 g	Dual	120	Pink	Silkworm
TB86367500	700x25C	25-622	60	Foldable	255 g	Dual	120	Grey	Silkworm

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 4

- ▶ M203
- ▶ M-SHAPED GROOVED TREAD PATTERN
- ▶ SILKWORM PUNCTURE PROTECTION AVAILABLE
- ▶ TRAINING TIRE

With its dual-compound tread pattern, the Maxxis Detonator provides a durable training tire with a race pedigree. Softer silica compound on the outer edges of the tire allows for great traction in a variety of road conditions. The Detonator is durable enough to provide plenty of winter miles, yet supple and grippy enough to race on in the summer.



PHOTO: SEGUIN



## RE-FUSE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB86336000	700x23C	23-622	60	Foldable	295 g	Single	120	Black	MaxxShield
TB86359000	700x25C	25-622	60	Foldable	300 g	Single	120	Black	MaxxShield
TB88505000	700x28C	28-622	60	Foldable	320 g	Single	120	Black	MaxxShield

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
		1		2 3 4

- ▼ M200
- ▼ DIAMOND-KNURLED SLICK DESIGN
- ▼ MAXXSHIELD PUNCTURE PROTECTION

Our most popular training tire, providing excellent training and commuting dependability. The Re-Fuse will rack up plenty of road miles in all riding conditions.

### PRO TIP

A Presta valve to Schrader valve adaptor can come in very handy should your pump break or if you run out of CO2 cartridges. It will allow you to fill your tire from a compressor at a gas station. You can pick one up at your local bike shop for next to nothing, and they weigh only a couple grams.



# CYCLOCROSS



## RAZE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB88985200	700x33C	33-622	60	Foldable	355 g	Single	75	—

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 <b>3</b> 4	1 2 3 <b>4</b>

- ▼ M206P
- ▼ VERSATILE CYCLOCROSS TREAD DESIGN

Accept no limitations. The diverse terrain of a cyclocross race requires a unique solution: the Raze. A fast-rolling center ridge with widely spaced side lugs sheds mud. The Raze's slightly softer compound remains pliable in cold conditions, and the improved casing maintains integrity at low pressures.



## MUD WRESTLER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB88992100	700x33C	33-622	60	Carbon Fiber	390 g	Dual	75	EXO / TR
TB88992200	700x33C	33-622	120	Carbon Fiber	370 g	Dual	75	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 <b>4</b>	1 2 <b>3</b> 4

- ▼ M209RU
- ▼ FAST-ROLLING RAMPED CENTER KNOBS
- ▼ SHEDS MUD QUICKLY
- ▼ AGGRESSIVE SIDE KNOBS FOR CONTROLLED CORNERING
- ▼ TUBELESS READY (TR)

The Mud Wrestler offers outstanding performance in the wet conditions so common to this grueling race discipline. The center knobs are continuously ramped to roll fast, while the aggressive side knobs cut through the nastiest mud and snow. The Mud Wrestler sheds mud with ease thanks to its open tread design. If you are looking for an all-conditions race tire, then the Mud Wrestler is for you.

### PRO TIP

Dropping your tire pressure by just a few PSI can really help with traction in wet, sloppy conditions. The tire will more easily conform to the surface, offering a larger contact patch and boosting your confidence!





PHOTO: LUNA PRO TEAM



# GRAVEL / ADVENTURE



PHOTO: GUERRETTE





**NEW**



## RE-FUSE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB90924000	27.5x2.00	50-584	60	Foldable	610 g	Dual	60	MaxxShield / TR
TB88896000	700x32C	32-622	60	Carbon Fiber	390 g	Dual	75	MaxxShield / TR
TB95987000	700x40C	40-622	60	Carbon Fiber	520 g	Dual	75	MaxxShield / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M200RU
- ▶ DIAMOND-KNURLED SLICK DESIGN
- ▶ TUBELESS READY (TR)
- ▶ MAXXSHIELD BEAD-TO-BEAD PROTECTION
- ▶ DUAL-COMPOUND RUBBER

Our most popular training tire, modernized with tubeless technology and higher volumes for even more reliability and comfort. The familiar diamond tread pattern keeps things rolling smoothly even as the pavement crumbles into gravel and hardpack dirt.



**NEW**



## RAMBLER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB96268000	700x40C	40-622	120	Carbon Fiber	390 g	Dual	75	EXO / TR
TB96268100	700x40C	40-622	60	Carbon Fiber	435 g	Dual	75	SilkShield / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M2018RU
- ▶ GRAVEL-SPECIFIC TREAD PATTERN
- ▶ DUAL-COMPOUND FOR LONGEVITY
- ▶ TUBELESS READY (TR)
- ▶ EXO PROTECTION AVAILABLE

Maxxis' first gravel-specific tire, the Rambler is designed with the volume you need for comfort and the tread you need for speed and control. Tightly packed center knobs are ramped for rolling efficiency on hardpack roads, and spaced-out side knobs provide predictable cornering in varied terrain.



**NAME: REBECCA RUSCH // TEAM: NINER SRAM RED BULL // HOMETOWN: KETCHUM, IDAHO**  
**SPECIALTY: ULTRA ENDURANCE MTB AND GRAVEL**  
**CAREER HIGHLIGHT: 3X 24 HOUR SOLO MTB WORLD CHAMPION, 4 X LEADVILLE TRAIL 100 CHAMPION, KOKOPELLI TRAIL FEMALE RECORD HOLDER (INDIVIDUAL TIME TRIAL)**

Dirty Kanza 200 was by far the worst conditions I've ever experienced on a gravel bike. That race always calls for a tire that's a top performer on all types of roads. Even in good conditions, you will find sand, mud, chunky gravel, smooth gravel, even grass and pavement riding. You need a tire that's fast, but reliable. Tire choice for this event is one of the most important decisions you can make. Even in horrendous hike-a-bike mud this year, I was super happy with my tire choice. Not only were the Ramblers great for a race that can throw anything at you, they were burly enough to withstand the infamous tire-chewing gravel of the Flint Hills. Since then, I've been riding the bike in mostly dry conditions around Idaho in preparation for Rebecca's Private Idaho. They feel fast and secure. I'm sold.



# HYBRID



PHOTO: MEAGHER



## DETONATOR-HYBRID

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB58908000	26x1.50	40/38-559	60	Foldable	440 g	Single	80	Black	—
TB85917100	27.5x1.50	40-584	60	Foldable	480 g	Single	80	Black	—

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 <b>3</b> 4

- ▶ M203P
- ▶ M-SHAPED GROOVED TREAD PATTERN
- ▶ NARROW PROFILE FOR LOW WEIGHT

The Detonator Hybrid uses the same tread pattern as one of our most popular road training tires and adapts it to a size perfect for commuting or road training on your mountain bike.



## OVERDRIVE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB64110600	26x1.75x2	47-559	60	Wire	610 g	Single	50	Black	K2
<b>NEW</b> TB90905000	27.5x1.65	42-584	60	Foldable	580 g	Single	80	Black	MaxxShield
<b>NEW</b> TB90905100	27.5x1.65	42-584	60	Wire	535 g	Single	80	Black	Silkworm
TB95688700	700x38C	40-622	60	Wire	580 g	Single	75	Black	K2

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 <b>3</b> 4

- ▶ M2003
- ▶ GROOVED SLICK DESIGN
- ▶ REFLECTIVE STRIPE FOR ADDED VISIBILITY

Created to meet the demands of the European trekking market, the Overdrive has a grooved slick design for all-weather applications as well as our K2 puncture protection to provide excellent protection from encounters with road debris.

### PRO TIP

Since the rear tire will wear faster than the front, rotate your tires every few hundred miles to keep them wearing evenly.



# HYBRID



## OVERDRIVE ELITE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB20120000	20x1.15	28-406	60	Wire	255 g	Single	100	Black	K2
TB22310000	20x1.35	32-406	60	Wire	365 g	Single	100	Black	K2
TB64506000	26x1.75	42-559	120	Foldable	540 g	Dual	80	Black	K2
TB91438000	700x35C	35-622	120	Foldable	475 g	Dual	75	Black	K2

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 <b>3</b> 4

- ▼ M2013
- ▼ DUAL-COMPOUND
- ▼ K2 PUNCTURE PROTECTION
- ▼ REFLECTIVE STRIPE FOR ADDED VISIBILITY

The Overdrive Elite is our high-performance hybrid tire, featuring dual-compound technology and K2 Kevlar® Composite Puncture Protection to keep you rolling on the roughest roads. Also featuring a reflective sidewall stripe for nighttime visibility, the Overdrive Elite is built for the long haul, with a durable design for everything from city streets to country dirt roads.

### PRO TIP

Choosing a tire with a reflective stripe on the sidewall helps make you more visible when riding at night or in low-light conditions.



## OVERDRIVE II

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB60867000	26x1.65	42-559	60	Foldable	540 g	Dual	80	Black	MaxxShield
TB60867100	26x1.65	42-559	60	Wire	510 g	Single	80	Black	Silkworm

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
				1 2 3 <b>4</b>

- ▼ M2017
- ▼ VARIOUS PUNCTURE PROTECTION OPTIONS
- ▼ REFLECTIVE STRIPE FOR ADDED VISIBILITY

The Overdrive II is the next step in the evolution of our popular Overdrive series of commuter/trekking tires. The smooth center rolls quickly along pavement, and the textured shoulders offer a bit more cornering grip in looser conditions. For added visibility while commuting in the morning fog or late evening, the Overdrive II features a reflective strip integrated into the sidewall. To top it all off, the Overdrive II uses either our MaxxShield or Silkworm puncture protection for the ultimate in flat prevention.



## ROAMER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB23110000	20x1.65	42-406	60	Wire	460 g	Dual	100	Black	Kevlar® Inside
TB60865000	26x1.65	42-559	60	Wire	605 g	Dual	80	Black	Kevlar® Inside
TB96354000	700x42C	44-622	60	Wire	715 g	Dual	75	Black	Kevlar® Inside
TB96356000	700x42C	44-622	60	Wire	690 g	Dual	75	Black	SilkShield / eBike

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
			1 2 3 4	

- ▶ M2016P
- ▶ GROOVED SLICK DESIGN
- ▶ KEVLAR INSIDE AND SILK SHIELD OPTIONS AVAILABLE
- ▶ CONFORMS TO THE EUROPEAN ECE-R75 CERTIFICATION FOR E-BIKES

The Roamer is ready for anything from your daily commute, a trip to the store, or a long weekend of touring the back roads. The slick center rolls fast and the leaf-like tread on the shoulders provides extra cornering traction. To ensure lots of trouble-free miles, the Roamer uses a high-mileage rubber compound along with a 60 TPI casing with various puncture protection options.



## GYPSY

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
TB22781000	20x1.50	38-406	60	Wire	400 g	Dual	100	Black	Silkworm
TB58915000	26x1.50	38-559	60	Wire	495 g	Dual	80	Black	Silkworm
TB69917000	26x2.10	53-559	60	Wire	790 g	Dual	65	Black	SilkShield / eBike
TB95734000	700x38C	40-622	60	Wire	645 g	Dual	85	Black	SilkShield
TB95735000	700x38C	40-622	60	Wire	645 g	Dual	85	Black	SilkShield / eBike

RACING	SPORT	TRAINING	URBAN COMMUTE	PUNCTURE PROTECTION
			1 2 3 4	

- ▶ M2015/M2015P
- ▶ GROOVED SLICK DESIGN
- ▶ SILKWORM AND SILKSHIELD OPTIONS
- ▶ CONFORMS TO THE EUROPEAN ECE-R75 CERTIFICATION FOR E-BIKES

Unleash your inner wanderer with the Gypsy. To keep your adventure on course, the Gypsy uses a 60 TPI casing and our Silkworm breaker puncture protection beneath the tread. The Gypsy offers a durable yet comfortable ride with low rolling resistance and excellent traction.

### PRO TIP

Ebike tires are designed to meet European ECE-R75 standards, guaranteeing performance and reliability for the added cargo capacity and average speeds electric bikes can offer.



# MOUNTAIN



PHOTO: MILNER





## MAXXLITE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB69089000	26x2.00	50-559	170	Foldable	285 g	Dual	60	Silkworm / ONE70
TB85939000	27.5x2.00	50-584	170	Foldable	340 g	Dual	60	Silkworm / ONE70
TB96685000	29x2.00	50-622	170	Foldable	345 g	Dual	60	Silkworm / ONE70

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M285 / M324
- ▶ RAMPED CENTER TREAD
- ▶ DUAL-COMPOUND
- ▶ SILKWORM PUNCTURE PROTECTION
- ▶ ONE70 TECHNOLOGY
- ▶ RACE USE ONLY

285 grams! A triumph of Maxxis engineering. With a dual-compound tread and our ONE70 TPI technology, the MaxxLite is the lightweight racing tire champion of the world. The blazing fast tread pattern of the MaxxLite is now available in 27.5 and 29-inch sizes!



## TREAD LITE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB70064000	26x2.10	53-559	120	Foldable	530 g	Dual	60	TR
TB70064100	26x2.10	53-559	120	Foldable	565 g	Dual	60	EXO / TR
TB90946000	27.5x2.10	53-584	120	Foldable	560 g	Dual	60	TR
TB90946100	27.5x2.10	53-584	120	Foldable	595 g	Dual	60	EXO / TR
TB96659000	29x2.10	53-622	120	Foldable	590 g	Dual	60	TR
TB96659100	29x2.10	53-622	120	Foldable	630 g	Dual	60	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M336RU
- ▶ SEMI-SLICK
- ▶ EXO PROTECTION AVAILABLE
- ▶ TUBELESS READY (TR)

The Maxxis Tread Lite was designed to be a speed demon in dry conditions. The tire features a file tread pattern in the center with a low knob height to keep rolling resistance to a minimum. Ample side knobs provide grip in the corners and the 120 TPI tubeless ready casing offers a compliant, but durable ride. The Tread Lite is your choice for XC racing on dry, hardpack courses.



**NAME:** CATHARINE PENDREL // **TEAM:** LUNA PRO TEAM // **HOMETOWN:** KAMLOOPS, BC  
**SPECIALTY:** XCO  
**SEASON HIGHLIGHT:** 3RD LENZERHEIDE WORLD CUP, SILVER PAN AM GAMES  
**CAREER HIGHLIGHT:** 2 X WORLD CHAMPION

The Pace is my Maxxis go-to tire of choice. Its rubber compounds are soft enough to provide excellent grip on rocks and roots yet still roll quickly, and it brakes and corners reliably, making it a great tire for most courses and conditions.



# MOUNTAIN



NEW



## PACE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB69309100	26x2.10	53-559	60	Foldable	545 g	Single	65	—
NEW TB69300000	26x2.10	53-559	60	Foldable	550 g	Dual	60	TR
NEW TB69300100	26x2.10	53-559	60	Foldable	585 g	Dual	60	EXO / TR
TB90942100	27.5x2.10	53-584	60	Foldable	575 g	Single	65	—
NEW TB90964000	27.5x2.10	53-584	60	Foldable	575 g	Dual	60	TR
NEW TB90964100	27.5x2.10	53-584	60	Foldable	620 g	Dual	60	EXO / TR
TB96667100	29x2.10	53-622	60	Foldable	605 g	Single	65	—
NEW TB96764000	29x2.10	53-622	60	Foldable	610 g	Dual	60	TR
NEW TB96764100	29x2.10	53-622	60	Foldable	650 g	Dual	60	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ LOW-PROFILE TREAD DESIGN
- ▶ IDEAL FOR HARDPACK XC COURSES
- ▶ EXO PROTECTION AVAILABLE
- ▶ TUBELESS READY (TR) AVAILABLE

A high-volume XC racing tire with a low-profile tread design offers minimal rolling resistance and consistent traction across the profile of the tire. Continuous side knobs keep you planted where traction is critical, and the single compound balances traction and tread wear.

### PRO TIP

If you're using a liquid sealant, be sure to check it regularly. Over time it will dry out, and if you get a puncture, your tire won't be able to seal. If you can't hear a little bit of sloshing around inside your tire, it may be time to add some new sealant.



## ASPEN

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB69797500	26x2.10	52-559	60	Foldable	560 g	Dual	65	—
TB69798000	26x2.10	52-559	120	Foldable	510 g	Dual	65	—
NEW TB69307000	26x2.10	52-559	120	Foldable	530 g	Dual	60	TR
NEW TB69307100	26x2.10	52-559	120	Foldable	570 g	Dual	60	TR / EXO
TB72557500	26x2.25	54-559	60	Foldable	590 g	Dual	65	—
NEW TB90958000	27.5x2.10	52-584	120	Foldable	550 g	Dual	60	TR
NEW TB90958100	27.5x2.10	52-584	120	Foldable	590 g	Dual	60	TR / EXO
TB96689000	29x2.10	52-622	120	Foldable	565 g	Dual	65	—

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M316P
- ▶ RACE-INSPIRED LOW-PROFILE DESIGN
- ▶ AGGRESSIVE SIDE KNOBS
- ▶ DUAL-COMPOUND
- ▶ LIGHTWEIGHT XC RACE TIRE

The Aspen pushes the limits of a lightweight XC tire, designed to have minimal rolling resistance with a high-volume casing to smooth out the roughest roots and rocks. The dual-compound gives optimal traction in corners. So if crossing the finish line first is your top priority, the Aspen is for you.



**NEW**



## RACE TT

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB90919100	27.5x2.00	50-584	60	Foldable	585 g	Dual	60	TR
TB90919000	27.5x2.00	50-584	60	Foldable	625 g	Dual	60	EXO / TR
TB96822100	29x2.00	50-622	60	Foldable	620 g	Dual	60	TR
TB96822000	29x2.00	50-622	60	Foldable	665 g	Dual	60	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ RAMPED AND SIPED SQUARE KNOB DESIGN
- ▶ LOW ROLLING RESISTANCE
- ▶ TUBELESS READY (TR)

The Race TT has a familiar tread pattern refined for modern XC bikes and race courses. Tightly packed and ramped square knobs allow this tire to roll freely, while updated siping increases the Race TT's braking and cornering limits. The legend lives on with the Race TT.



## CROSSMARK

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB69784000	26x2.10	52-559	60	Foldable	570 g	Single	65	—
TB69783200	26x2.10	52-559	120	Foldable	515 g	Single	65	Silkworm
TB69783300	26x2.10	52-559	120	Foldable	570 g	Single	65	EXO
TB69624000	26x2.10	52-559	120	Foldable	730 g	Dual	60	LUST / UST
TB69613000	26x2.10	52-559	60	Foldable	585 g	Dual	60	TR
TB69613100	26x2.10	52-559	60	Foldable	620 g	Dual	60	EXO / TR
TB72548000	26x2.25	54-559	60	Foldable	640 g	Single	65	—
TB72545000	26x2.25	54-559	120	Foldable	885 g	Dual	60	LUST / UST
TB72570000	26x2.25	57-559	60	Foldable	615 g	Dual	60	TR
TB72570100	26x2.25	57-559	60	Foldable	655 g	Dual	60	EXO / TR
TB85910100	27.5x2.10	53-584	60	Foldable	605 g	Single	65	—
TB85910400	27.5x2.10	53-584	120	Foldable	515 g	Single	65	—
NEW TB90956000	27.5x2.10	52-584	60	Foldable	630 g	Dual	60	TR
NEW TB90956100	27.5x2.10	52-584	60	Foldable	655 g	Dual	60	EXO / TR
NEW TB91030000	27.5x2.25	54-584	60	Foldable	640 g	Dual	60	TR
NEW TB91030100	27.5x2.25	54-584	60	Foldable	690 g	Dual	60	EXO / TR
TB96699000	29x2.10	52/52-622	60	Foldable	635 g	Single	65	—
TB96697000	29x2.10	53-622	120	Foldable	840 g	Dual	60	LUST / UST
TB96665000	29x2.10	52-622	60	Foldable	645 g	Dual	60	TR
TB96665100	29x2.10	52-622	60	Foldable	685 g	Dual	60	EXO / TR
NEW TB96736000	29x2.25	54-622	60	Foldable	680 g	Dual	60	TR
NEW TB96736100	29x2.25	54-622	60	Foldable	725 g	Dual	60	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M309/M309P/M309RU
- ▶ FAST-ROLLING CENTER RIDGE
- ▶ RAISED SIDE KNOBS FOR BETTER CORNERING
- ▶ TUBELESS READY (TR) AVAILABLE

The CrossMark is an excellent cross country racing tire. The nearly continuous center ridge flies on hardpack, yet has enough spacing to grab wet roots and rocks. The slightly raised ridge of side knobs offers cornering precision never before seen on a tire this fast.



# MOUNTAIN



**NEW**



## CROSSMARK II

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB91032000	27.5x2.25	57-584	60	Foldable	685 g	Dual	60	TR
TB91032100	27.5x2.25	57-584	60	Foldable	735 g	Dual	60	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 <b>3</b> 4	1 2 <b>3</b> 4

- ▶ **TIGHTLY PACKED CENTER KNOBS FOR SPEED OVER HARDPACK**
- ▶ **OPEN-SIDE KNOB DESIGN FOR VERSATILE CORNERING**
- ▶ **DESIGNED FOR SPEED, REVISED FOR CONTROL**

The CrossMark II improves on the speed of its predecessor while improving grip in intermediate conditions. The legendary center ridge still flies on hardpack, and the updated tread pattern provides better braking and cornering over a wide range of trail conditions. A great choice if you want to go fast everywhere.



**NAME: GEOFF KABUSH // TEAM: SCOTT 3ROX RACING**  
**HOMETOWN: NORTH VANCOUVER, BC**  
**CAREER HIGHLIGHT:**  
**3X OLYMPIAN, 13X CANADIAN NATIONAL CHAMPION,**  
**1ST WORLD CUP 2009**

Maxxis is constantly evolving specific tires, and the new Crossmark II has some major improvements. The tread modifications retain the great rolling resistance but significantly improve the cornering speed and predictability. The new Crossmark II is definitely on my radar when I'm looking for a fast, predictable tire in dry to intermediate conditions.



## IKON

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72385300	26x2.20	57-559	60	Foldable	540 g	Dual	65	—
TB72385100	26x2.20	57-559	120	Foldable	480 g	3C Maxx Speed	65	3C
TB72390000	26x2.20	57-559	120	Foldable	535 g	3C Maxx Speed	60	3C / TR
TB72385000	26x2.20	57-559	120	Foldable	540 g	3C Maxx Speed	65	3C / EXO
TB72390100	26x2.20	57-559	120	Foldable	585 g	3C Maxx Speed	60	3C / EXO / TR
TB73497000	26x2.35	60-559	120	Foldable	590 g	3C Maxx Speed	65	3C
TB73497100	26x2.35	60-559	120	Foldable	645 g	3C Maxx Speed	65	3C / EXO
TB73499000	26x2.35	60-559	120	Foldable	640 g	3C Maxx Speed	60	3C / TR
TB73499100	26x2.35	60-559	120	Foldable	680 g	3C Maxx Speed	60	3C / EXO / TR
TB85919000	27.5x2.20	56-584	120	Foldable	600 g	3C Maxx Speed	60	3C / EXO / TR
TB85956000	27.5x2.35	60-584	120	Foldable	705 g	3C Maxx Speed	60	3C / EXO / TR
TB96646000	29x2.00	50-622	120	Foldable	560 g	3C Maxx Speed	60	3C / TR
TB96646100	29x2.00	50-622	120	Foldable	610 g	3C Maxx Speed	60	3C / EXO / TR
TB96753300	29x2.20	57-662	60	Foldable	590 g	Dual	65	—
TB96753100	29x2.20	57-622	120	Foldable	530 g	3C Maxx Speed	65	3C
TB96740000	29x2.20	57-622	120	Foldable	580 g	3C Maxx Speed	60	3C / TR
TB96753000	29x2.20	57-622	120	Foldable	595 g	3C Maxx Speed	65	3C / EXO
TB96740100	29x2.20	57-622	120	Foldable	640 g	3C Maxx Speed	60	3C / EXO / TR
TB96729000	29x2.35	60-622	120	Foldable	660 g	3C Maxx Speed	65	3C
TB96729100	29x2.35	60-622	120	Foldable	725 g	3C Maxx Speed	65	3C / EXO
TB96731000	29x2.35	60-622	120	Foldable	695 g	3C Maxx Speed	60	3C / TR
TB96731100	29x2.35	60-622	120	Foldable	740 g	3C Maxx Speed	60	3C / EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 <b>3</b> 4	1 2 <b>3</b> 4

- ▶ **M319P/M319RU**
- ▶ **HIGH-VOLUME, LIGHTWEIGHT RACE TIRE**
- ▶ **3C MAXX SPEED TRIPLE COMPOUND TECHNOLOGY AVAILABLE**
- ▶ **TUBELESS READY (TR) AVAILABLE**

The Ikon is for riders looking for a true lightweight race tire. Its high-volume casing and fast-rolling tread design provide exemplary performance in most riding conditions. As its name suggests, the Ikon stands above the competition.



## SNYPER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB49307200	24x2.00	50-507	60	Foldable	600 g	Dual	65	SilkShield
TB49307300	24x2.00	50-507	60	Wire	655 g	Dual	65	SilkShield

HARDBACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M151
- ▶ DUAL-COMPOUND
- ▶ SILKSHIELD PUNCTURE PROTECTION

The majority of kids' mountain bike tires are either overweight or under-gunned. The Sniper from Maxxis is the exception. The center knobs are ramped to decrease rolling resistance, but the aggressive side knobs will boost any little shredder's confidence in the turns. The Sniper uses our lightweight SilkShield material for puncture protection from bead-to-bead.



## IGNITOR

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB69756900	26x2.10	47-559	60	Foldable	575 g	Single	65	—
TB69757100	26x2.10	47-559	120	Foldable	505 g	Single	65	Silkworm
TB69754200	26x2.10	47-559	120	Foldable	710 g	Dual	60	LUST / UST
TB69306000	26x2.10	47-559	60	Foldable	590 g	Single	60	TR
TB69306100	26x2.10	47-559	60	Foldable	620 g	Single	60	EXO / TR
TB73561500	26x2.35	52-559	60	Foldable	690 g	Single	65	—
TB73560000	26x2.35	52/55-559	60	Foldable	770 g	Single	65	EXO
TB73457100	26x2.35	52-559	120	Foldable	855 g	Dual	60	LUST / UST
TB73553000	26x2.25	52-559	60	Foldable	680 g	Single	60	TR
TB73553100	26x2.25	52-559	60	Foldable	710 g	Single	60	EXO / TR
NEW TB85957000	27.5x2.35	52-584	60	Foldable	710 g	Single	60	TR
NEW TB85957100	27.5x2.35	52-584	60	Foldable	740 g	Single	60	EXO / TR
TB96696000	29x2.10	52/52-622	60	Foldable	635 g	Single	65	—
TB96694500	29x2.10	52/52-622	120	Foldable	635 g	Single	65	EXO
TB96657000	29x2.10	52-622	60	Foldable	670 g	Single	60	TR
TB96657100	29x2.10	52-622	60	Foldable	715 g	Single	60	EXO / TR
NEW TB96732000	29x2.35	52-622	60	Foldable	750 g	Single	60	TR
NEW TB96732100	29x2.35	52-622	60	Foldable	785 g	Single	60	EXO / TR

HARDBACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M304/M304RU
- ▶ DIRECTIONAL RAMPED PENTAGONAL KNOB DESIGN
- ▶ EXCELLENT MULTI-CONDITION PERFORMANCE
- ▶ TUBELESS READY (TR) AVAILABLE

The Ignitor tread pattern was designed for the most discerning professional racers and has laid claim to multiple World Cup victories. The well-spaced tread pattern fills in nicely to provide low rolling resistance in the straights, while the ramped pentagonal knobs provide excellent traction in corners and on medium soil.

### PRO TIP

If you are having trouble setting the beads on a TR tire, try initially mounting the tire with a tube inside. The tube will set both beads, and then you can carefully break one bead free from the rim to remove the tube. Insert your tubeless valve and inflate the tire to pop the bead back into place.



# MOUNTAIN



## ARDENT RACE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72374000	26x2.20	56-559	120	Foldable	605 g	3C Maxx Speed	60	3C / TR
TB72374100	26x2.20	56-559	120	Foldable	650 g	3C Maxx Speed	60	3C / EXO / TR
TB85918000	27.5x2.20	56-584	120	Foldable	635 g	3C Maxx Speed	60	3C / TR
TB85918100	27.5x2.20	56-584	120	Foldable	680 g	3C Maxx Speed	60	3C / EXO / TR
TB96742000	29x2.20	56-622	120	Foldable	670 g	3C Maxx Speed	60	3C / TR
TB96742100	29x2.20	56-622	120	Foldable	720 g	3C Maxx Speed	60	3C / EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M329RU
- ▶ HIGH-VOLUME CASING
- ▶ MEDIUM KNOB HEIGHT
- ▶ IDEAL FOR TECHNICAL XC RACE COURSES
- ▶ 3C MAXX SPEED AVAILABLE
- ▶ TUBELESS READY (TR)

The Ardent Race tire from Maxxis is ideally suited for technical XC race courses and endurance-length events. With its medium-height tread, the Ardent Race bridges the gap between the XC-oriented Ikon and the trail-oriented Ardent. The center knobs are ramped to reduce rolling resistance, and the side knobs are angled and stepped to provide great biting traction in corners. Choose the Ardent Race for your next demanding XC race or epic trail ride.

### THE WORD

"The DoubleDown casing raises the confidence to another level. I can now hit berms harder and not worry about the possibility of flatting!"  
 – **Richie Rude, YETI / Fox Shox Factory Race Team**



NEW



## TOMAHAWK

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB73119300	26x2.30	58-559	60	Foldable	775 g	3C Maxx Terra	60	3C / EXO / TR
TB73119200	26x2.30	58-559	120	Foldable	960 g	3C Maxx Terra	60	3C / TR / DD
TB91000300	27.5x2.30	58-584	60	Foldable	810 g	3C Maxx Terra	60	3C / EXO / TR
TB91000200	27.5x2.30	58-584	120	Foldable	1005 g	3C Maxx Terra	60	3C / TR / DD
TB96880000	29x2.30	58-622	120	Foldable	1070 g	3C Maxx Terra	60	3C / TR / DD
TB96880100	29x2.30	58-622	60	Foldable	850 g	3C Maxx Terra	60	3C / EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ FAST-ROLLING CENTER
- ▶ AGGRESSIVE SIDE LUGS
- ▶ DOUBLEDOWN (DD) CASING AVAILABLE
- ▶ EXO PROTECTION AVAILABLE
- ▶ TUBELESS READY (TR)

The Tomahawk is an all-mountain tire that excels in all conditions. The low-profile center lets the Tomahawk roll fast on hardpack, while the open knob spacing allows the tread to clear out mud if the trail gets wet. The large side knobs, matched with the square profile, allow for confident cornering in all terrains. If you're looking for a tire that can do it all without compromising, the Tomahawk is the tire for you.



## ARDENT

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72555000	26x2.25	54/56-559	60	Foldable	650 g	Single	65	—
TB72560000	26x2.25	54/56-559	60	Foldable	705 g	Single	65	EXO
TB72556000	26x2.25	54/56-559	120	Foldable	830 g	Dual	60	LUST / UST
TB72569000	26x2.25	56-559	60	Foldable	695 g	Dual	60	TR
TB72569100	26x2.25	56-559	60	Foldable	725 g	Dual	60	EXO / TR
TB74177000	26x2.40	58/60-559	60	Foldable	790 g	Single	65	EXO
TB72917000	26x2.40	61-559	60	Foldable	700 g	Dual	60	TR
TB72917100	26x2.40	61-559	60	Foldable	745 g	Dual	60	EXO / TR
TB85913000	27.5x2.25	57-584	60	Wire	740 g	Single	65	—
TB85913100	27.5x2.25	57-584	60	Foldable	660 g	Single	65	—
TB85913400	27.5x2.25	57-584	60	Foldable	720 g	Single	65	EXO
TB85955000	27.5x2.25	56-584	60	Foldable	715 g	Dual	60	TR
TB85955100	27.5x2.25	56-584	60	Foldable	760 g	Dual	60	EXO / TR
TB85967100	27.5x2.40	61-584	60	Foldable	775 g	Dual	60	EXO / TR
TB96712000	29x2.25	54/56-622	60	Wire	780 g	Single	65	—
TB96712500	29x2.25	54/56-622	60	Foldable	700 g	Single	65	—
TB96712300	29x2.25	54/56-622	60	Foldable	700 g	Single	65	Skinwall
TB96712900	29x2.25	54/56-622	120	Foldable	895 g	Dual	60	LUST / UST
TB96712700	29x2.25	54/56-622	60	Foldable	750 g	Single	65	EXO
TB96734000	29x2.25	56-622	60	Foldable	755 g	Dual	60	TR
TB96734100	29x2.25	56-622	60	Foldable	800 g	Dual	60	EXO / TR
TB96789100	29x2.40	59/61-622	60	Foldable	750 g	Single	65	Skinwall
TB96789000	29x2.40	59/61-622	60	Foldable	805 g	Single	65	EXO
TB96793000	29x2.40	61-622	60	Foldable	775 g	Dual	60	TR
TB96793100	29x2.40	61-622	60	Foldable	825 g	Dual	60	EXO / TR



PHOTO: SILVER

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
[Orange bar]						1 2 3 4	1 2 3 4

- ▶ M315E/M315P/M315U M315RU/M332RU
- ▶ HIGH-VOLUME CASING
- ▶ AGGRESSIVE TREAD DESIGN
- ▶ EXCELLENT PERFORMER IN WET CONDITIONS
- ▶ TUBELESS READY (TR) AVAILABLE

An aggressive tread on a high-volume casing, designed with great traction in mind. The Ardent doesn't forget the racer, with large block-style side knobs offering numerous edges for high-speed cornering. The center tread, while ideal for braking and accelerating traction, also features ramped knobs to minimize rolling resistance. With a wide variety of size offerings, the Ardent captures every mountain rider's needs.



# MOUNTAIN



NEW

## AGGRESSOR

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB91009100	27.5x2.30	58-584	60	Foldable	885 g	Dual	60	EXO / TR
TB91009200	27.5x2.30	58-584	120	Foldable	1050 g	Dual	60	TR / DD

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- EXCELLENT ALL-AROUND PERFORMANCE
- DUAL-COMPOUND
- DOUBLEDOWN (DD) CASING AVAILABLE
- TUBELESS READY (TR)

The Aggressor is designed for high-speed modern mountain bike trails. Advanced knob shaping creates extra gripping edges, and reinforced side knobs offer enhanced stability when cornering at speed. An all-around trail tire excelling on everything from loose cross country race courses to heavy all-mountain riding.

### THE WORD

The Minion SS combines the balance of aggressive cornering and fast rolling.

– Jared Graves,  
YETI / Fox Shox Factory Race Team

### PRO TIP

Lots of riders choose different tires for the front and rear of their mountain bikes. A more aggressive tread pattern in the front and something faster rolling in the rear is most common.



NEW

## MINION SS

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB91007100	27.5x2.30	58-584	60	Foldable	765 g	Dual	60	SW / EXO / TR
TB91007000	27.5x2.30	58-584	60	Foldable	745 g	Dual	60	EXO / TR
TB96778100	29x2.30	58-622	60	Foldable	810 g	Dual	60	SW / EXO / TR
TB96778000	29x2.30	58-622	60	Foldable	795 g	Dual	60	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- SEMI-SLICK CENTER WITH MINION CORNERING KNOBS
- DUAL-COMPOUND
- EXO PROTECTION
- TUBELESS READY
- SILKWORM UNDER TREAD PROTECTION AVAILABLE

The Minion SS fills the gap between a fast rolling XC tire and a grippy DH tire by including a cluster of short, ramped knobs, flanked by the much-loved Minion side knobs. This combination creates a fast-rolling tire with a square profile that hooks up in loose terrain. Perfect for the modern enduro circuit's long descents and longer climbs.



## MINION DHF

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB73305100	26x2.30	58-559	60	Foldable	845 g	Dual	60	EXO / TR
TB73305200	26x2.30	58-559	60	Foldable	845 g	3C Maxx Terra	60	3C / EXO / TR
TB73550000	26x2.35	52-559	60	Wire	825 g	Super Tacky	65	ST
TB73550400	26x2.35	52-559	60	Wire	785 g	Single	65	—
TB73550800	26x2.35	52-559	60	Foldable	700 g	Single	65	—
TB74267000	26x2.50	55-559	60	Foldable	880 g	Single	65	EXO
TB74267300	26x2.50	55/59-559	60	Foldable	860 g	3C Maxx Terra	65	3C / EXO
TB74267400	26x2.50	55/59-559	60	Foldable	940 g	Single	65	ST / EXO
TB85925100	27.5x2.30	58-584	60	Foldable	870 g	3C Maxx Terra	60	3C / EXO / TR
TB85975000	27.5x2.50	63-584	60	Foldable	945 g	Dual	50	EXO / TR
TB85975100	27.5x2.50	63-584	60	Foldable	945 g	3C Maxx Terra	50	3C / EXO / TR
TB85975200	27.5x2.50	63-584	60	Foldable	980 g	3C Maxx Grip	50	3C / EXO / TR
TB85975300	27.5x2.50	63-584	120	Foldable	1170 g	3C Maxx Grip	50	3C / TR / DD
TB96785000	29x2.30	58-622	60	Foldable	925 g	Dual	60	EXO / TR
TB96785100	29x2.30	58-622	60	Foldable	925 g	3C Maxx Terra	60	3C / EXO / TR
TB96800000	29x2.50	63-622	60	Foldable	1015 g	Dual	50	EXO / TR
TB96800300	29x2.50	63-622	60	Foldable	1015 g	3C Maxx Terra	50	3C / EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- M301/M301E/M301RU
- DIRECTIONAL, RAMPED KNOB DESIGN
- 3C MAXX GRIP & MAXX TERRA AVAILABLE
- DOUBLEDOWN (DD) CASING AVAILABLE
- TUBELESS READY (TR) AVAILABLE
- WIDE TRAIL (WT) CASING IS OPTIMIZED FOR 35MM INNER WIDTH RIMS.

The Minion DHF is the standard by which all other aggressive mountain tires are measured. The DHF incorporates ramped knobs for low rolling resistance and channel-cut knobs to increase gripping edges, giving straight-line control and precise cornering.



## MINION DHR II

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH	
TB73303000	26x2.30	58-559	60	Foldable	780 g	Dual	60	EXO / TR	
TB73303100	26x2.30	58-559	60	Foldable	755 g	3C Maxx Terra	60	3C / EXO / TR	
TB72907400	26x2.40	61-559	60	Foldable	915 g	Single	60	EXO	
TB72907500	26x2.40	61-559	60	Foldable	895 g	Super Tacky	65	ST / EXO	
TB72907300	26x2.40	61-559	60	Foldable	885 g	3C Maxx Terra	65	3C / EXO	
NEW TB72910000	26x2.40	WT	61-559	60	Foldable	865 g	Dual	50	EXO / TR
NEW TB72910100	26x2.40	WT	61-559	60	Foldable	865 g	3C Maxx Terra	50	3C / EXO / TR
NEW TB85927200	27.5x2.30	58-584	60	Foldable	800 g	Dual	60	EXO / TR	
TB85927000	27.5x2.30	58-584	60	Foldable	805 g	3C Maxx Terra	60	3C / EXO / TR	
NEW TB85962000	27.5x2.40	WT	61-584	60	Foldable	900 g	Dual	50	EXO / TR
NEW TB85962100	27.5x2.40	WT	61-584	60	Foldable	900 g	3C Maxx Terra	50	3C / EXO / TR
TB96776000	29x2.30	58-622	60	Foldable	855 g	Dual	60	EXO / TR	
TB96776100	29x2.30	58-622	60	Foldable	825 g	3C Maxx Terra	60	3C / EXO / TR	
NEW TB96797000	29x2.40	WT	61-622	60	Foldable	955 g	Dual	50	EXO / TR
NEW TB96797100	29x2.40	WT	61-622	60	Foldable	955 g	3C Maxx Terra	50	3C / EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- M327/M327RU
- EXCELLENT BRAKING AND CORNERING TRACTION
- 3C MAXX TERRA AVAILABLE
- TUBELESS READY (TR) AVAILABLE
- WIDE TRAIL (WT) CASING IS OPTIMIZED FOR 35MM INNER WIDTH RIMS.

The trail version of the Maxxis Minion DHR II features the same tread pattern as its downhill counterpart, but uses a single-ply casing to reduce weight. With side knobs borrowed from the legendary Minion DHF, but widened to provide more support, the DHR II corners like no other.



# MOUNTAIN

**LUST**



## HIGH ROLLER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB69764400	26x2.10	47-559	60	Foldable	525 g	Single	65	—
TB73614500	26x2.35	52-559	60	Wire	775 g	Single	65	—
TB73616200	26x2.35	52-559	60	Foldable	690 g	Single	65	—
TB73613600	26x2.35	52-559	120	Foldable	920 g	Dual	60	LUST / UST

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4 1 2 3 4	

- ▶ M119
- ▶ RAMPED KNOB DESIGN
- ▶ VERSATILE PERFORMANCE

One of our most popular and versatile mountain tires, the High Roller's ramped leading edges roll fast, while the side lugs offer stability at higher speeds and a sharp edge to hold corners. The grooved center knobs provide straight-line control. The High Roller's tread design translates well to all mountain bike disciplines including downhill, cross country and freeride.

### PRO TIP

Try to first install TR tires by hand, using the center channel of the rim to create enough slack to push the second bead inside of the rim. If you must use a tire lever, plastic levers are much gentler on the TR bead than metal levers.

**3C maxx terra**  
**EXO PROTECTION**  
**TR TUBELESS READY**



## HIGH ROLLER II

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB73307000	26x2.30	58-559	60	Foldable	835 g	Dual	60	3C / EXO / TR
TB73307100	26x2.30	58-559	60	Foldable	835 g	3C Maxx Terra	60	3C / EXO / TR
TB74177300	26x2.40	61-559	60	Foldable	870 g	Single	65	EXO
TB74177500	26x2.40	61-559	60	Foldable	855 g	Triple	65	3C / EXO
TB85923000	27.5x2.30	58-584	60	Foldable	845 g	Dual	60	EXO / TR
TB85923100	27.5x2.30	58-584	60	Foldable	875 g	3C Maxx Terra	60	3C / EXO / TR
TB85915400	27.5x2.40	61-584	60	Foldable	910 g	Single	65	EXO
TB85915500	27.5x2.40	61-584	60	Foldable	890 g	3C Maxx Terra	65	3C / EXO
NEW TB91052100	27.5x2.40	61-584	60	Folding	915 g	3C Maxx Terra	60	3C / EXO / TR
TB96769000	29x2.30	58-622	60	Foldable	890 g	Dual	60	EXO / TR
TB96769100	29x2.30	58-622	60	Foldable	920 g	3C Maxx Terra	60	3C / EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4 1 2 3 4	

- ▶ M325P/M325RU
- ▶ OPEN TREAD DESIGN
- ▶ IMPROVED BRAKING AND TRACTION
- ▶ 3C MAXX TERRA AVAILABLE
- ▶ TUBELESS READY (TR) AVAILABLE

An open and aggressive tread design gives the High Roller II excellent soil penetration and mud-clearing ability. A square profile provides a solid, consistent feel across the knobs. Modified knobs on the shoulder and center improve braking performance and traction on hard surfaces. An excellent choice for technical, freeride terrain.




## BEAVER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB68601100	26x2.00	50-559	120	Foldable	540 g	Dual	60	EXO / TR
TB72564000	26x2.25	57-559	60	Foldable	695 g	Dual	65	EXO
TB90915100	27.5x2.00	50-584	120	Foldable	570 g	Dual	60	EXO / TR
TB96820100	29x2.00	50-622	120	Foldable	600 g	Dual	60	EXO / TR
TB96737000	29x2.25	57-622	60	Foldable	765 g	Dual	65	EXO

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M326P/M326RU
- ▶ WET AND MUDDY CONDITIONS
- ▶ DUAL-COMPOUND TECHNOLOGY
- ▶ EXO PROTECTION
- ▶ TUBELESS READY (TR) AVAILABLE

The Beaver features a tread design ideal for wet and muddy conditions. The dual-compound tread uses a hard base layer to reduce rolling resistance and provide knob support, while the siped, softer outer layer provides unparalleled grip on wet rocks and roots. The Beaver is one aquatic-friendly animal of a tire!



## SHORTY

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB73309000	26x2.30	58-559	60	Foldable	780 g	3C Maxx Terra	60	TR
TB73309100	26x2.30	58-559	60	Foldable	825 g	3C Maxx Terra	60	EXO / TR
NEW TB74296000	26x2.50	WT	63-559	60	925 g	3C Maxx Terra	50	3C / EXO / TR
TB85924000	27.5x2.30	58-584	60	Foldable	815 g	3C Maxx Terra	60	TR
TB85924100	27.5x2.30	58-584	60	Foldable	865 g	3C Maxx Terra	60	EXO/TR
NEW TB85979000	27.5x2.50	WT	63-584	60	965 g	3C Maxx Terra	50	3C / EXO / TR
NEW TB85979100	27.5x2.50	WT	63-584	120	1170 g	3C Maxx Grip	50	3C / TR / DD
TB96772000	29x2.30	58-622	60	Foldable	860 g	3C Maxx Terra	60	TR
TB96772100	29x2.30	58-622	60	Foldable	910 g	3C Maxx Terra	60	EXO / TR
NEW TB96804000	29x2.50	WT	63-622	60	1025 g	3C Maxx Terra	50	3C / EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M331RU
- ▶ MID-SPIKE TREAD DESIGN
- ▶ 3C MAXX TERRA
- ▶ EXO PROTECTION AVAILABLE
- ▶ DOUBLEDOWN (DD) CASING AVAILABLE
- ▶ TUBELESS READY (TR)
- ▶ WIDE TRAIL (WT) CASING IS OPTIMIZED FOR 35MM INNER WIDTH RIMS.

The DH version of the Maxxis Shorty was an instant favorite of our World Cup DH racers. The single-ply version offers trail riders the same traction in a much lighter package. All trail versions of the Shorty feature our Tubeless Ready casing and 3C Maxx Terra compound. EXO sidewall protection is available as an option for each size.



# DOWNHILL



PHOTO: ROBSON





## GRIFFIN

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72919100	26x2.40	61-559	60	Wire	1140 g	Super Tacky	65	ST
TB72919000	26x2.40	61-559	60	Wire	1130 g	3C Maxx Grip	65	3C
TB85969100	27.5x2.40	61-584	60	Wire	1190 g	Super Tacky	65	3C
TB85969000	27.5x2.40	61-584	60	Wire	1180 g	3C Maxx Grip	65	3C

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M337P
- ▶ LESS AGGRESSIVE TREAD DESIGN
- ▶ 3C MAXX GRIP AND SUPER TACKY AVAILABLE
- ▶ DUAL-PLY CASING WITH BUTYL INSERT

Our downhill athletes face a wide variety of terrain and conditions over the course of a season. For dry and hardpack courses, Maxxis has developed the Griffin. The tread pattern is less aggressive than other tires in our line, but still uses the durable casing Maxxis DH tires are known for. The knobs are smaller and more tightly spaced, with heavily ramped leading edges to keep rolling resistance down on tracks with lots of pedaling.



NEW



## MINION SS

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB85973100	27.5x2.50	63-584	60	Wire	1335 g	Super Tacky	65	ST
TB85973000	27.5x2.50	63-584	60	Wire	1335 g	3C Maxx Grip	65	3C

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ SEMI-SLICK CENTER WITH MINION CORNERING KNOBS
- ▶ 3C MAXX GRIP AVAILABLE
- ▶ DUAL-PLY CASING WITH BUTYL INSERT

The Minion SS fills the gap between a fast-rolling XC tire and a grippy DH tire by including a cluster of short, ramped knobs, flanked by familiar Minion side knobs. This combination creates a fast-rolling tire with a square profile that hooks up in loose terrain. Perfect for the modern enduro circuit's long descents and longer climbs.

### THE WORD

Anywhere from hardpacked to dry and dusty, the Griffin gets the job done. The 3C compound makes it a predictable, great do-it-all tire.

— Jared Graves

YETI / Fox Shox Factory Race Team



# DOWNHILL



## MINION DHF

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB74265700	26x2.50	55-559	60	Wire	1180 g	Single	65	—
TB74265000	26x2.50	55-559	60	Wire	1200 g	Super Tacky	65	ST
TB74262000	26x2.50	55-559	27	Foldable	1180 g	Super Tacky	55	UST / ST
TB74265500	26x2.50	55-559	60	Wire	1265 g	3C Maxx Grip	65	3C
TB74269000	26x2.50	55-559	60	Wire	1270 g	3C Maxx Grip	65	3C / Skinwall
TB85976100	27.5x2.50	63-584	60	Wire	1390 g	Super Tacky	65	ST
TB85976000	27.5x2.50	63-584	60	Wire	1390 g	3C Maxx Grip	65	3C
TB96800100	29x2.50	63-622	60	Foldable	1255 g	Dual	60	TR
TB96800200	29x2.50	63-622	60	Foldable	1295 g	3C Maxx Grip	60	3C / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 <b>4</b>	1 2 <b>3</b> 4

- ▼ M301/M301P/M301RU
- ▼ DIRECTIONAL, RAMPED KNOB DESIGN
- ▼ DUAL-PLY CASING WITH BUTYL INSERT
- ▼ TUBELESS READY (TR) AVAILABLE
- ▼ 3C MAXX GRIP AND SUPER TACKY AVAILABLE

The Minion DHF is the standard by which all other downhill tires are measured. The DHF incorporates ramped knobs for low rolling resistance and channel-cut knobs to increase gripping edges, giving straight-line control and precise cornering.

### PRO TIP

Skinwall tires are a great way to make your bike stand out in a crowd or in the air!



## MINION DHR II

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72907000	26x2.40	61-559	60	Wire	1240 g	Single	65	—
TB72907100	26x2.40	61-559	60	Wire	1265 g	3C Maxx Grip	65	3C
TB72907200	26x2.40	61-559	60	Wire	1225 g	Super Tacky	65	ST
TB91051100	27.5x2.40	61-584	60	Wire	1315 g	Super Tacky	65	ST
TB91051000	27.5x2.40	61-584	60	Wire	1315 g	3C Maxx Grip	65	3C

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 <b>4</b>	1 2 <b>3</b> 4

- ▼ M327
- ▼ EXCELLENT BRAKING AND CORNERING TRACTION
- ▼ 3C MAXX GRIP AND SUPER TACKY AVAILABLE
- ▼ DUAL-PLY CASING WITH BUTYL INSERT

Featuring an all-new tread design, the Minion DHR II is the ideal tire for aggressive gravity riding. With side knobs borrowed from the legendary Minion DHF, but widened to provide more support, the DHR II corners like no other. The center tread features ramped knobs.



## HIGH ROLLER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB50653300	24x2.50	55-507	60	Wire	1080 g	Single	65	—
TB74302100	26x2.50	54-559	60	Wire	1180 g	Single	65	—
TB74220000	26x2.50	55-559	27	Foldable	1215 g	Super Tacky	55	UST / ST
TB74301600	26x2.50	54-559	60	Wire	1265 g	3C Maxx Grip	65	3C

HARDBACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M119
- ▶ RAMPED KNOB DESIGN
- ▶ DUAL-PLY CASING WITH BUTYL INSERT
- ▶ 3C MAXX GRIP AND SUPER TACKY AVAILABLE

The High Roller's ramped leading edges roll fast, while the side lugs offer stability at speed and a sharp edge to hold corners. The grooved center knobs provide straight-line control. The High Roller's tread design translates well to all mountain bike disciplines including downhill, cross country and freeride.



## HIGH ROLLER II

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB74177200	26x2.40	61-559	60	Wire	1205 g	Single	65	—
TB74177100	26x2.40	61-559	60	Wire	1260 g	3C Maxx Grip	65	3C
TB74177600	26x2.40	61-559	60	Wire	1225 g	Super Tacky	65	ST
TB85915300	27.5x2.40	61-584	60	Wire	1250 g	Single	65	—
TB85915100	27.5x2.40	61-584	60	Wire	1270 g	Super Tacky	65	ST
TB85915200	27.5x2.40	61-584	60	Wire	1305 g	3C Maxx Grip	65	3C
NEW TB91052000	27.5x2.40	61-584	60	Folding	1230 g	3C Maxx Grip	60	3C / TR / DH

HARDBACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M325P
- ▶ OPEN TREAD DESIGN
- ▶ IMPROVED BRAKING AND TRACTION
- ▶ 3C MAXX GRIP AND SUPER TACKY AVAILABLE
- ▶ DUAL-PLY CASING WITH BUTYL INSERT

An open and aggressive tread design gives the High Roller II excellent soil penetration and mud-clearing ability. A square profile provides a solid, consistent feel across the knobs. Modified knobs on the shoulder and center improve braking performance and traction on hard surfaces. When gravity pulls you downhill, rely on the High Roller II to keep you upright.

### PRO TIP

In general, 3C and Super Tacky compound tires wear faster than our single compound tires, but they offer better traction. To balance tread wear and traction, many riders choose to run a 3C or Super Tacky tire in the front and a single compound tire in the rear.



# DOWNHILL



## SHORTY

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72911100	26x2.40	61-559	60	Wire	1215 g	Super Tacky	65	ST
TB72911000	26x2.40	61-559	60	Wire	1215 g	3C Maxx Grip	65	3C
TB91056100	27.5x2.40	61-584	60	Wire	1270 g	Super Tacky	65	ST
TB91056000	27.5x2.40	61-584	60	Wire	1270 g	3C Maxx Grip	65	3C

HARDBACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4 1	2 3 4

- ▶ M331P
- ▶ LARGE, AGGRESSIVE LUGS
- ▶ 3C MAXX GRIP AND SUPER TACKY AVAILABLE
- ▶ DUAL-PLY CASING WITH BUTYL INSERT

Today's World Cup downhill tracks are steep, technical monsters with ever-changing conditions. Our pros needed a mid-spike tire that could handle dry, loose, blown-out corners as well as a bit of mud. The Shorty is that tire. A high-volume, dual-ply downhill casing makes the Shorty a more versatile option than a dedicated mud spike like our Wet Scream. Large, tall and slightly staggered side knobs penetrate loose soil to provide predictable, stable cornering at warp speeds.



## WET SCREAM

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB74276000	26x2.50	55-559	60	Wire	1160 g	Super Tacky	65	ST
<b>NEW</b> TB85977000	27.5x2.50	55-584	60	Wire	1205 g	Super Tacky	65	Super Tacky

HARDBACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4 1	2 3 4

- ▶ M137
- ▶ WIDELY-SPACED, SHARP SQUARE DESIGN
- ▶ DUAL-PLY CASING WITH BUTYL INSERT
- ▶ MUD-SPECIFIC TIRE

Designed for the muddiest downhill race course in the world: Les Gets, France. Not for your local trail, the Wetscream is intended for competition use only, on professionally maintained courses. When the course turns ugly, trust the Wetscream to carry you to victory.

### PRO TIP

The tall spikes of a mud tire are designed to cut through the slop to the harder ground underneath. This same spike that hooks up in the mud will fold over in harder terrain offering a vague feeling at the limit. Consider these tires for the colder and wetter seasons, but swap tires once the trails dry out.





PHOTO: HERRERO



# FAT/PLUS



PHOTO: HENSON





## MAMMOTH

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72650200	26x4.0	102-559	60	Foldable	1270 g	Dual	30	—
TB72650000	26x4.0	102-559	120	Foldable	1270 g	Dual	30	EXO
<b>NEW</b> TB72650500	26x4.0	102-559	120	Foldable	1275 g	Dual	30	EXO / TR

HARDBACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M334
- ▶ FAT BIKE TIRE
- ▶ 120 TPI CASING AVAILABLE
- ▶ EXO PROTECTION AVAILABLE

The Mammoth is the first fat bike tire from Maxxis! The center tread is relatively low to help keep the tire rolling, while the large side knobs aid in cornering. Available in a 4.00-inch casing, the Mammoth is ready for duty on the trail, the beach, or in the snow. 60 or 120 TPI casing options are available.



## CHRONICLE

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB96833200	29x3.0	76-622	60	Foldable	1040 g	Dual	30	—
TB96833000	29x3.0	76-622	120	Foldable	1055 g	Dual	30	EXO
TB96833300	29x3.0	76-622	120	Foldable	1050 g	Dual	30	EXO / TR
<b>NEW</b> TB91150200	27.5x3.0	76-584	60	Foldable	985 g	Dual	30	—
<b>NEW</b> TB91150100	27.5x3.0	76-584	120	Foldable	910 g	Dual	30	—
<b>NEW</b> TB91150000	27.5x3.0	76-584	120	Foldable	990 g	Dual	30	EXO / TR

HARDBACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 4	1 2 3 4

- ▶ M335
- ▶ 29+ TIRE
- ▶ 120 TPI CASING AVAILABLE
- ▶ EXO PROTECTION AVAILABLE

The Maxxis Chronicle is ready for adventure. From after-work trail rides to bike-packing expeditions, the Chronicle can be called into duty. The tread design offers grip at any angle, and the 3.00-inch casing provides a comfortable ride. 60 or 120 TPI casing options are available.

### THE WORD

I never knew what I was missing until I joined the club and got a fat bike. Instantly hooked and surprised how fast and responsive a four-inch tire can be. The Mammoth is hungry for anything coming up the trail. There is a predictable feel when riding this tire. Loose turns beware!

— Aaron Chase



# FAT/PLUS



**NEW**



## COLOSSUS

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72660200	26x4.80	122-559	60	Foldable	1520 g	Dual	20	—
TB72660100	26x4.80	122-559	120	Foldable	1445 g	Dual	20	—
TB72660000	26x4.80	122-559	120	Foldable	1515 g	Dual	20	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 3 <b>4</b>	<b>1</b> 2 3 4

- ▶ SNOW-SPECIFIC TREAD PATTERN
- ▶ EXO PROTECTION AVAILABLE
- ▶ TUBELESS READY (TR) AVAILABLE

The Colossus is a fat tire designed for use in winter conditions. The tread consists of numerous tall knobs designed to penetrate snow and grip the hard terrain underneath. The open tread pattern clears out packed snow to maintain traction, and a special rubber compound stays pliable in freezing conditions.

### PRO TIP

In the unfortunate event of a sidewall tear, be sure to use a tire boot to keep the tube inside. In a pinch, you can use a folded dollar bill or even the wrapper from an energy bar.



PHOTO: THEBAULT



**NEW**

## MINION FBF

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72662200	26x4.80	122-559	60	Foldable	1650 g	Dual	20	—
TB72662100	26x4.80	122-559	120	Foldable	1575 g	Dual	20	—
TB72662000	26x4.80	122-559	120	Foldable	1645 g	Dual	20	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 <b>3</b> 4	1 2 <b>3</b> 4

- INSPIRED BY THE MINION DHF
- FRONT-SPECIFIC TREAD DESIGN
- EXO PROTECTION AVAILABLE
- TUBELESS READY (TR) AVAILABLE

The Minion FBF represents a progression in fat-biking by offering a front-specific tire designed for trail riding. Featuring the proven Minion DHF tread blocks, the FBF combines extreme cornering capability, low rolling resistance, and fat-tire volume for unsurpassed grip on uneven and loose surfaces.



**NEW**

## MINION FBR

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72664200	26x4.80	122-559	60	Foldable	1625 g	Dual	20	—
TB72664100	26x4.80	122-559	120	Foldable	1550 g	Dual	20	—
TB72664000	26x4.80	122-559	120	Foldable	1620 g	Dual	20	EXO / TR

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD	CORNERING CONTROL	ROLLING EFFICIENCY
						1 2 <b>3</b> 4	1 2 <b>3</b> 4

- INSPIRED BY THE MINION DHR II
- REAR-SPECIFIC TREAD DESIGN
- EXO PROTECTION AVAILABLE
- TUBELESS READY (TR) AVAILABLE

The Minion FBR is a rear-specific fat bike tire designed for trail riding. It shares the look of the Minion DHR II, but is optimized for fat biking. The Minion FBR features well-known, proven side knobs for cornering traction and ramped, paddle-like knobs down the middle, minimizing rolling resistance and maximizing traction in all conditions.

### PRO TIP

When mounting tight-fitting fat tires, think outside the box and place the rim inside the tire prior to mounting the beads. Then, mount each bead over its specific rim wall instead of the traditional method of mounting both beads over the same side of the rim.





PHOTO: NEMECZEK





## HOLY ROLLER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72392000	26x2.20	52-559	60	Wire	800 g	Single	65	—
TB74180100	26x2.40	55-559	60	Wire	830 g	Single	65	—

DIRT	STREET	PARK	FLAT	VERT

- ▶ M126
- ▶ INVERTED SEMI-KNOB DESIGN
- ▶ LIGHTWEIGHT, SINGLE-PLY CASING
- ▶ URBAN ASSAULT/DIRT JUMP

Proven in the hardpack and pavement of the BMX world, the Holy Roller is now available in 26" sizes. The Holy Roller urban assault tire is the perfect weapon for riders who may be dirt jumping today and shredding the streets of the city tomorrow.



## DTH


PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB72683000	26x2.15	52/54-559	60	Foldable	550 g	Single	80	—
TB72683100	26x2.15	52/54-559	60	Foldable	555 g	Single	80	Skinwall
TB73300000	26x2.30	55/58-559	60	Wire	730 g	Single	65	—
TB73301000	26x2.30	55/58-559	60	Foldable	650 g	Single	65	—
<b>NEW</b> TB73300300	26x2.30	55/58-559	60	Foldable	650 g	Single	65	Skinwall

DIRT	STREET	PARK	FLAT	VERT

- ▶ M147
- ▶ GROOVED-SLICK URBAN OPTION
- ▶ LIGHTWEIGHT, SINGLE-PLY CASING

The same DTH BMX tread in 26" size offerings to provide multiple options in a dirt/urban environment. The lightweight construction makes this version ideal for dirt jumping and even commuting. Choose your size, choose your style and choose the DTH.



**NAME:** ADAM HAUCK // **HOMETOWN:** BLOOMFIELD, NJ  
**SPONSORS:** MAXXIS TIRES, BERN UNLIMITED, DEITY, HAYES COMPONENTS, PROFILE RACING, INDEX INK  
**SPECIALTY:** STREET, PARK, TRAILS  
**SEASON HIGHLIGHT:** 1ST PLACE DOMINION RIVER ROCK  
**CAREER HIGHLIGHT:** 1ST PLACE THRASH BIKE BROOKLYN BANKS BATTLE  
**FAVORITE TRICK:** TAILWHIP

I was so pumped when I found out the DTH came in a skin wall! It's the icing on the cake for my bike.



# URBAN



## TORCH

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB96651200	29x2.10	53-622	120	Foldable	625 g	Single	65	Silkworm

DIRT	STREET	PARK	FLAT	VERT

- ▶ M149
- ▶ LIGHTWEIGHT CONSTRUCTION
- ▶ SILKWORM PUNCTURE PROTECTION

Since its introduction, the Torch has set fire to BMX tracks around the globe. Now available in a 29" size, the Torch is ready to burn up your local streets! The same fast-rolling tread pattern and supple, 120 TPI casing that made the 20" version so popular has made its way to this new 29" size. Choose the Torch for your 29er urban assault bike!



## HOOKWORM

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB74255100	26x2.50	63-559	60	Wire	1125 g	Single	65	—
TB96805000	29x2.50	63-622	60	Wire	1230 g	Single	65	—

DIRT	STREET	PARK	FLAT	VERT

- ▶ M121
- ▶ CURVED, GROOVED-SLICK DESIGN
- ▶ SINGLE-PLY CASING
- ▶ BEAD-TO-BEAD TREAD
- ▶ URBAN ASSAULT

The original urban assault tire is now available in a 29" size! Huge air-volume softens the drops, while the inverted tread design makes rolling resistance minimal. Bead-to-bead tread provides durability and traction whether you're dropping staircases, grinding rails or riding in your local skatepark.

### PRO TIP

Urban tires can turn a weekend XC race bike into a weekday commuter in order to rack up the training miles during busy weeks.



## GRIFTER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB96648100	29x2.00	50-622	60	Foldable	655 g	Single	65	—
TB96802000	29x2.50	64-622	60	Wire	885 g	Single	65	—

DIRT	STREET	PARK	FLAT	VERT

- ▶ M148P
- ▶ FAST-ROLLING TREAD
- ▶ HIGH-VOLUME CASING

The Grifter is our most popular freestyle tire, and with good reason. The tread pattern rolls fast to help you keep your momentum and the high-volume casing softens landings. So when Maxxis set out to create a 29" urban assault tire, the Grifter was the natural choice. The 29" Grifter is available in 2.00" and 2.50" widths for riders looking for a light, durable and fast tire.



PHOTO: GIBSON



# BMX RACE



PHOTO - USA BMX





## MAXXDADDY

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB29682000	20x2.00	54-406	60	Wire	540 g	Single	40	—

DIRT	STREET	PARK	FLAT	VERT

- ▼ M110
- ▼ FULL SQUARE-KNOB DESIGN
- ▼ GREAT FOR LOOSE CONDITIONS

Staggered, tightly-spaced center lugs provide controllable speeds. The knob spacing increases near the shoulder lugs to produce two channels that hook up on hardpack berms as well as loose dirt on the trails.



## HOLY ROLLER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB20350000	20x1 1/8	28-451	60	Wire	260 g	Single	85	—
TB20628000	20x1 3/8	37-451	60	Wire	345 g	Single	65	—
TB24748000	20x1.75	47-406	60	Wire	425 g	Single	60	—
TB29478000	20x1.95	53-406	60	Wire	495 g	Single	60	—
TB31020000	20x2.20	56-406	60	Wire	570 g	Single	60	—
TB47640000	24x1.75	47-507	60	Wire	525 g	Single	60	—
TB49212000	24x1.85	50-507	60	Wire	610 g	Single	60	—

DIRT	STREET	PARK	FLAT	VERT

- ▼ M126
- ▼ INVERTED SEMI-KNOB DESIGN
- ▼ DIRT-TO-PAVEMENT VERSATILITY

Our most versatile BMX tire features a tightly spaced knob pattern. A unique design that rolls extremely well on pavement and still hooks up in hardpack conditions.

### PRO TIP

Knobby BMX tread patterns allow the tire to bite into softer dirt for sticking that sketchy landing or carving through a soft berm.



# BMX RACE



## DTH

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB20352000	20x1 1/8	28-451	120	Wire	245 g	Dual	85	Silkworm
TB20629000	20x1 3/8	37-451	120	Wire	315 g	Dual	65	Silkworm
TB22329500	20x1.50	38-406	120	Foldable	295 g	Dual	110	Silkworm
TB24751000	20x1.75	44-406	120	Foldable	345 g	Dual	110	Silkworm
TB29464500	20x1.95	49-406	120	Foldable	375 g	Dual	110	Silkworm
TB31025000	20x2.20	56-406	120	Foldable	485 g	Dual	110	Silkworm
TB47649000	24x1.75	44-507	120	Wire	440 g	Dual	65	Silkworm

DIRT	STREET	PARK	FLAT	VERT

- ▼ M147
- ▼ LIGHTWEIGHT RACE TIRE
- ▼ DUAL-COMPOUND
- ▼ SILKWORM

Drop-The-Hammer. The first few pedal strokes win the holeshot. The holeshot wins the race. The foldable DTH is super-light to accelerate like no other BMX tire, yet holds up to the abuse you dish out. The dual-compound tread corners incomparably on hardpack tracks and rolls fast on the straights. The gold medal is just a sprint away.

### PRO TIP

Choose the BMX tire with enough protection for your riding style. Freestyle tires are designed for the abuses of street hucking and grinding, while race tires are lightweight for acceleration and top speed.



## TORCH

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB20354000	20x1 1/8	28-451	60	Wire	260 g	Dual	85	Silkworm
TB20626000	20x1 3/8	37-451	60	Wire	310 g	Dual	110	Silkworm
TB22783100	20x1.50	38-406	120	Foldable	320 g	Dual	110	SilkShield
TB24755100	20x1.75	44-406	120	Foldable	365 g	Dual	110	SilkShield
TB29519100	20x1.95	49-406	120	Foldable	395 g	Dual	110	SilkShield
TB47641000	24x1.75	44-507	120	Wire	450 g	Dual	65	Silkworm

DIRT	STREET	PARK	FLAT	VERT

- ▼ M149
- ▼ LIGHTWEIGHT CONSTRUCTION
- ▼ DUAL-COMPOUND
- ▼ SILKWORM & SILKSHIELD

Light up the track and your competition with the Torch. In an all-out sprint for 30 seconds, you need every advantage you can get, which is why the Torch features a lightweight, 120 TPI casing and a tread pattern designed to let you rip through the pavement of modern BMX tracks.



PHOTO: MULLIGAN



## RIZER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB30909000	20x2.15	53-406	60	Foldable	545 g	Dual	110	EXO
TB35858000	20x2.30	58-406	60	Foldable	595 g	Dual	110	EXO

DIRT	STREET	PARK	FLAT	VERT

- ▶ M152
- ▶ VERSATILE TREAD PATTERN FOR VARIED CONDITIONS
- ▶ WRAP-AROUND TREAD FOR EXTRA SIDEWALL PROTECTION
- ▶ 110 PSI HIGH AIR-PRESSURE RATED

The Rizer is designed to excel in a wide variety of terrains. Not too smooth and not too knobby, the Rizer's tread design will take you from the skatepark to the trails with a street session in between. Versatile and durable, the tread wraps around the tire, giving you extra sidewall protection for grinding ledges and rails.



# BMX FREESTYLE

EXO  
PROTECTION

SILK  
SHIELD



## GRIFTER

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB29643000	20x1.85	48-406	120	Foldable	410 g	Dual	110	EXO
<b>NEW</b> TB29643100	20x1.85	48-406	60	Foldable	505 g	Dual	110	Skinwall
TB30704600	20x2.10	53-406	120	Foldable	455 g	Dual	110	EXO
<b>NEW</b> TB30704200	20x2.10	53-406	60	Foldable	550 g	Dual	110	Skinwall
TB35849200	20x2.30	58-406	120	Foldable	550 g	Dual	110	SilkShield
TB35849000	20x2.30	58-406	60	Wire	635 g	Dual	110	Skinwall

DIRT	STREET	PARK	FLAT	VERT

- ▶ M148
- ▶ LIGHTWEIGHT FREESTYLE TIRE
- ▶ DUAL-COMPOUND
- ▶ 110 PSI HIGH AIR-PRESSURE RATED

It almost feels like cheating: The foldable bead and lightweight materials allow tricks to flow so much easier – without the extra weight to throw around. High pressure and dual-compound tread make landings stick at any angle. Maxxis used these technologies and more to produce the Grifter – simply the best freestyle tire ever.

### PRO TIP

Try running less pressure in your front tire to soften the hard hits of riding street, trails, and park. On a BMX bike the tire acts like suspension at lower PSI, adding control and comfort.



## HOOKWORM

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB14410000	16x1.95	53-305	60	Wire	515 g	Single	110	—
TB29461000	20x1.95	53-406	60	Wire	655 g	Single	110	—

DIRT	STREET	PARK	FLAT	VERT

- ▶ M121
- ▶ CURVED, GROOVED-SLICK DESIGN
- ▶ 110 PSI HIGH AIR-PRESSURE RATED
- ▶ URBAN ASSAULT DURABILITY

The original urban assault tire, designed to take the abuse of the most aggressive street-style riders. Provides durability and traction whether you're dropping staircases, grinding rails or riding in your local skatepark.

**ST**  
SUPERTACKY



## CREEPY CRAWLER F

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB29688100	20x2.00	54-406	60	Wire	625 g	Super Tacky	50	ST

DIRT	STREET	PARK	FLAT	VERT
<b>DIRT</b>				

- ▶ M143
- ▶ BLOCK DESIGN
- ▶ FRONT-SPECIFIC
- ▶ BUILT ON 54-406MM CASING (20")

The Creepy Crawler F is the ultimate all-around modified trials tire. Designed with a Super Tacky (ST) tread compound, this tire is built to keep you upright on the nastiest obstacles. The Creepy Crawler F is made to be ridden with the Creepy Crawler R for maximum performance from your modified trials bike.

**ST**  
SUPERTACKY



## CREEPY CRAWLER R

PART #	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
TB35877000	20x2.50	67-387	25	Wire	1085 g	Super Tacky	50	ST


DIRT	STREET	PARK	FLAT	VERT
<b>DIRT</b>				

- ▶ M143
- ▶ BLOCK DESIGN
- ▶ REAR-SPECIFIC
- ▶ BUILT ON 67-387MM CASING (19")
- ▶ 20x2.50 WILL NOT FIT A STANDARD 20" BMX WHEEL

If you're a modified trials rider who wants aggressive traction for the most demanding conditions, the Creepy Crawler R is made for you. The Creepy Crawler R is constructed to be strong and durable, featuring Super Tacky (ST) tread compound that sticks to any obstacle. To sum it up, the Maxxis Creepy Crawler is the best modified trials tire on the market.



# MODULAR VALVE SYSTEM



## MVS STEMS

PART #	SIZE	WEIGHT	VALVE	COLOR
0T00119000	60mm	4 g	MVS	Black
0T00127000	60mm	4 g	MVS	Orange
0T00128000	80mm	5 g	MVS	Black
0T00136000	80mm	5 g	MVS	Orange

- ▶ AVAILABLE IN PRESTA VALVE STEM LENGTHS OF 60MM, AND 80MM
- ▶ REMOVABLE VALVE CORE
- ▶ AVAILABLE IN 2 COLORS
- ▶ FOR USE WITH MVS TUBE OR MAXXIS TUBULAR TIRES ONLY

The Maxxis Modular Valve System allows you to easily customize your bike. The separation of the tube and valve stem allows you to choose your valve length and color without having to deal with finicky valve extensions. When the tube eventually needs to be replaced, the valve stem transfers to the new tube, instead of ending up in the trash. Available in Presta valve stem lengths of 60mm and 80mm and in two different colors.

### THE WORD

Maxxis tubulars are my tire of choice because they give me the grip and power transfer I need to sprint with the best in the world.

– John Murphy

UnitedHealthcare Pro Cycling Team



PHOTO: DEVICHI

# MODULAR VALVE SYSTEM



## MVS FLYWEIGHT TUBE

PART #	SIZE	WEIGHT	VALVE
IB65002000	26x1.90/2.125	93 g	MVS
IB84002000	700x18/25C	47 g	MVS

- ▶ .45 MM THIN WALLS
- ▶ LIGHTWEIGHT AND DURABLE FOR RACING
- ▶ FOR USE WITH MVS STEM SET ONLY
- ▶ MAXXIS RIM STRIP INCLUDED

## MVS ULTRALIGHT TUBE

PART #	SIZE	WEIGHT	VALVE
IB65001000	26x1.90/2.125	124 g	MVS
IB84001000	700x18/25C	64 g	MVS

- ▶ .60 MM THIN WALLS
- ▶ LIGHTWEIGHT AND DURABLE FOR RACING
- ▶ FOR USE WITH MVS STEM SET ONLY



# TUBES



## FLYWEIGHT

PART #	SIZE	WEIGHT	VALVE
SI86388410	26x1.90/2.125	102 g	Presta RVC
SI87512000	27.5x1.90/2.125	108 g	Presta RVC
SI86987820	700x18/25C	56 g	Presta 60mm RVC
SI89684500	29x1.90/2.125	115 g	Presta RVC

- ▶ .45 MM THIN WALLS
- ▶ LIGHTEST TUBE AVAILABLE
- ▶ MAXXIS RIM STRIP INCLUDED
- ▶ PRESTA & SCHRADER VALVES



Maxxis is proud to announce that our Presta valve tubes will now feature a removable valve core (RVC). This feature allows you to add a liquid sealant to the tube for added flat protection.

## ULTRALIGHT

PART #	SIZE	WEIGHT	VALVE
IB25400000	20x1.50/1.75	83 g	Schrader
IB29520000	20x1.90/2.125	96 g	Schrader
IB59763900	26x1.50/1.75	104 g	Presta RVC
IB60064200	26x1.50/1.75	111 g	Presta 48mm RVC
IB63828900	26x1.90/2.125	126 g	Presta RVC
IB63810000	26x1.90/2.125	127 g	Schrader
IB51596200	650x18/25C	62 g	Presta 48mm RVC
IB75076300	27.5x1.90/2.35	144 g	Presta RVC
IB75077200	27.5x1.90/2.35	145 g	Presta RVC
IB96827400	29x1.90/2.35	155 g	Presta RVC
IB96827600	29x1.90/2.35	156 g	Presta 48mm RVC
IB69838600	700x18/25C	59 g	Presta 48mm RVC
IB69859200	700x18/25C	59 g	Presta 60mm RVC

- ▶ .60 MM THIN WALLS
- ▶ LIGHTWEIGHT AND DURABLE FOR RACING
- ▶ PRESTA & SCHRADER VALVES






## WELTERWEIGHT

PART #	SIZE	WEIGHT	VALVE
IB14205000	16x1.90/2.125	96 g	Schrader
IB29513000	20x1.90/2.125	123 g	Schrader
IB22993000	20x11/4-13/8	106 g	Presta RVC
IB29513200	20x1.90/2.125	121 g	Presta RVC
IB48713000	24x1.90/ 2.125	148 g	Presta RVC
IB49899000	24x1.90/2.125	166 g	Schrader
IB63464200	26x1.90/2.125	161 g	Presta RVC
IB67681000	26x1.90/2.125	163 g	Schrader
IB75078400	27.5x1.90/2.35	190 g	Presta RVC
IB75079300	27.5x1.90/2.35	191 g	Presta RVC
IB75097100	27.5x2.2/2.5	222 g	Presta RVC
IB96826100	29x1.90/2.35	200 g	Presta RVC
IB81555100	700x18/25,27X7/8-1	84 g	Presta 48mm RVC
IB81556100	700x18/25,27X7/8-1	85 g	Presta 60mm RVC
IB94198100	700x35/45,27x1 3/8-1 3/4	127 g	Presta RVC


- ▶ .80 MM THIN WALLS
- ▶ PUNCTURE RESISTANT
- ▶ PRESTA & SCHRADER VALVES



## FREERIDE

PART #	SIZE	WEIGHT	VALVE
IB67446800	26x2.20/2.50	293 g	Presta RVC
IB67445000	26x2.20/2.50	295 g	Schrader
IB75102000	27.5x2.20/2.50	307 g	Schrader
IB75105100	27.5x2.2/2.5	306 g	Presta RVC
IB75109100	27.5x2.2/2.5	307 g	Presta 48mm RVC

- ▶ 1.2 MM THIN WALLS
- ▶ FREERIDE-SPECIFIC
- ▶ PRESTA & SCHRADER VALVES






# TUBES



## DOWNHILL

PART #	SIZE	WEIGHT	VALVE
IB49959900	24x2.50/2.70	426 g	Presta RVC
IB49963000	24x2.50/2.70	427 g	Schrader
IB68560100	26x2.50/2.70	448 g	Presta RVC
IB68566000	26x2.50/2.70	450 g	Schrader

- 1.5 MM THIN WALLS
- DOWNHILL-SPECIFIC
- PRESTA & SCHRADER VALVES



## FAT/PLUS

PART #	SIZE	WEIGHT	VALVE
IB68600200	26x3.8/5.0	427 g	Presta RVC
IB68600800	26x3.8/5.0	428 g	Schrader
IB75660000	27.5x3.8/5.0	439 g	Presta RVC
IB75665000	27.5x3.8/5.0	440 g	Presta 48mm RVC
IB75670000	27.5x3.8/5.0	440 g	Schrader
IB75501000	27.5x2.5/3.0	364 g	Presta RVC
IB75511000	27.5x2.5/3.0	365 g	Schrader
IB97200200	29x2.5/3.0	390 g	Presta RVC
IB97200400	29x2.5/3.0	391 g	Presta 48mm RVC

- 1.0 MM THIN WALLS
- FAT BIKE-SPECIFIC
- PRESTA AND SCHRADER VALVES



# QUICK REFERENCE

## ROAD

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
<b>CAMPIONE</b>	TB88104000	28x23	-	120	N/A	265 g	3C	170	Black	3C / K2
	TB88205000	28x25	-	120	N/A	285 g	3C	170	Black	3C / K2
<b>CAMPIONE TT</b>	TB88104100	28x23	-	120	N/A	250 g	3C	170	Black	3C
	TB88205100	28x25	-	120	N/A	265 g	3C	170	Black	3C
<b>FORZA</b>	TB88102000	28x23	-	60	N/A	285 g	Dual	130	Black	Silkworm
	TB88200000	28x25	-	60	N/A	310 g	Dual	170	Black	Silkworm
<b>VELOCITA</b>	TB88150000	28x28mm	-	120	N/A	410 g	Dual	130	Black	MaxxShield
<b>PADRONE</b>	TB81794000	700x23C	23-622	120	Carbon Fiber	295 g	Dual	125	Black	Silkworm
	TB86470100	700x25C	25-622	120	Carbon Fiber	310 g	Dual	125	Black	Silkworm
<b>PADRONE TR</b>	TB81815100	700x23C	23-622	170	Carbon Fiber	250 g	Dual	125	Black	SilkShield / TR / ONE70
	TB86459100	700x25C	25-622	170	Carbon Fiber	260 g	Dual	125	Black	SilkShield / TR / ONE70
	TB81815200	700x28C	28-622	170	Carbon Fiber	300 g	Dual	115	Black	SilkShield / TR / ONE70
<b>RADIALE TL</b>	TB88175000	700x22C	22-622	120	Carbon Fiber	280 g	Dual	125	Black	Silkworm
	TB86425000	700x24C	24-622	120	Carbon Fiber	305 g	Dual	125	Black	Silkworm
<b>RELIX</b>	TB86238100	700x23C	23-622	170	Foldable	205 g	Dual	145	Black	SilkShield / ONE70
	TB86372000	700x25C	25-622	170	Foldable	215 g	Dual	145	Black	SilkShield / ONE70
<b>RELIX TT</b>	TB86238200	700x23C	23-622	170	Foldable	160 g	Single	145	Black/Grey	-
<b>COURCHEVEL</b>	TB86345300	700x23C	23-622	120	Foldable	225 g	3C	130	Black / Grey / Grey	3C / MaxxShield
<b>CORMET</b>	TB86331200	700x23C	23-622	170	Foldable	200 g	Single	130	Black	Nylon Breaker / ONE70
<b>COLUMBIERE</b>	TB86355000	700x23C	23-622	120	Foldable	200 g	Single	130	Black	Nylon Breaker
	TB86370000	700x25C	25-622	120	Foldable	205 g	Single	130	Black	Nylon Breaker
<b>DOLOMITES</b>	TB81808000	700x23C	23-622	120	Foldable	185 g	Dual	130	Black	Silkworm
<b>ROULER</b>	TB81793000	700x23C	23-622	120	Foldable	215 g	Dual	130	Black	Silkworm
<b>DETONATOR</b>	TB86352100	700x23C	23-622	60	Foldable	230 g	Dual	120	Grey	Silkworm
	TB86353700	700x23C	23-622	60	Foldable	220 g	Dual	120	White	Silkworm
	TB86353000	700x23C	23-622	60	Foldable	230 g	Dual	120	Blue	Silkworm
	TB86352000	700x23C	23-622	60	Foldable	230 g	Dual	120	Red	Silkworm
	TB86351700	700x23C	23-622	60	Foldable	220 g	Dual	120	Lime	Silkworm
	TB86352200	700x23C	23-622	60	Foldable	230 g	Dual	120	Yellow	Silkworm
	TB86352300	700x23C	23-622	60	Foldable	230 g	Dual	120	Orange	Silkworm
	TB86353600	700x23C	23-622	60	Foldable	220 g	Dual	120	Pink	Silkworm
	TB86367500	700x25C	25-622	60	Foldable	255 g	Dual	120	Grey	Silkworm
	<b>RE-FUSE</b>	TB86336000	700x23C	23-622	60	Foldable	295 g	Single	120	Black
TB86359000		700x25C	25-622	60	Foldable	300 g	Single	120	Black	MaxxShield
TB88505000		700x28C	28-622	60	Foldable	320 g	Single	120	Black	MaxxShield

## CYCLOCROSS

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
<b>RAZE</b>	TB88985200	700x33C	33-622	60	Foldable	355 g	Single	75		-
<b>MUD WRESTLER</b>	TB88992100	700x33C	33-622	60	Carbon Fiber	390 g	Dual	75		EXO / TR
	TB88992200	700x33C	33-622	120	Carbon Fiber	370 g	Dual	75		EXO / TR

## GRAVEL / ADVENTURE

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
<b>RE-FUSE</b>	TB90924000	27.5x2.00	50-584	60	Foldable	610 g	Dual	60		MaxxShield / TR
	TB88896000	700x32C	32-622	60	Carbon Fiber	390 g	Dual	75		MaxxShield / TR
	TB95987000	700x40C	40-622	60	Carbon Fiber	520 g	Dual	75		MaxxShield / TR
<b>RAMBLER</b>	TB96268000	700x40C	40-622	120	Carbon Fiber	390 g	Dual	75		EXO / TR
	TB96268100	700x40C	40-622	60	Carbon Fiber	435 g	Dual	75		SilkShield / TR

## HYBRID

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
<b>DETONATOR-HYBRID</b>	TB58908000	26x1.50	40/38-559	60	Foldable	440 g	Single	80		-
	TB85917100	27.5x1.50	40-584	60	Foldable	480 g	Single	80		-
<b>OVERDRIVE</b>	TB64110600	26x1.75x2	47-559	60	Wire	610 g	Single	50		K2
	TB90905000	27.5x1.65	42-584	60	Foldable	580 g	Single	80		MaxxShield
	TB90905100	27.5x1.65	42-584	60	Wire	535 g	Single	80		Silkworm
<b>OVERDRIVE ELITE</b>	TB95688700	700x38C	40-622	60	Wire	580 g	Single	75		K2
	TB20120000	20x1.15	28-406	60	Wire	255 g	Single	100		K2
	TB22310000	20x1.35	32-406	60	Wire	365 g	Single	100		K2
	TB84506000	26x1.75	42-559	120	Foldable	540 g	Dual	80		K2
<b>OVERDRIVE II</b>	TB91438000	700x35C	35-622	120	Foldable	475 g	Dual	75		K2
	TB60867000	26x1.65	42-559	60	Foldable	540 g	Dual	80		MaxxShield
	TB60867100	26x1.65	42-559	60	Wire	510 g	Single	80		Silkworm
<b>ROAMER</b>	TB23110000	20x1.65	42-406	60	Wire	460 g	Dual	100		Kevlar® Inside
	TB60865000	26x1.65	42-559	60	Wire	605g	Dual	80		Kevlar® Inside
	TB96354000	700x42C	44-622	60	Wire	715 g	Dual	75		Kevlar® Inside
	TB96356000	700x42C	44-622	60	Wire	690 g	Dual	75		SilkShield/eBike
<b>GYPSY</b>	TB22781000	20x1.50	38-406	60	Wire	400 g	Dual	100		Silkworm
	TB58915000	26x1.50	38-559	60	Wire	495 g	Dual	80		Silkworm
	TB69917000	26x2.10	53-559	60	Wire	790 g	Dual	65		SilkShield/eBike
	TB95734000	700x38C	40-622	60	Wire	650 g	Dual	85		SilkShield
	TB95735000	700x38C	40-622	60	Wire	645 g	Dual	85		SilkShield/eBike

## MOUNTAIN

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	COLOR	TECH
<b>MAXXLITE</b>	TB69089000	26x2.00	50-559	170	Foldable	285 g	Dual	60		Silkworm / ONE70
	TB85939000	27.5x2.00	50-584	170	Foldable	340 g	Dual	60		Silkworm / ONE70
	TB96685000	29x2.00	50-622	170	Foldable	345 g	Dual	60		Silkworm / ONE70
<b>TREAD LITE</b>	TB70064000	26x2.10	53-559	120	Foldable	530 g	Dual	60		TR
	TB70064100	26x2.10	53-559	120	Foldable	565 g	Dual	60		EXO / TR
	TB90946000	27.5x2.10	53-584	120	Foldable	560 g	Dual	60		TR
	TB90946100	27.5x2.10	53-584	120	Foldable	595 g	Dual	60		EXO / TR
	TB96659000	29x2.10	53-622	120	Foldable	590 g	Dual	60		TR
	TB96659100	29x2.10	53-622	120	Foldable	630 g	Dual	60		EXO / TR



# QUICK REFERENCE

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH	
<b>PACE</b>	TB69309100	26x2.10	53-559	60	Foldable	545 g	Single	65	-	
	TB69300000	26x2.10	53-559	60	Foldable	550 g	Dual	60	TR	
	TB69300100	26x2.10	53-559	60	Foldable	585 g	Dual	60	EXO / TR	
	TB90942100	27.5x2.10	53-584	60	Foldable	575 g	Single	65	-	
	TB90964000	27.5x2.10	53-584	60	Foldable	575 g	Dual	60	TR	
	TB90964100	27.5x2.10	53-584	60	Foldable	620 g	Dual	60	EXO / TR	
	TB96667100	29x2.10	53-622	60	Foldable	605 g	Single	65	-	
	TB96764000	29x2.10	53-622	60	Foldable	610 g	Dual	60	TR	
	TB96764100	29x2.10	53-622	60	Foldable	650 g	Dual	60	EXO / TR	
	<b>ASPEN</b>	TB69797500	26x2.10	52-559	60	Foldable	560 g	Dual	65	-
TB69798000		26x2.10	52-559	120	Foldable	510 g	Dual	65	-	
TB69307000		26x2.10	52-559	120	Foldable	530 g	Dual	60	TR	
TB69307100		26x2.10	52-559	120	Foldable	570 g	Dual	60	TR / EXO	
TB72557500		26x2.25	54-559	60	Foldable	590 g	Dual	65	-	
TB90958000		27.5x2.10	52-584	120	Foldable	550 g	Dual	60	TR	
TB90958100		27.5x2.10	52-584	120	Foldable	590 g	Dual	60	TR / EXO	
TB96669000		29x2.10	52-622	120	Foldable	565 g	Dual	65	-	
<b>RACE TT</b>		TB90919100	27.5x2.00	50-584	60	Foldable	585 g	Dual	60	TR
		TB90919000	27.5x2.00	50-584	60	Foldable	625 g	Dual	60	EXO / TR
	TB966822100	29x2.00	50-622	60	Foldable	620 g	Dual	60	TR	
	TB966822000	29x2.00	50-622	60	Foldable	665 g	Dual	60	EXO / TR	
<b>CROSSMARK</b>	TB69784000	26x2.10	52-559	60	Foldable	570 g	Single	65	-	
	TB69783200	26x2.10	52-559	120	Foldable	515 g	Single	65	Silkworm	
	TB69783300	26x2.10	52-559	120	Foldable	570 g	Single	65	EXO	
	TB69624000	26x2.10	52-559	120	Foldable	730 g	Dual	60	LUST / UST	
	TB69613000	26x2.10	52-559	60	Foldable	585 g	Dual	60	TR	
	TB69613100	26x2.10	52-559	60	Foldable	620 g	Dual	60	EXO / TR	
	TB72548000	26x2.25	54-559	60	Foldable	640 g	Single	65	-	
	TB72545000	26x2.25	54-559	120	Foldable	885 g	Dual	60	LUST / UST	
	TB72570000	26x2.25	57-559	60	Foldable	615 g	Dual	60	TR	
	TB72570100	26x2.25	57-559	60	Foldable	655 g	Dual	60	EXO / TR	
	TB85910100	27.5x2.10	53-584	60	Foldable	605 g	Single	65	-	
	TB85910400	27.5x2.10	53-584	120	Foldable	515 g	Single	65	-	
	TB90956000	27.5x2.10	52-584	60	Foldable	630 g	Dual	60	TR	
	TB90956100	27.5x2.10	52-584	60	Foldable	655 g	Dual	60	EXO / TR	
	TB91030000	27.5x2.25	54-584	60	Foldable	640 g	Dual	60	TR	
TB91030100	27.5x2.25	54-584	60	Foldable	690 g	Dual	60	EXO / TR		
TB96669000	29x2.10	52/52-622	60	Foldable	635 g	Single	65	-		
TB966697000	29x2.10	53-622	120	Foldable	840 g	Dual	60	LUST / UST		
TB96665000	29x2.10	52-622	60	Foldable	645 g	Dual	60	TR		
TB96665100	29x2.10	52-622	60	Foldable	685 g	Dual	60	EXO / TR		
<b>CROSSMARK II</b>	TB91032000	27.5x2.25	57-584	60	Foldable	685 g	Dual	60	TR	
	TB91032100	27.5x2.25	57-584	60	Foldable	735 g	Dual	60	EXO / TR	
<b>IKON</b>	TB72385300	26x2.20	57-559	60	Foldable	540 g	Dual	65	-	

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
	TB72385100	26x2.20	57-559	120	Foldable	480 g	3C Maxx Speed	65	3C
	TB72390000	26x2.20	57-559	120	Foldable	535 g	3C Maxx Speed	60	3C / TR
	TB72385000	26x2.20	57-559	120	Foldable	540 g	3C Maxx Speed	65	3C / EXO
	TB72390100	26x2.20	57-559	120	Foldable	585 g	3C Maxx Speed	60	3C / EXO / TR
	TB73497000	26x2.35	60-559	120	Foldable	590 g	3C Maxx Speed	65	3C
	TB73497100	26x2.35	60-559	120	Foldable	645 g	3C Maxx Speed	65	3C / EXO
	TB73499000	26x2.35	60-559	120	Foldable	640 g	3C Maxx Speed	60	3C / TR
	TB73499100	26x2.35	60-559	120	Foldable	680 g	3C Maxx Speed	60	3C / EXO / TR
	TB85919000	27.5x2.20	56-584	120	Foldable	600 g	3C Maxx Speed	60	3C / EXO / TR
	TB85956000	27.5x2.35	60-584	120	Foldable	705 g	3C Maxx Speed	60	3C / EXO / TR
	TB96646000	29x2.00	50-622	120	Foldable	560 g	3C Maxx Speed	60	3C / TR
	TB96646100	29x2.00	50-622	120	Foldable	610 g	3C Maxx Speed	60	3C / EXO / TR
	TB96753300	29x2.20	57-662	60	Foldable	590 g	Dual	65	-
	TB96753100	29x2.20	57-622	120	Foldable	530 g	3C Maxx Speed	65	3C
	TB96740000	29x2.20	57-622	120	Foldable	580 g	3C Maxx Speed	60	3C / TR
	TB96753000	29x2.20	57-622	120	Foldable	595 g	3C Maxx Speed	65	3C / EXO
	TB96740100	29x2.20	57-622	120	Foldable	640 g	3C Maxx Speed	60	3C / EXO / TR
	TB96729000	29x2.35	60-622	120	Foldable	660 g	3C Maxx Speed	65	3C
	TB96729100	29x2.35	60-622	120	Foldable	725 g	3C Maxx Speed	65	3C / EXO
	TB96731000	29x2.35	60-622	120	Foldable	695 g	3C Maxx Speed	60	3C / TR
	TB96731100	29x2.35	60-622	120	Foldable	740 g	3C Maxx Speed	60	3C / EXO / TR
<b>SNYPER</b>	TB49307200	24x2.00	50-507	60	Foldable	600 g	Dual	65	SilkShield
	TB49307300	24x2.00	50-507	60	Wire	655 g	Dual	65	SilkShield
<b>IGNITOR</b>	TB69756900	26x2.10	47-559	60	Foldable	575 g	Single	65	-
	TB69757100	26x2.10	47-559	120	Foldable	505 g	Single	65	Silkworm
	TB69754200	26x2.10	47-559	120	Foldable	710 g	Dual	60	LUST / UST
	TB69306000	26x2.10	47-559	60	Foldable	590 g	Single	60	TR
	TB69306100	26x2.10	47-559	60	Foldable	620 g	Single	60	EXO / TR
	TB73561500	26x2.35	52-559	60	Foldable	690 g	Single	65	-
	TB73560000	26x2.35	52/55-559	60	Foldable	770 g	Single	65	EXO
	TB73457100	26x2.35	52-559	120	Foldable	855 g	Dual	60	LUST / UST
	TB73553000	26x2.25	52-559	60	Foldable	680 g	Single	60	TR
	TB73553100	26x2.25	52-559	60	Foldable	710 g	Single	60	EXO / TR
	TB85957000	27.5x2.35	52-584	60	Foldable	710 g	Single	60	TR
	TB85957100	27.5x2.35	52-584	60	Foldable	740 g	Single	60	EXO / TR
	TB966696000	29x2.10	52/52-622	60	Foldable	635 g	Single	65	-
	TB966694500	29x2.10	52/52-622	120	Foldable	635 g	Single	65	EXO
	TB96667000	29x2.10	52-622	60	Foldable	670 g	Single	60	TR
TB96667100	29x2.10	52-622	60	Foldable	715 g	Single	60	EXO / TR	
TB96732000	29x2.35	52-622	60	Foldable	750 g	Single	60	TR	
TB96732100	29x2.35	52-622	60	Foldable	785 g	Single	60	EXO / TR	
<b>ARDENT RACE</b>	TB72374000	26x2.20	56-559	120	Foldable	605 g	3C Maxx Speed	60	3C / TR
	TB72374100	26x2.20	56-559	120	Foldable	650 g	3C Maxx Speed	60	3C / EXO / TR
	TB85918000	27.5x2.20	56-584	120	Foldable	635 g	3C Maxx Speed	60	3C / TR

# QUICK REFERENCE

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
	TB85918100	27.5x2.20	58-584	120	Foldable	680 g	3C Maxx Speed	60	3C / EXO / TR
	TB96742000	29x2.20	56-622	120	Foldable	670 g	3C Maxx Speed	60	3C / TR
	TB96742100	29x2.20	56-622	120	Foldable	720 g	3C Maxx Speed	60	3C / EXO / TR
<b>ARDENT</b>	TB72555000	26x2.25	54/56-559	60	Foldable	650 g	Single	65	-
	TB72560000	26x2.25	54/56-559	60	Foldable	705 g	Single	65	EXO
	TB72566000	26x2.25	54/56-559	120	Foldable	830 g	Dual	60	LUST / UST
	TB72569000	26x2.25	56-559	60	Foldable	695 g	Dual	60	TR
	TB72569100	26x2.25	56-559	60	Foldable	725 g	Dual	60	EXO / TR
	TB74177000	26x2.40	58/60-559	60	Foldable	790 g	Single	65	EXO
	TB72917000	26x2.40	61-559	60	Foldable	700 g	Dual	60	TR
	TB72917100	26x2.40	61-559	60	Foldable	745 g	Dual	60	EXO / TR
	TB85913000	27.5x2.25	57-584	60	Wire	740 g	Single	65	-
	TB85913100	27.5x2.25	57-584	60	Foldable	660 g	Single	65	-
	TB85913400	27.5x2.25	57-584	60	Foldable	720 g	Single	65	EXO
	TB85955000	27.5x2.25	56-584	60	Foldable	715 g	Dual	60	TR
	TB85955100	27.5x2.25	56-584	60	Foldable	760 g	Dual	60	EXO / TR
	TB85967100	27.5x2.40	61-584	60	Foldable	775 g	Dual	60	EXO / TR
	TB96712000	29x2.25	54/56-622	60	Wire	780 g	Single	65	-
	TB96712500	29x2.25	54/56-622	60	Foldable	700 g	Single	65	-
	TB96712300	29x2.25	54/56-622	60	Foldable	700 g	Single	65	Skinwall
	TB96712900	29x2.25	54/56-622	120	Foldable	895 g	Dual	60	LUST / UST
	TB96712700	29x2.25	54/56-622	60	Foldable	750 g	Single	65	EXO
	TB96734000	29x2.25	56-622	60	Foldable	755 g	Dual	60	TR
	TB96734100	29x2.25	56-622	60	Foldable	800 g	Dual	60	EXO / TR
	TB96789100	29x2.40	59/61-622	60	Foldable	750 g	Single	65	Skinwall
	TB96789000	29x2.40	59/61-622	60	Foldable	805 g	Single	65	EXO
	TB96793000	29x2.40	61-622	60	Foldable	775 g	Dual	60	TR
	TB96793100	29x2.40	61-622	60	Foldable	825 g	Dual	60	EXO / TR
<b>TOMAHAWK</b>	TB73119300	26x2.30	58-559	60	Foldable	775 g	3C Maxx Terra	60	3C / EXO / TR
	TB73119200	26x2.30	58-559	120	Foldable	960 g	3C Maxx Terra	60	3C / TR / DD
	TB91000300	27.5x2.30	58-584	60	Foldable	810 g	3C Maxx Terra	60	3C / EXO / TR
	TB91000200	27.5x2.30	58-584	120	Foldable	1005 g	3C Maxx Terra	60	3C / TR / DD
	TB96880000	29x2.30	58-622	120	Foldable	1070 g	3C Maxx Terra	60	3C / TR / DD
	TB96880100	29x2.30	58-622	60	Foldable	850 g	3C Maxx Terra	60	3C / EXO / TR
<b>AGGRESSOR</b>	TB91009100	27.5x2.30	58-584	60	Foldable	885 g	Dual	60	EXO / TR
	TB91009200	27.5x2.30	58-584	120	Foldable	1050 g	Dual	60	TR / DD
<b>MINION SS</b>	TB91007100	27.5x2.30	58-584	60	Foldable	765 g	Dual	60	SW / EXO / TR
	TB91007000	27.5x2.30	58-584	60	Foldable	745 g	Dual	60	EXO / TR
	TB96778100	29x2.30	58-622	60	Foldable	810 g	Dual	60	SW / EXO / TR
	TB96778000	29x2.30	58-622	60	Foldable	795 g	Dual	60	EXO / TR
<b>MINION DHF</b>	TB73305100	26x2.30	58-559	60	Foldable	845 g	Dual	60	EXO / TR
	TB73305200	26x2.30	58-559	60	Foldable	845 g	3C Maxx Terra	60	3C / EXO / TR
	TB73550000	26x2.35	52-559	60	Wire	825 g	Super Tacky	65	ST
	TB73550400	26x2.35	52-559	60	Wire	785 g	Single	65	-

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
	TB73550800	26x2.35	52-559	60	Foldable	700 g	Single	65	-
	TB74267000	26x2.50	55-559	60	Foldable	880 g	Single	65	EXO
	TB74267300	26x2.50	55/59-559	60	Foldable	860 g	3C Maxx Terra	65	3C / EXO
	TB74267400	26x2.50	55/59-559	60	Foldable	940 g	Single	65	ST / EXO
	TB85925100	27.5x2.30	58-584	60	Foldable	870 g	3C Maxx Terra	60	3C / EXO / TR
	TB85975000	27.5x2.50 WT	63-584	60	Foldable	945 g	Dual	50	EXO / TR
	TB85975100	27.5x2.50 WT	63-584	60	Foldable	945 g	3C Maxx Terra	50	3C / EXO / TR
	TB85975200	27.5x2.50 WT	63-584	60	Foldable	980 g	3C Maxx Grip	50	3C / EXO / TR
	TB85975300	27.5x2.50 WT	63-584	120	Foldable	1170 g	3C Maxx Grip	50	3C / TR / DD
	TB96785000	29x2.30	58-622	60	Foldable	925 g	Dual	60	EXO / TR
	TB96785100	29x2.30	58-622	60	Foldable	925 g	3C Maxx Terra	60	3C / EXO / TR
	TB96800000	29x2.50	63-622	60	Foldable	1015 g	Dual	50	EXO / TR
	TB96800300	29x2.50	63-622	60	Foldable	1015 g	3C Maxx Terra	50	3C / EXO / TR
<b>MINION DHR II</b>	TB73303000	26x2.30	58-559	60	Foldable	780 g	Dual	60	EXO / TR
	TB73303100	26x2.30	58-559	60	Foldable	755 g	3C Maxx Terra	60	3C / EXO / TR
	TB72907400	26x2.40	61-559	60	Foldable	915 g	Single	60	EXO
	TB72907500	26x2.40	61-559	60	Foldable	895 g	Super Tacky	65	ST / EXO
	TB72907300	26x2.40	61-559	60	Foldable	885 g	3C Maxx Terra	65	3C / EXO
	TB72910000	26x2.40 WT	61-559	60	Foldable	865 g	Dual	50	EXO / TR
	TB72910100	26x2.40 WT	61-559	60	Foldable	865 g	3C Maxx Terra	50	3C / EXO / TR
	TB85927200	27.5x2.30	58-584	60	Foldable	800 g	Dual	60	EXO / TR
	TB85927000	27.5x2.30	58-584	60	Foldable	805 g	3C Maxx Terra	60	3C / EXO / TR
	TB85962000	27.5x2.40 WT	61-584	60	Foldable	900 g	Dual	50	EXO / TR
	TB85962100	27.5x2.40 WT	61-584	60	Foldable	900 g	3C Maxx Terra	50	3C / EXO / TR
	TB96776000	29x2.30	58-622	60	Foldable	855 g	Dual	60	EXO / TR
	TB96776100	29x2.30	58-622	60	Foldable	825 g	3C Maxx Terra	60	3C / EXO / TR
	TB96797000	29x2.40 WT	61-622	60	Foldable	955 g	Dual	50	EXO / TR
	TB96797100	29x2.40 WT	61-622	60	Foldable	955 g	3C Maxx Terra	50	3C / EXO / TR
<b>HIGH ROLLER</b>	TB69764400	26x2.10	47-559	60	Foldable	525 g	Single	65	-
	TB73614500	26x2.35	52-559	60	Wire	775 g	Single	65	-
	TB73616200	26x2.35	52-559	60	Foldable	690 g	Single	65	-
	TB73613600	26x2.35	52-559	120	Foldable	920 g	Dual	60	LUST / UST
<b>HIGH ROLLER II</b>	TB73307000	26x2.30	58-559	60	Foldable	835 g	Dual	60	EXO / TR
	TB73307100	26x2.30	58-559	60	Foldable	835 g	3C Maxx Terra	60	3C / EXO / TR
	TB74177300	26x2.40	61-559	60	Foldable	870 g	Single	65	EXO
	TB74177500	26x2.40	61-559	60	Foldable	855 g	Triple	65	3C / EXO
	TB85923000	27.5x2.30	58-584	60	Foldable	845 g	Dual	60	EXO / TR
	TB85923100	27.5x2.30	58-584	60	Foldable	875 g	3C Maxx Terra	60	3C / EXO / TR
	TB85915400	27.5x2.40	61-584	60	Foldable	910 g	Single	65	EXO
	TB85915500	27.5x2.40	61-584	60	Foldable	890 g	3C Maxx Terra	65	3C / EXO
	TB91052100	27.5x2.40	61-584	60	Folding	915 g	3C Maxx Terra	60	3C / EXO / TR
	TB96769000	29x2.30	58-622	60	Foldable	890 g	Dual	60	EXO / TR
	TB96769100	29x2.30	58-622	60	Foldable	920 g	3C Maxx Terra	60	3C / EXO / TR



# QUICK REFERENCE

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
<b>BEAVER</b>	TB68601100	26x2.00	50-559	120	Foldable	540 g	Dual	60	EXO / TR
	TB72564000	26x2.25	57-559	60	Foldable	695 g	Dual	65	EXO
	TB90915100	27.5x2.00	50-584	120	Foldable	570 g	Dual	60	EXO / TR
	TB96820100	29x2.00	50-622	120	Foldable	600 g	Dual	60	EXO / TR
<b>SHORTY</b>	TB96737000	29x2.25	57-622	60	Foldable	765 g	Dual	65	EXO
	TB73309000	26x2.30	58-559	60	Foldable	780 g	3C Maxx Terra	60	TR
	TB73309100	26x2.30	58-559	60	Foldable	825 g	3C Maxx Terra	60	EXO / TR
	TB74296000	26x2.50 WT	63-559	60	Foldable	925 g	3C Maxx Terra	50	3C / EXO / TR
<b>WETSCREAM</b>	TB85924000	27.5x2.30	58-584	60	Foldable	815 g	3C Maxx Terra	60	TR
	TB85924100	27.5x2.30	58-584	60	Foldable	865 g	3C Maxx Terra	60	EXO / TR
	TB85979000	27.5x2.50 WT	63-584	60	Foldable	965 g	3C Maxx Terra	50	3C / EXO / TR
	TB85979100	27.5x2.50 WT	63-584	120	Foldable	1170 g	3C Maxx Grip	50	3C / TR / DD
	TB96772000	29x2.30	58-622	60	Foldable	860 g	3C Maxx Terra	60	TR
	TB96772100	29x2.30	58-622	60	Foldable	910 g	3C Maxx Terra	60	EXO / TR
	TB96804000	29x2.50 WT	63-622	60	Foldable	1025 g	3C Maxx Terra	50	3C / EXO / TR

## DOWNHILL

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
<b>GRIFFIN</b>	TB72919100	26x2.40	61-559	60	Wire	1140 g	Super Tacky	65	ST
	TB72919000	26x2.40	61-559	60	Wire	1130 g	3C Maxx Grip	65	3C
	TB85969100	27.5x2.40	61-584	60	Wire	1190 g	Super Tacky	65	3C
	TB85969000	27.5x2.40	61-584	60	Wire	1180 g	3C Maxx Grip	65	3C
<b>MINION SS</b>	TB85973100	27.5x2.50	63-584	60	Wire	1335 g	Super Tacky	65	ST
	TB85973000	27.5x2.50	63-584	60	Wire	1335 g	3C Maxx Grip	65	3C
<b>MINION DHF</b>	TB74265700	26x2.50	55-559	60	Wire	1180 g	Single	65	-
	TB74265000	26x2.50	55-559	60	Wire	1200 g	Super Tacky	65	ST
	TB74262000	26x2.50	55-559	27	Foldable	1180 g	Super Tacky	55	UST / ST
	TB74265500	26x2.50	55-559	60	Wire	1265 g	3C Maxx Grip	65	3C
	TB74269000	26x2.50	55-559	60	Wire	1270 g	3C Maxx Grip	65	3C / Skinwall
	TB85976100	27.5x2.50	63-584	60	Wire	1390 g	Super Tacky	65	ST
	TB85976000	27.5x2.50	63-584	60	Wire	1390 g	3C Maxx Grip	65	3C
	TB96800100	29x2.50	63-622	60	Foldable	1255 g	Dual	60	TR
	TB96800200	29x2.50	63-622	60	Foldable	1295 g	3C Maxx Grip	60	3C / TR
	<b>MINION DHR II</b>	TB72907000	26x2.40	61-559	60	Wire	1240 g	Single	65
TB72907100		26x2.40	61-559	60	Wire	1265 g	3C Maxx Grip	65	3C
TB72907200		26x2.40	61-559	60	Wire	1225 g	Super Tacky	65	ST
TB91051100		27.5x2.40	61-584	60	Wire	1280 g	Super Tacky	65	ST
<b>HIGH ROLLER</b>	TB91051000	27.5x2.40	61-584	60	Wire	1315 g	3C Maxx Grip	65	3C
	TB50653300	24x2.50	55-507	60	Wire	1080 g	Single	65	-
	TB74302100	26x2.50	54-559	60	Wire	1180 g	Single	65	-
	TB74220000	26x2.50	55-559	27	Foldable	1215 g	Super Tacky	55	UST / ST
<b>HIGH ROLLER II</b>	TB74301600	26x2.50	54-559	60	Wire	1265 g	3C Maxx Grip	65	3C
	TB74177200	26x2.40	61-559	60	Wire	1205 g	Single	65	-
	TB74177100	26x2.40	61-559	60	Wire	1260 g	3C Maxx Grip	65	3C
	TB74177600	26x2.40	61-559	60	Wire	1225 g	Super Tacky	65	ST
TB85915300	27.5x2.40	61-584	60	Wire	1250 g	Single	65	-	

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
<b>SHORTY</b>	TB85915100	27.5x2.40	61-584	60	Wire	1270 g	Super Tacky	65	ST
	TB85915200	27.5x2.40	61-584	60	Wire	1305 g	3C Maxx Grip	65	3C
	TB91052000	27.5x2.40	61-584	60	Folding	1230 g	3C Maxx Grip	60	3C / TR / DH
	TB72911100	26x2.40	61-559	60	Wire	1215 g	Super Tacky	65	ST
<b>WETSCREAM</b>	TB72911000	26x2.40	61-559	60	Wire	1215 g	3C Maxx Grip	65	3C
	TB91056100	27.5x2.40	61-584	60	Wire	1270 g	Super Tacky	65	ST
	TB91056000	27.5x2.40	61-584	60	Wire	1270 g	3C Maxx Grip	65	3C
	TB74276000	26x2.50	55-559	60	Wire	1160 g	Super Tacky	65	ST
TB85977000	27.5x2.50	55-584	60	Wire	1205 g	Super Tacky	65	Super Tacky	

## FAT/PLUS

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
<b>MAMMOTH</b>	TB72650200	26x4.0	102-559	60	Foldable	1270 g	Dual	30	-
	TB72650000	26x4.0	102-559	120	Foldable	1270 g	Dual	30	EXO
	TB72650500	26x4.00	102-559	120	Foldable	1275 g	Dual	30	EXO / TR
<b>CHRONICLE</b>	TB96833200	29x3.0	76-622	60	Foldable	1040 g	Dual	30	-
	TB96833000	29x3.0	76-622	120	Foldable	1055 g	Dual	30	EXO
	TB96833300	29x3.0	76-622	120	Foldable	1050 g	Dual	30	EXO / TR
	TB91150200	27.5x3.0	76-584	60	Foldable	985 g	Dual	30	-
<b>MINION FBF</b>	TB91150100	27.5x3.0	76-584	120	Foldable	910 g	Dual	30	-
	TB91150000	27.5x3.0	76-584	120	Foldable	990 g	Dual	30	EXO / TR
	TB72662200	26x4.80	122-559	60	Foldable	1650 g	Dual	20	-
	TB72662100	26x4.80	122-559	120	Foldable	1575 g	Dual	20	-
<b>MINION FBR</b>	TB72662000	26x4.80	122-559	120	Foldable	1645 g	Dual	20	EXO / TR
	TB72664200	26x4.80	122-559	60	Foldable	1625 g	Dual	20	-
	TB72664100	26x4.80	122-559	120	Foldable	1550 g	Dual	20	-
	TB72664000	26x4.80	122-559	120	Foldable	1620 g	Dual	20	EXO / TR
<b>COLOSSUS</b>	TB72660200	26x4.80	122-559	60	Foldable	1520 g	Dual	20	-
	TB72660100	26x4.80	122-559	120	Foldable	1445 g	Dual	20	-
	TB72660000	26x4.80	122-559	120	Foldable	1515 g	Dual	20	EXO / TR

## URBAN

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
<b>HOLY ROLLER</b>	TB72392000	26x2.20	52-559	60	Wire	800 g	Single	65	-
	TB74180100	26x2.40	55-559	60	Wire	830 g	Single	65	-
<b>DTH</b>	TB72683000	26x2.15	52/54-559	60	Foldable	550 g	Single	80	-
	TB72683100	26x2.15	52/54-559	60	Foldable	555 g	Single	80	Skinwall
	TB73300000	26x2.30	55/58-559	60	Wire	730 g	Single	65	-
	TB73301000	26x2.30	55/58-559	60	Foldable	650 g	Single	65	-
<b>TORCH</b>	TB73303000	26x2.30	55/58-559	60	Foldable	650 g	Single	65	Skinwall
	TB96651200	29x2.10	53-622	120	Foldable	625 g	Single	65	Silkworm
	TB74255100	26x2.50	63-559	60	Wire	1125 g	Single	65	-
<b>HOOKWORM</b>	TB96805000	29x2.50	63-622	60	Wire	1230 g	Single	65	-
	TB96648100	29x2.00	50-622	60	Foldable	655 g	Single	65	-
	TB96802000	29x2.50	64-622	60	Wire	885 g	Single	65	-

## BMX RACE

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
MAXX DADDY	TB29682000	20x2.00	54-406	60	Wire	540 g	Single	40	-
HOLY ROLLER	TB20350000	20x1 1/8	28-451	60	Wire	260 g	Single	85	-
	TB20628000	20x1 3/8	37-451	60	Wire	345 g	Single	85	-
	TB24748000	20x1.75	47-406	60	Wire	425 g	Single	60	-
	TB29478000	20x1.95	53-406	60	Wire	495 g	Single	60	-
	TB31020000	20x2.20	56-406	60	Wire	570 g	Single	60	-
	TB47640000	24x1.75	47-507	60	Wire	525 g	Single	60	-
TB49212000	24x1.85	50-507	60	Wire	610 g	Single	60	-	
DTH	TB20352000	20x1 1/8	28-451	120	Wire	245 g	Dual	85	Silkworm
	TB20629000	20x1 3/8	37-451	120	Wire	315 g	Dual	85	Silkworm
	TB22329500	20x1.50	38-406	120	Foldable	295 g	Dual	110	Silkworm
	TB24751000	20x1.75	44-406	120	Foldable	345 g	Dual	110	Silkworm
	TB29464500	20x1.95	49-406	120	Foldable	375 g	Dual	110	Silkworm
	TB31025000	20x2.20	56-406	120	Foldable	485 g	Dual	110	Silkworm
TORCH	TB47649000	24x1.75	44-507	120	Wire	440 g	Dual	85	Silkworm
	TB20354000	20x1 1/8	28-451	60	Wire	260 g	Dual	85	Silkworm
	TB20626000	20x1 3/8	37-451	60	Wire	310 g	Dual	110	Silkworm
	TB22783100	20x1.50	38-406	120	Foldable	320 g	Dual	110	SilkShield
	TB24755100	20x1.75	44-406	120	Foldable	365 g	Dual	110	SilkShield
	TB29519100	20x1.95	49-406	120	Foldable	395 g	Dual	110	SilkShield
TB47641000	24x1.75	44-507	120	Wire	450 g	Dual	85	Silkworm	

## BMX FREESTYLE

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
RIZER	TB30909000	20x2.15	53-406	60	Foldable	545 g	Dual	110	EXO
	TB35858000	20x2.30	58-406	60	Foldable	595 g	Dual	110	EXO
HOOKWORM	TB14410000	16x1.95	53-305	60	Wire	515 g	Single	110	-
	TB29461000	20x1.95	53-406	60	Wire	655 g	Single	110	-
GRIFTER	TB29643000	20x1.85	48-406	120	Foldable	410 g	Dual	110	EXO
	TB29643100	20x1.85	48-406	60	Foldable	505 g	Dual	110	Skinwall
	TB30704600	20x2.10	53-406	120	Foldable	455 g	Dual	110	EXO
	TB30704200	20x2.10	53-406	60	Foldable	550 g	Dual	110	Skinwall
	TB35849200	20x2.30	58-406	120	Foldable	550 g	Dual	110	SilkShield
	TB35849000	20x2.30	58-406	60	Wire	635 g	Dual	110	Skinwall

## MODIFIED TRIALS

TIRE	PART NUMBER	SIZE	ETRTO	TPI	BEAD	WEIGHT	COMPOUND	MAX PSI	TECH
CREEPY CRAWLER F	TB29688100	20x2.00	54-406	60	Wire	625 g	Super Tacky	50	ST
CREEPY CRAWLER R	TB35877000	20x2.50	67-387	25	Wire	1085 g	Super Tacky	50	ST

## (MVS) STEMS

STEMS	PART NUMBER	SIZE	WEIGHT	COLOR
MVS STEMS	0700119000	60mm	4 g	Black
	0700127000	60mm	4 g	Orange
	0700128000	80mm	5 g	Black
	0700136000	80mm	5 g	Orange

## (MVS) TUBE - FLYWEIGHT

PART #	SIZE	WEIGHT	VALVE
IB65002000	26x1.90/2.125	93 g	MVS
IB84002000	700x18/25C	47 g	MVS

## (MVS) TUBE - ULTRALIGHT

PART #	SIZE	WEIGHT	VALVE
IB65001000	26x1.90/2.125	124 g	MVS
IB84001000	700x18/25C	64 g	MVS

## FLYWEIGHT TUBE

PART #	SIZE	WEIGHT	VALVE
SIB6388410	26x1.90/2.125	102 g	Presta RVC
SIB7512000	27.5x1.90/2.125	108 g	Presta RVC
SIB6987820	700x18/25C	56 g	Presta 60mm RVC
SIB9684500	29x1.90/2.125	115 g	Presta RVC

## ULTRALIGHT TUBE

PART #	SIZE	WEIGHT	VALVE
IB25400000	20x1.50/1.75	83 g	Schrader
IB29520000	20x1.90/2.125	96 g	Schrader
IB59763900	26x1.50/1.75	104 g	Presta RVC
IB60064200	26x1.50 /1.75	111 g	Presta 48mm RVC
IB63828900	26x1.90/2.125	126 g	Presta RVC
IB63810000	26x1.90/2.125	127 g	Schrader
IB51596200	650x18/25C	62 g	Presta 48mm RVC
IB75076300	27.5x1.90/2.35	144 g	Presta RVC
IB75077200	27.5x1.90/2.35	145 g	Presta RVC
IB96827400	29x1.90/2.35	155 g	Presta RVC
IB96827600	29x1.90/2.35	156 g	Presta 48mm RVC
IB69838600	700x18/25C	59 g	Presta 48mm RVC
IB69859200	700x18/25C	59 g	Presta 60mm RVC

## WELTERWEIGHT TUBE

PART #	SIZE	WEIGHT	VALVE
IB14205000	16x1.90/2.125	96 g	Schrader
IB29513000	20x1.90/2.125	123 g	Schrader
IB22993000	20x11/4-13/8	106 g	Presta RVC
IB29513200	20x1.90/2.125	121 g	Presta RVC
IB48713000	24x1.90/2.125	148 g	Presta RVC
IB49899000	24x1.90/2.125	166 g	Schrader
IB63464200	26x1.90/2.125	161 g	Presta RVC
IB67681000	26x1.90/2.125	163 g	Schrader
IB75078400	27.5x1.90/2.35	190 g	Presta RVC
IB75079300	27.5x1.90/2.35	191 g	Presta RVC
IB75097100	27.5x2.2/2.5	222 g	Presta RVC
IB96826100	29x1.90/2.35	200 g	Presta RVC
IB81555100	700x18/25,27x7/8-1	84 g	Presta 48mm RVC
IB81556100	700x18/25,27x7/8-1	85 g	Presta 60mm RVC
IB94198100	700x35/45,27x1 3/8-1 3/4	127 g	Presta RVC

## FREERIDE TUBE

PART #	SIZE	WEIGHT	VALVE
IB67446800	26x2.20/2.50	293 g	Presta RVC
IB67445000	26x2.20/2.50	295 g	Schrader
IB75102000	27.5x2.20/2.50	307 g	Schrader
IB75105100	27.5x2.2/2.5	306 g	Presta RVC
IB75109100	27.5x2.2/2.5	307 g	Presta 48mm RVC

## FAT/PLUS TUBE

PART #	SIZE	WEIGHT	VALVE
IB68600200	26x3.8/5.0	427 g	Presta RVC
IB68600800	26x3.8/5.0	428 g	Schrader
IB75660000	27.5x3.8/5.0	439 g	Presta RVC
IB75665000	27.5x3.8/5.0	440 g	Presta 48mm RVC
IB75670000	27.5x3.8/5.0	440 g	Schrader
IB75501000	27.5x2.5/3.0	364 g	Presta RVC
IB75511000	27.5x2.5/3.0	365 g	Schrader
IB97200200	29x2.5/3.0	390 g	Presta RVC
IB97200400	29x2.5/3.0	391 g	Presta 48mm RVC

## DOWNHILL TUBE

PART #	SIZE	WEIGHT	VALVE
IB49959900	24x2.50/2.70	426 g	Presta RVC
IB49963000	24x2.50/2.70	427 g	Schrader
IB68560100	26x2.50/2.70	448 g	Presta RVC
IB68566000	26x2.50/2.70	450 g	Schrader





PHOTO: PETERSON

**MAXXIS**<sup>®</sup>  
MAXXIS.COM