




5





Wide Trail (WT) construction optimizes the tire's tread layout and profile on today's modern, wider rims. Traditional tires are designed around older, narrower rims and can create an overly square tire profile, leading to less than optimal performance. WT tires are optimized for a 35mm inner rim width, but are proven to work over a range from 30-35mm inner rim widths, depending on the rider's preference. All Maxxis tires 2.40" and up are considered WT.

RECOMMENDED RIM WIDTH TO TIRE SIZE

Pairing your preferred tire with the appropriate rim width is crucial for optimal performance. Here are our basic recommendations for our mountain tires.

| INTENDED USE | TIRE WIDTH | INNER RIM WIDTH |
|---------------------|------------------|-----------------|
| XC Racing | 2.00"-2.20" tire | 20-25mm |
| Light Trail | 2.20"-2.40" | 25-30mm |
| All-Mountain/Enduro | 2.30"-2.50" | 28-35mm |
| | 2.60" | 35-40mm |
| Plus | 2.80"-3.00" | 40-45mm |
| Fat | 3.80"-4.00" | 70-80mm |
| | 4.80" | 90-100mm |

TIRE BEAD

The function of the bead is to keep the tire in contact with the rim while the tire is inflated.

WIRE BEAD

A rigid metal wire is utilized as bead material in applications where ultimate strength is needed and transportability is not a factor.

FOI DARLE READ

Foldable beads also keep the tire secured to the rim but are lighter weight and easily transported. The bead is made of spun aramid or Kevlar® fibers.

CARBON FIBER BEAD

A flexible material with greater strength to withstand the forces exerted by a high-pressure road tire.

CASING

SINGLE-PLY CASING

One layer of nylon wrapped from bead-to-bead. A single-ply casing conforms well to the terrain and is lighter weight.


DUAL-PLY CASING

Two layers of casing material are used from bead-to-bead, providing additional protection and sidewall stiffness for enduro and downhill applications.

THREADS PER INCH (TPI)

The number of threads that cross through one square inch of a single ply of the tire's casing. Lower TPI gives better puncture, cut and abrasion resistance but is heavier. Higher TPI conforms better to the terrain, offering a smoother, more comfortable ride while reducing the weight of the tire.

Maxxis TPI ratings are the threads-per-inch of a single casing ply, as compared to some competitor TPI ratings.



TUBELESS READY

Tubeless tires provide the rider with many benefits: the ability to run lower air pressures, which improves traction; lower rolling resistance when compared to a tube-type tire; and less chance of flatting since there is no tube.

Liquid sealants should only be used in the following types of tires: Tubeless Road, Tubular, and Tubeless Ready. The use of liquid sealants in any other Maxxis tire will void the warranty.

TUBULAR

A traditional tire construction in which the tire casing is sewn or wrapped around an inner tube. These types of tires must be glued or taped onto tubular-specific rims.






SilkShield offers protection from bead-tobead whereas Silkworm is found under the tread only. SilkShield provides an additional level of protection for sidewalls as well as under the tread.



Available in select tires, this Maxxisexclusive fabric provides greater puncture protection than both standard Kevlar® and Vectran®. The addition of this lightweight and supple material ensures that ride quality and performance remain unsurpassed.



MaxxShield represents the ultimate in flat protection. We begin with our SilkShield bead-to-bead protection and add our K2 (Kevlar® Composite) layer under the tread for unparalleled durability.





Silkworm is an exclusive material incorporated into the casing of select models, increasing puncture and tear resistance. Silkworm is featured under the tread as a breaker.




An extremely cut-resistant and abrasion-resistant material added to the sidewalls of select mountain tires. This densely woven fabric is also lightweight and highly flexible, ensuring that the performance of the tire remains unaffected.




Our EXO+ construction combines two of our best puncture protection materials: SilkShield and EXO. The SilkShield layer runs from bead-to-bead with a layer of EXO along the sidewalls. Combined, these two materials create EXO+ which improves tread puncture protection by 27%; sidewall durability by 51%; and resistance to pinch flats by 28%.






An extra piece of butyl rubber that extends from the bead of a downhill tire up into the sidewall. The butyl insert helps prevent pinch flats, protects the rim from hard hits and adds sidewall stability.



DoubleDown (DD) is the next step in the evolution of the dual-ply tire casing for enduro racing. Two 120 TPI casing layers reinforced with a butyl insert provide the enduro racer with the support and protection of a downhill tire, but in a lighter package.





RUBBER COMPOUNDS

The most important part of a tire is arguably the rubber compound within the tread. By changing the amounts of various components of the rubber formula, engineers can make two identical looking tires perform completely differently. A list of Maxxis compounds and their distinct characteristics is below.

SINGLE COMPOUND

One compound throughout the tread optimized for longevity and performance.

DUAL COMPOUND


Two compounds used within the tread of select tires to offer lower rolling resistance and increased cornering grip.

SUPERTACKY

A special low-rebound, high-traction compound used in select mountain tires.


HYPR COMPOUND

HYPR is a full-silica compound and our best-performing compound to date. Compared to our previous road racing compound, HYPR has 16% less rolling resistance with 23% better grip in wet conditions. Impressively, HYPR decreases rolling resistance and increases traction, all while keeping durability equal to our previous rubber compounds.



3C TRIPLE COMPOUND - MOUNTAIN

Maxxis 3C Triple Compound mountain technology uses a harder, longer lasting base layer and two progressively softer top layers in order to optimize traction and stability. Maxxis offers three different configurations of our 3C Triple Compound mountain technology: MaxxSpeed, MaxxTerra and MaxxGrip.



Used primarily in cross country tires, the two compounds in the outer layer are specially formulated to reduce rolling resistance and optimize treadwear and traction



An intermediate compound configuration used in select mountain tires. 3C Maxx-Terra is softer and offers more traction than 3C MaxxSpeed, yet provides better treadwear and less rolling resistance than MaxxGrip.



3C MaxxGrip uses the softest rubber compounds to offer the ultimate in grip and slow rebound properties for unparalleled traction in downhill applications.





VELOCITA

| COMPOU | PROTECTION | | | CONSTRUCTION | | |
|--------------|------------|-------|-----------|--------------|------|------------|
| DUAL | - | МАХ | AXXSHIELD | | | TUBULAR |
| INTENDED USE | RACE | SPORT | TRAIN | сомм | IUTE | PROTECTION |

- >> ENDURANCE RACING TIRE
- >> 120 TPI CASING
- >> DUAL-COMPOUND
- >> MAXXSHIELD PUNCTURE PROTECTION

Born from the cobbles of Roubaix, the Velocita is a high-volume racing tubular tire. A center diamond tread turns into a file tread on the edges of the Velocita for increased cornering control, while our MaxxShield material provides puncture protection under the sidewalls and tread.

FORZA

| | COMPOUND | | PROTECTION | | | CONSTRUCTION | |
|---|--------------|------|------------|-------|------|--------------|------------|
| | DUAI | L | SILKWORM | | | | TUBULAR |
| ı | INTENDED USE | RACE | SPORT | TRAIN | соми | 1UTE | PROTECTION |

- >> TUBULAR SPORT TRAINING TIRE
- >> 60 TPI CASING
- >> DUAL-COMPOUND
- >> SILKWORM PUNCTURE PROTECTION

The Forza's casing provides an optimal mixture of performance and durability, while the dual compound ensures excellent traction and tread wear. Choose the Forza if you prefer tubulars for daily riding.





HIGH ROAD

| COMPOUND | | PRO | TECTION | N . | CONSTRUCTION |
|--------------|------|-------|---------|---------|---------------|
| НҮРЕГ | 3 | K2 | | T | UBELESS READY |
| INTENDED USE | RACE | SPORT | TRAIN | соммите | PROTECTION |

- >> PRO LEVEL COMPETITION TIRE
- >> 120 TPI CASING
- >> HYPR COMPOUND
- >> K2 PUNCTURE PROTECTION

The High Road is our new flagship road tire for elite racers and riders who demand the best equipment. It features: our all-new HYPR Compound which decreases rolling resistance while increasing wet traction; a K2 breaker beneath the tread for puncture protection; and

a light and supple 120 TPI casing





DOLOMITES

| COMPOUND | | PROTECTION | | | CONSTRUCTION |
|--------------|------|------------|-------|--------|--------------|
| DUAL | | SILI | KWORM | | CLINCHER |
| INTENDED USE | RACE | SPORT | TRAIN | соммит | E PROTECTION |

- >> PRO LEVEL COMPETITION TIRE
- **120 TPI CASING**
- >> SILKWORM PUNCTURE PROTECTION

Named after the rugged mountain range in Italy, the Dolomites was designed as a do-it-all competition road tire. With a lightweight 120 TPI casing and dual-compound rubber, the Dolomites is at home tackling big climbs and the descents afterwards. With our under-tread Silkworm puncture protection, the Dolomites can hold its own on rough roads.











SPEED TERRANE

| СОМР | OUND | PROTE | CTION | CONSTR | UCTION |
|----------|------------|--------|-------|--------|-----------------|
| DU | JAL | EXO | | | S READY JLAR |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD |

- >> DRY CONDITIONS TIRE
- >> FILE TREAD DESIGN OPTIMIZED FOR GRASS AND HARDPACK
- >> EXO PROTECTION
- >> TUBELESS READY (TR)

The Speed Terrane features a familiar file tread pattern optimized for early season cyclocross races. Micro-diamond knobs adorn the tread surface to offer blazing speed on hard packed surfaces, while stacked paddle knobs down the middle offer unrivaled climbing and braking traction so you can attack whenever you like. When the course gets twisty, the siped and offset cornering knobs dig in to give you support to brake later and push your tires as hard as your legs. Worry less about your tires and more about the holeshot!

ALL TERRANE

| COMPOUND | | PROTECTION | | CONSTR | UCTION |
|----------|------------|------------|-------|--------|-----------------|
| DU | JAL | EXO | | | S READY JLAR |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD |

- >> ALL-CONDITIONS TIRE
- >> RAMPED KNOBS FOR SPEED
- >> OPEN TREAD TO CLEAR MUD
- >> EXO PROTECTION
- >> TUBELESS READY (TR)

The All Terrane is a cyclocross tire that maintains speed and composure over a wide range of race conditions. The knobs are tall enough to dig in when the course gets loose but ramped for speed on harder surfaces. An open tread pattern is quick to sling mud away as soon as you pick up speed, and the Tubeless Ready construction lets you drop the tire pressure to increase the footprint on soft tracks. If you have to choose one tire, let the All Terrane lead you to the top step on the podium.







VELOCITA AR

RE-FUSE

| COMPOUND | | PROTE | CTION | CONST | RUCTION |
|----------|------------|-------------------|-------------|---------|----------|
| Dl | JAL | The second second | HIELD (O | TUBELES | SS READY |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD |

- >>> DIAMOND-KNURLED/FILE TREAD SLICK DESIGN
- DUAL-COMPOUND
- SILKSHIELD AND EXO PROTECTION AVAILABLE
- TUBELESS READY (TR)

Based on our Velocita tubular, the Velocita AR (All-Road) takes that tread design and pumps up the volume. The knurled center tread transitions to a file tread along the edges for confidence in the corners. For riders that want a light, fast-rolling, high volume slick for their gravel or do-it-all road bike, look no further than the Velocita AR!

| 100 | COMPOUND | | PROTE | CTION | CONST | RUCTION |
|-----------|-----------------------|-------------|----------------|-------|-------|----------|
| 10. 15.50 | TO THE REAL PROPERTY. | IGLE JAL | - I MAXXSHIEID | | | SS READY |
| 100 | HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD |

- DIAMOND-KNURLED SLICK DESIGN
- DUAL-COMPOUND
- MAXXSHIELD PUNCTURE PROTECTION
- TUBELESS READY (TR)

Our most popular road training tire, modernized for gravel/ adventure with tubeless technology and higher volumes for even more reliability and comfort. The familiar diamond tread pattern keeps things rolling smoothly even as the pavement crumbles into gravel and hardpack dirt.





RAMBLER

RAVAGER

| COMPOUND | PRO | TECTION | CONST | CONSTRUCTION | | |
|----------------|---------------------------------------|----------------|--------|--------------|--|--|
| DUAL | THE RESERVE AND ADDRESS OF THE PARTY. | (SHIELD EXO | TUBELE | SS READY | | |
| HARDPACK LOOSE | /HARD MEDIUM | LOOSE | WET | MUD | | |

- >>> GRAVEL-SPECIFIC TREAD PATTERN
- DUAL-COMPOUND
- >> SILKSHIELD AND EXO PROTECTION AVAILABLE
- >> TUBELESS READY (TR)

With numerous gravel races under its belt and untold miles of backroad adventures, the Rambler is our most popular gravel offering. Tightly-packed center knobs are ramped for rolling efficiency on hardpack roads, and spaced-out side knobs provide predictable cornering in varied terrain.

| | COMPOUND | | PROTE | CTION | CONSTR | RUCTION |
|---|----------|------------|-------------|-------|---------|----------|
| | DUAL | | SILKS EX | | TUBELES | SS READY |
| 1 | HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD |

- >> AGGRESSIVE GRAVEL TIRE
- >> OPTIMAL FOR OFF-ROAD TOURING AND ADVENTURES
- >> SILKSHIELD AND EXO PROTECTION AVAILABLE
- >> TUBELESS READY (TR)

The Ravager is a gravel tire for riders willing to brave loose terrain with only their drops bars and skinny rubber. While other tires are designed to let you ride beyond the end of the road, the Ravager opens up new line choices, camping spots, and epic adventures where no road ever existed.









ROAMER

GYPSY

| COMPOUND | PROTECTION | | | CONSTRUCTION | | |
|-------------------|------------|-----------------------|-------|---------------|--|--|
| DUAL | | AR INSIC IELD / EE | _ | 1/- 1/ | | |
| INTENDED USE RACE | SPORT | TRAIN | сомми | TE PROTECTION | | |

- GROOVED SLICK DESIGN
- **XEVLAR® INSIDE AND SILKSHIELD OPTIONS AVAILABLE**
- EUROPEAN ECE-R75 CERTIFICATION FOR EBIKES

The Roamer is ready for anything from your daily commute or a trip to the store to a long weekend of touring the backroads. The slick center rolls fast, and the leaf-like tread on the shoulders provides extra cornering traction. To ensure lots of trouble-free miles, the Roamer uses a high-mileage rubber compound along with a 60 TPI casing with various puncture protection options.


| COMPOL | JND | PRO | TECTION | | CONSTRUCTION | | ION |
|--------------|------|--------------------------------|---------|------|--------------|------------|-----|
| DUAI | L | SILKWORM SILKSHIELD / EBIKE | | | | | |
| INTENDED USE | RACE | SPORT | TRAIN | сомм | 1UTE | PROTECTION | |

- >>> GROOVED SLICK DESIGN
- >> SILKWORM AND SILKSHIELD PROTECTION OPTIONS
- EUROPEAN ECE-R75 CERTIFICATION FOR EBIKES

Unleash your inner wanderer with the Gypsy. To keep your adventure on course, the Gypsy uses a 60 TPI casing and our Silkworm breaker puncture protection beneath the tread. The Gypsy offers a durable yet comfortable ride with low rolling resistance and excellent traction.















CROSSMARK II

| | СОМР | OUND | PROTE | CTION | CONSTRUCTION | | |
|---|----------|------------|--------|-------|--------------|---------|--|
| | DU | JAL | E> | (O | TUBELES | S READY | |
| ĺ | HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET MUD | | |

- >> TIGHTLY PACKED CENTER KNOBS FOR SPEED
- >> EXO PROTECTION AVAILABLE
- >> TUBELESS READY (TR)

The Crossmark II retains the speed of its predecessor while improving grip in intermediate conditions. Its legendary center ridge still flies on hardpack, but the updated tread pattern provides better braking and cornering over a wider range of trail conditions. A great choice if you want to go fast everywhere.

IKON

| COMPOUND | | PROTECTION | | CONSTRUCTION | |
|---------------------|---------------|---------------------------|-------|--------------|---------|
| | JAL XSPEED | SILKSHIEL EX DOUBLE | • | TUBELES | S READY |
| HARDPACK LOOSE/HARD | | MEDIUM | LOOSE | WET | MUD |

- >> HIGH-VOLUME, LIGHTWEIGHT RACE TIRE
- >> 3C MAXXSPEED AVAILABLE
- >> TUBELESS READY (TR)
- >> DOUBLEDOWN (DD) CASING AVAILABLE

For all-around XC performance in a broad range of conditions, it's hard to top the Ikon. With a high-volume casing and fast-rolling tread design, the Ikon offers comfort and predictable traction. As its name suggests, the Ikon stands above the competition.



ARDENT RACE

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|----------|---------------|--------|-------|--------------|----------|--|
| _ ~ | JAL XSPEED | E> | (O | TUBELES | SS READY | |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD | |

- >> IDEAL FOR TECHNICAL XC/MARATHON RACE COURSES
- >> 3C MAXXSPEED AVAILABLE
- >> TUBELESS READY (TR)

The Ardent Race is ideally suited for technical XC race courses and endurance/marathon events. With its medium-height tread, the Ardent Race bridges the gap between the XC-oriented Ikon and the trail-oriented Ardent. Ramped center knobs reduce rolling resistance, and stepped side knobs provide great biting traction in corners.

ARDENT

| COMPOUND | | PROTE | PROTECTION | | CONSTRUCTION | | |
|----------|----------------------------------|-------|------------|---------|--------------|--|--|
| | SINGLE DUAL | | LD / EBIKE | TUBELES | S READY | | |
| HARDPACK | HARDPACK LOOSE/HARD MEDIUM LOOSE | | WET | MUD | | | |

- >> LIGHT-DUTY TRAIL TIRE
- >> AGGRESSIVE TREAD DESIGN
- >> TUBELESS READY (TR)

With an aggressive tread on a high-volume casing, the Ardent was designed with great traction in mind. The Ardent doesn't forget the racer, with large block-style side knobs offering numerous edges for high-speed cornering. With a wide variety of size offerings, the Ardent captures every trail rider's needs.



REKON

FOREKASTER

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|----------------------|--|--------|-------|----------------|-----|--|
| DUAL 3C MAXXTERRA | | EXO | | TUBELESS READY | | |
| HARDPACK LOOSE/HARD | | MEDIUM | LOOSE | WET | MUD | |

- >> TECHNICAL XC/LIGHT-DUTY TRAIL TIRE
- **3C MAXXTERRA AVAILABLE**
- **EXO PROTECTION AVAILABLE**
- >> TUBELESS READY (TR)

The Rekon is an aggressive trail tire for intermediate and technical terrain. Wide knobs down the middle provide control under braking, and L-shaped side knobs assure support when carving loose turns. With confidence like this, the Rekon lets you ride more and scout less

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|--------------|---------------------|-------|-------|--------------|---------|--|
| DU 3C MAX | | E> | (O | TUBELES | S READY | |
| HARDPACK | K LOOSE/HARD MEDIUM | | LOOSE | WET | MUD | |

- >> TECHNICAL XC/LIGHT-DUTY TRAIL TIRE
- >> OPTIMIZED FOR LOOSE OR WET CONDITIONS
- >> TUBELESS READY (TR)

The Forekaster is the perfect tire to mount up during the shoulder seasons when the conditions are unpredictable. Mid-height tread blocks are widely-spaced to allow penetration through loose trail conditions and for better mud-clearing compared to other race tires. Wide, cupped knobs down the middle provide excellent braking on the sloppiest singletrack. Forget about the weather and focus on the ride with the Forekaster.







MINION DHF

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|----------|-------------------------|--------------|-------|--------------|---------|--|
| 3C MAX | JAL XTERRA XXGRIP | E> | (O | TUBELES | S READY | |
| HARDPACK | LOOSE/HARD | MEDIUM LOOSE | | WET | MUD | |

- DIRECTIONAL, RAMPED KNOB DESIGN
- **3C MAXXGRIP & MAXXTERRA AVAILABLE**
- TUBELESS READY (TR)
- DOUBLEDOWN (DD) CASING AVAILABLE

The Minion DHF is the standard by which all other aggressive mountain tires are measured. The DHF incorporates ramped knobs for low rolling resistance and channel-cut knobs to increase gripping edges, giving straight-line control and precise cornering.







MINION DHR II

HIGH ROLLER II

| | COMPOUND | | PROTE | CTION | CONSTR | UCTION |
|---------------------|----------------------|--|--------------|-------------|----------------|--------|
| THE PERSON NAMED IN | DUAL 3C MAXXTERRA | | E) DOUBLI | (O EDOWN | TUBELESS READY | |
| | HARDPACK LOOSE/HARD | | MEDIUM | LOOSE | WET | MUD |

- **EXCELLENT BRAKING AND CORNERING TRACTION**
- >> 3C MAXXTERRA AVAILABLE
- >> TUBELESS READY (TR)
- >>> DOUBLEDOWN (DD) CASING AVAILABLE

The trail version of the Minion DHR II features the same tread pattern as its downhill counterpart, but uses a single-ply casing to reduce weight. With side knobs borrowed from the legendary Minion DHF, but widened to provide more support, the DHR II corners like no other.

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|---------------|--------------|-------|---|--------------|--------|----------|
| SIN 3C MAX | GLE XTERI | RA | SILKSHIELD / EBIKE EXO DOUBLEDOWN | | TUBELE | SS READY |
| HARDPACK | LOOSE | /HARD | MEDIUM | LOOSE | WET | MUD |

- >> OPEN TREAD DESIGN
- >> 3C MAXXTERRA AVAILABLE
- >> TUBELESS READY (TR)
- DOUBLEDOWN (DD) CASING AVAILABLE

An open and aggressive tread design gives the High Roller II excellent soil penetration and mud-clearing ability. A square profile provides a solid, consistent feel across the knobs. Modified knobs on the shoulder and center improve braking performance and traction on hard surfaces. An excellent choice for technical, freeride terrain.



ASSEGAL

PROTECTION CONSTRUCTION EXO **3C MAXXTERRA TUBELESS READY** DOUBLE DOWN 3c MAXXGRIP

GREG MINNAAR'S SIGNATURE TIRE

- 3C MAXXTERRA AND 3C MAXXGRIP AVAILABLE
- **EXO PROTECTION AVAILABLE**

COMPOUND DUAL

HARDPACK LOOSE/HARD

>>> DOUBLEDOWN (DD) CASING AVAILABLE

Although it was just debuted in 2018, Greg Minnaar's signature Assegai tire has already racked up multiple World Cup and Enduro World Series wins. Maxxis is now offering the Assegai's insane traction in a lighter, single-ply construction for use on your trail bike.

SHORTY

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|----------|------------------|--------------|-------------|----------------|-----|--|
| | XTERRA XXGRIP | E) DOUBLE | (O EDOWN | TUBELESS READY | | |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD | |


- **MID-SPIKE TREAD DESIGN**
- **TUBELESS READY (TR)**
- **EXO PROTECTION AVAILABLE**
- **DOUBLEDOWN (DD) CASING AVAILABLE**

The DH version of the Maxxis Shorty was an instant favorite of our World Cup DH racers. The single-ply version offers trail riders the same traction in a much lighter package. All trail versions of the Shorty feature our Tubeless Ready casing and 3C MaxxTerra compound. EXO sidewall protection is available as an option for each size.

CONTRACTOR OF THE STATE OF THE























MINION SS

| СОМРО | DUND | PROTE | CTION | CONSTR | UCTION |
|----------------------------|------|-----------------------------------|-----------------|--------|--------|
| SUPER TACKY 3C MAXXGRIP | | DUAL-PLY CASING + BUTYL INSERT | | _ | |
| HARDPACK LOOSE/HARD | | MEDIUM | EDIUM LOOSE WET | | MUD |

- >> SEMI-SLICK CENTER WITH MINION CORNERING KNOBS
- >> 3C MAXXGRIP AVAILABLE
- >> DUAL-PLY CASING WITH BUTYL INSERT

Maximize your rolling speed in the bike park with the Minion SS. The Minion SS has small, tightly-clustered knobs in the center to minimize drag, but features beefy Minion side lugs to rail any turn. We typically recommend running the Minion SS as a rear tire only.

MINION DHF

| СОМР | OUND | PROTECTION | | CONSTRUCTION | |
|---|------------|--------------|------------------|--------------|---------|
| SINGLE & DUAL SUPER TACKY 3C MAXXGRIP | | | CASING INSERT | TUBELES | S READY |
| HARDPACK | LOOSE/HARD | MEDIUM LOOSE | | WET | MUD |

- >> DIRECTIONAL, RAMPED KNOB DESIGN
- >> 3C MAXXGRIP AND SUPER TACKY AVAILABLE
- >> TUBELESS READY (TR)
- >> DUAL-PLY CASING WITH BUTYL INSERT

Quite simply, the Minion DHF is the standard by which all other downhill tires are measured. The DHF incorporates ramped knobs for low rolling resistance and channel-cut knobs to increase gripping edges, giving straight-line control and precise cornering.



MINION DHR II

| COMPOUND | | PROTECTION | | CONSTRUCTION | | | |
|----------|--------------------------------------|------------|---------------------|----------------------|---|--------|---------|
| | SINGLE SUPER TACKY 3C MAXXGRIP | | DUAL-PL\ + BUTYL | Y CASING . INSERT | Т | UBELES | S READY |
| | HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | | WET | MUD |

- >> EXCELLENT BRAKING AND CORNERING TRACTION
- >> 3C MAXXGRIP AND SUPER TACKY AVAILABLE
- >> TUBELESS READY (TR)
- >> DUAL-PLY CASING WITH BUTYL INSERT

The Minion DHR II is the ideal tire for aggressive gravity riding. With side knobs borrowed from the legendary Minion DHF, but widened to provide more support, the DHR II corners like no other. It's broad center knobs bite hard under braking for excellent control, even on the steepest trails.

HIGH ROLLER II

| СОМР | OUND | | PROTE | CTION | CO | NSTR | UCTION |
|--------------------------------------|-------|-------|---------------------|-------|-----|-------|---------|
| SINGLE SUPER TACKY 3C MAXXGRIP | | | DUAL-PL\ + BUTYL | | TUB | BELES | S READY |
| HARDPACK | LOOSE | /HARD | MEDIUM | LOOSE | WE | T | MUD |

- >> OPEN TREAD DESIGN
- >> 3C MAXX GRIP AND SUPER TACKY AVAILABLE
- >> TUBELESS READY (TR)
- >> DUAL-PLY CASING WITH BUTYL INSERT

An open and aggressive tread design gives the High Roller II excellent soil penetration and mud-clearing ability. A square profile provides a solid, consistent feel across the knobs. Modified knobs on the shoulder and center improve braking performance and traction on hard surfaces. When gravity pulls you downhill, rely on the High Roller II to keep you upright.





SHORTY

| COMPOUND | | PROTE | CTION | CONSTRUCTION | |
|----------------------------|------------|-----------------------------------|-------|----------------|-----|
| SUPER TACKY 3C MAXXGRIP | | DUAL-PLY CASING + BUTYL INSERT | | TUBELESS READY | |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD |

- >>> LARGE, AGGRESSIVE LUGS
- >>> 3C MAXXGRIP AND SUPER TACKY AVAILABLE
- >> TUBELESS READY (TR)
- DUAL-PLY CASING WITH BUTYL INSERT

Modern World Cup downhill tracks are steep, technical monsters with ever-changing conditions. Our athletes needed a mid-spike tire that could handle dry, loose, blown-out corners as well as a bit of mud. The Shorty is that tire. A high-volume casing makes the Shorty a more versatile option than a dedicated mud spike. Large, tall and slightly staggered side knobs penetrate loose soil to provide predictable, stable cornering at warp speeds.



| СОМР | COMPOUND | | PROTECTION | | UCTION | |
|----------|-------------|--------|-----------------------------------|-----|--------|--|
| SUPER | SUPER TACKY | | DUAL-PLY CASING + BUTYL INSERT | | | |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD | |

- >> FOR RACE USE ONLY
- >> MUD-SPECIFIC TIRE
- >> DUAL-PLY CASING WITH BUTYL INSERT

Designed for the muddlest downhill race course in the world: Les Gets, France. Not for your local trail, the Wetscream is intended for competition use only, on professionally maintained courses. When the course turns ugly, trust the Wetscream to carry you to victory.











IKON +

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|----------------------|------------|--------|-------|----------------|-----|--|
| DUAL 3C MAXXSPEED | | EXO | | TUBELESS READY | | |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD | |

- >> HIGH-VOLUME, VERSATILE XC TIRE
- **3C MAXXSPEED AVAILABLE**
- **EXO PROTECTION AVAILABLE**
- TUBELESS READY (TR)

The Ikon+ upsizes our most versatile XC tire to the plus bike platform. With knob sizes and heights optimized for the higher volume and lower pressures of plus bikes, expect the familiar fast-rolling and predictable handling tread with an even larger contact patch for the fastest trail riding experience.



REKON +

| COMPOUND | | PROTECTION | | CONSTRUCTION | |
|----------------------|------------|-------------------|-------|----------------|-----|
| DUAL 3C MAXXTERRA | | SILKSHIELD EXO | | TUBELESS READY | |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD |

- >> TECHNICAL XC/LIGHT-DUTY TRAIL TIRE
- **3C MAXXTERRA AVAILABLE**
- >> EXO PROTECTION AVAILABLE
- >> TUBELESS READY

The Rekon+ is an aggressive trail tire for intermediate and technical terrain. Wide knobs down the middle provide control under braking, and L-shaped side knobs assure support when carving loose turns. With confidence like this, you can race more and scout less with the Rekon+.



MINION DHF

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|----------------------|--|--------|-------|----------------|-----|--|
| DUAL 3C MAXXTERRA | | EXO | | TUBELESS READY | | |
| HARDPACK LOOSE/HARD | | MEDIUM | LOOSE | WET | MUD | |

- >> VERSATILE ALL-MOUNTAIN PERFORMANCE
- >> 3C MAXXTERRA AVAILABLE
- >> EXO PROTECTION
- >> TUBELESS READY (TR)

For over a decade, the Minion DHF has been the tire to beat, whether you're racing your friends on Saturday or the clock on Sunday. The tread pattern behind countless championship wins is now available in a high-volume plus tire design so you can make new memories with an old friend.

MINION DHR II

| COMPOUND | | PROTE | PROTECTION | | CONSTRUCTION | |
|----------------------|--|--------|------------|----------------|--------------|--|
| DUAL 3C MAXXTERRA | | EXO | | TUBELESS READY | | |
| HARDPACK LOOSE/HARD | | MEDIUM | LOOSE | WET | MUD | |

- >> VERSATILE ALL-MOUNTAIN PERFORMANCE
- >> 3C MAXXTERRA AVAILABLE
- >> EXO PROTECTION
- >> TUBELESS READY (TR)

The Minion DHR II is the perfect counterpart to the DHF and it's now available for the most capable plus bikes on the market. Ramped center, paddle-shaped knobs decrease rolling resistance compared to the DHF, while improving braking traction.



HIGH ROLLER II

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|----------------------|------------|--------|-------|----------------|-----|--|
| DUAL 3C MAXXTERRA | | EXO | | TUBELESS READY | | |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD | |

- >> OPEN TREAD DESIGN
- >> 3C MAXXTERRA AVAILABLE
- >> EXO PROTECTION
- >> TUBELESS READY (TR)

One of the most celebrated tires on the market is available for plus bikes. The High Roller II features an open tread pattern that digs into loose conditions and quickly clears debris.





MINION FBF

| COMPOUND | | PROTE | CTION | CONSTRUCTION | | |
|---------------------|--|--------|-------|----------------|-----|--|
| DUAL | | EXO | | TUBELESS READY | | |
| HARDPACK LOOSE/HARD | | MEDIUM | LOOSE | WET | MUD | |

- >> INSPIRED BY THE MINION DHF
- >> EXO PROTECTION AVAILABLE
- >> TUBELESS READY (TR)

The Minion FBF represents a progression in fat-biking by offering a front-specific tire designed for trail riding. Featuring the proven Minion DHF tread blocks, the FBF combines extreme cornering capability, low rolling resistance, and fat-tire volume for unsurpassed grip on uneven and loose surfaces.

MINION FBR

| СОМР | OUND | PROTE | CTION | CONSTR | UCTION |
|----------|------------|--------|-------|---------|---------|
| DU | JAL | EX | (O | TUBELES | S READY |
| HARDPACK | LOOSE/HARD | MEDIUM | LOOSE | WET | MUD |

- >> INSPIRED BY THE MINION DHR II
- >> EXO PROTECTION AVAILABLE
- >> TUBELESS READY (TR)

The Minion FBR is a rear-specific fat bike tire designed for trail riding. It shares the look of the Minion DHR II, but is optimized for fat biking. The Minion FBR features proven side knobs for cornering traction and ramped, paddle knobs down the middle, minimizing rolling resistance and maximizing traction in all conditions.





| COMPOU | IND | PROTECTION | | | CONSTRUCTION | | | |
|--------|--------|------------|------|--|--------------|------|--|--|
| SINGL | E | | 1-1 | | - | - | | |
| DIRT | STREET | | PARK | | FLAT | VERT | | |

- GROOVED-SLICK FOR PARK AND STREET
- >> LIGHTWEIGHT, SINGLE-PLY CASING
- >> SKINWALL AVAILABLE

The legendary DTH tread pattern from our BMX line, sized up for 26" wheels. With a smooth, grooved-slick design, the DTH is the perfect choice for riding skateparks, dirt jumps, or creating your own urban adventure.

TORCH

| COMPOL | JND | | PROTECTION | | CONS | TRUCTION |
|--------|-------|---|------------|---|------|----------|
| SINGL | .E | | - | 4 | 10 | |
| DIRT | STREE | Т | PARK | | FLAT | VERT |

- >> 120 TPI CASING
- >> LIGHTWEIGHT CONSTRUCTION
- >> SILKWORM PUNCTURE PROTECTION

Since its introduction, the Torch has set fire to BMX tracks around the globe. Now available in a 29" size, the Torch is ready to burn up your local streets! The same fast-rolling tread pattern and supple, 120 TPI casing that made the 20" version so popular has made its way to the 29" size. Choose the Torch for your 29er urban assault bike!











DTH

| СОМРО | JND | | PROTECTION | CONS | TRUCTION |
|------------|-----|---|------------|------|----------|
| DUAI | L | | SILKWORM | | _ |
| DIRT STREE | | Т | PARK | FLAT | VERT |

- >> LIGHTWEIGHT RACE TIRE
- >> DUAL-COMPOUND
- >> SILKWORM PROTECTION AVAILABLE

The foldable DTH is super-light to accelerate like no other BMX tire, yet holds up to the abuse you dish out. The dual-compound tread corners incomparably on hardpack tracks and rolls fast on the straights. The podium is just a sprint away.

GRIFTER

| СОМІ | COMPOUND | | | PROTECTION | | CONSTRUCTION | | |
|------|------------|---|--------|------------|--|--------------|------|--|
| DI | UAI | - | | SILKSHIELD | | | _ | |
| DIRT | DIRT STREE | | T PARK | | | FLAT | VERT | |

- >> LIGHTWEIGHT FREESTYLE TIRE
- >> DUAL-COMPOUND
- >> SILKSHIELD PROTECTION AVAILABLE

It almost feels like cheating! The foldable bead and lightweight casing allow tricks to flow more easily - without the extra weight to throw around. High pressure and dual-compound tread make landings stick at any angle. Maxxis used these technologies and more to produce the Grifter - simply the best freestyle tire ever.



RELIX

| COMPOL | COMPOUND | | PROTECTION | CONS | TRUCTION |
|------------|----------|--|------------------------|-------|----------|
| DUAI | DUAL | | SILKWORM SILKSHIELD | | _ |
| DIRT STREE | | | PARK | FI AT | VFRT |

- >> 120 TPI CASING
- >> BMX RACE TIRE
- >> SILKWORM AND SILKSHIELD PROTECTION AVAILABLE

The Relix is a modern BMX racing tire optimized for the fastest track conditions in the world. A slick center line eases acceleration and maintains momentum to let you take the holeshot and stay up front until the end. An inverted checkerboard pattern on the shoulders provides grip for the corners and unleashes the champion within.

TORCH

| СОМІ | POU | IND | | PROTECTION | | CONS | TRUCTION |
|------------|-----|--------|--|-------------------------------|-----------|-------|-----------|
| DI | UAI | - | | SILKWORM SILKSHIELD EXO | | TUBEL | ESS READY |
| DIRT STREE | | T PARK | | | FLAT VERT | | |

- >> LIGHTWEIGHT CONSTRUCTION
- >> DUAL-COMPOUND
- >> SILKWORM AND SILKSHIELD PROTECTION AVAILABLE

Light up the track and your competition with the Torch. In an all-out sprint for 30 seconds, you need every advantage you can get, which is why the Torch features a lightweight, 120 TPI casing and a tread pattern designed to let you rip through the pavement of modern BMX tracks.



CREEPY CRAWLER F

| COMPOL | COMPOUND | | PROTECTION | CONS | TRUCTION |
|------------|----------|---|------------|------|----------|
| SUPER TA | ACKY | | _ | | _ |
| DIRT STREE | | т | PARK | FLAT | VERT |

- >> BLOCK DESIGN
- >> FRONT-SPECIFIC
- >> BUILT ON 54-406MM CASING (20")

The Creepy Crawler F is the ultimate all-around modified trials tire. Designed with a Super Tacky (ST) tread compound, this tire is built to keep you upright on the nastiest obstacles. The Creepy Crawler F is made to be ridden with the Creepy Crawler R for maximum performance from your modified trials bike.

CREEPY CRAWLER R

| COMPOUND | | | PROTECTION | CONSTRUCTION | | |
|----------|------------|--|------------|--------------|------|--|
| SUPER TA | ACKY | | _ | | _ | |
| DIRT | DIRT STREE | | PARK | FLAT | VERT | |

- >> BLOCK DESIGN
- >> REAR-SPECIFIC
- >>> BUILT ON 67-387MM CASING (19")
- >> WILL NOT FIT A STANDARD 20" BMX WHEEL

If you're a modified trials rider who wants aggressive traction for the most demanding conditions, the Creepy Crawler R is made for you. The Creepy Crawler R is constructed to be strong and durable, featuring Super Tacky (ST) tread compound that sticks to any obstacle.

FLYWEIGHT

- >> .45 MM THIN WALLS
- >> LIGHTEST TUBE AVAILABLE
- >> MAXXIS RIM STRIP INCLUDED

ULTRALIGHT

- >> .60 MM THIN WALLS
- >> LIGHTWEIGHT AND DURABLE FOR RACING

WELTERWEIGHT

- >> .80 MM THIN WALLS
- >> PUNCTURE RESISTANT

FREERIDE


- >> 1.2 MM THIN WALLS
- >> FREERIDE SPECIFIC

FAT/PLUS

- >> 1.0MM THIN WALLS
- >> FAT BIKE SPECIFIC

DOWNHILL

- >> 1.5 MM THIN WALLS
- >> DOWNHILL SPECIFIC











| PA | ART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
|----------|---------|----------|-------|-------|------|------------|----------|---------|-------|----------------|
| CAMPIONE | | | | | | | | | | |
| TB88 | 8104000 | 28"x23mm | _ | 120x2 | _ | 265 | 3C | 170 | Black | 3C/K2/Silkworm |
| TB88 | 3205000 | 28"x25mm | _ | 120x2 | _ | 285 | 3C | 170 | Black | 3C/K2/Silkworm |
| VELOCITA | | | | | | | | | | |
| TB88 | 8150000 | 28"x28mm | _ | 120x2 | _ | 410 | Dual | 130 | Black | MaxxShield |
| FORZA | | | | | , | | | | | |
| TB88 | 8102000 | 28"x23mm | _ | 60x2 | _ | 285 | Dual | 170 | Black | Silkworm |
| TB88 | 3200000 | 28"x25mm | _ | 60x2 | _ | 305 | Dual | 170 | Black | Silkworm |

| ROAD | ROAD TUBELESS READY | | | | | | | | | | |
|------|---------------------|---------|--------|-----|--------------|------------|----------|---------|-------|------------------|--|
| | PART # | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH | |
| HIGH | HIGH ROAD TR | | | | | | | | | | |
| NEW | TB00140000 | 700x25C | 25-622 | 170 | Carbon Fiber | 290 | Dual | 125 | Black | HYPR/K2/ONE70/TR | |

| ROAD | CLINCHER | | | | | | | | | | |
|-----------|------------|---------|--------|-----|----------|------------|----------|---------|-------|------------|--|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH | |
| DOLOMITES | | | | | | | | | | | |
| | TB81808000 | 700x23c | 23-622 | 120 | Foldable | 185 | Dual | 130 | Black | SILKWORM | |
| | TB81808100 | 700x23c | 23-622 | 60 | Foldable | 240 | Single | 130 | | _ | |
| | TB81808200 | 700x23c | 23-622 | 60 | Wire | 310 | Single | 130 | | _ | |
| | TB86473000 | 700x25c | 25-622 | 60 | Foldable | 240 | Single | 130 | | _ | |
| | TB86473100 | 700x25c | 25-622 | 60 | Wire | 315 | Single | 130 | | _ | |
| | TB88753200 | 700X28C | 28-622 | 60 | Foldable | 275 | Single | 120 | | SILKWORM | |
| | TB88753000 | 700X28C | 28-622 | 60 | Wire | 345 | Single | 120 | | SILKWORM | |
| REFUS | SE | | | | | | | | | | |
| NEW | TB86335000 | 700x23C | 23-622 | 60 | Wire | 355 | Single | 120 | Black | MaxxShield | |
| | TB86336000 | 700x23C | 23-622 | 60 | Foldable | 300 | Single | 120 | Black | MaxxShield | |
| | TB86359000 | 700x25C | 25-622 | 60 | Foldable | 300 | Single | 120 | Black | MaxxShield | |
| | TB88505000 | 700x28C | 28-622 | 60 | Foldable | 320 | Single | 120 | Black | MaxxShield | |

| CYCLO | OCROSS | | | | | | | | | |
|-------|------------|----------|--------|-------|--------------|------------|----------|---------|-------|----------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| SPEE | TERRANE | | | | | | | | | |
| NEW | TB00053100 | 28"x33mm | _ | 120x2 | _ | 410 | Dual | 65 | Black | Silkworm |
| | TB88998000 | 700x33C | 33-622 | 60 | Carbon Fiber | 375 | Dual | 75 | Black | EXO/TR |
| | TB88998100 | 700x33C | 33-622 | 120 | Carbon Fiber | 400 | Dual | 75 | Black | EXO/TR |
| ALLTI | ERRANE | | | | | | | | | |
| NEW | TB00062100 | 28"x33mm | _ | 120x2 | _ | 425 | Dual | 65 | Black | Silkworm |
| | TB88994000 | 700x33C | 33-622 | 60 | Carbon Fiber | 400 | Dual | 75 | Black | EXO/TR |
| | TB88994100 | 700x33C | 33-622 | 120 | Carbon Fiber | 375 | Dual | 75 | Black | EXO/TR |
| RAZE | | | | | | | | | | |
| | TB88170000 | 28"x33mm | _ | 120x2 | _ | 415 | Single | 65 | Black | Silkworm |
| | TB88985200 | 700x33C | 33-622 | 60 | Foldable | 355 | Single | 75 | Black | _ |

| GRAVE | ELADVENTURE | | | | | | | | | |
|-------|-------------|-----------|--------|-----|--------------|------------|----------|---------|-------|------------------------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| VELO | CITA-AR | | | | | | | | | |
| NEW | TB00096600 | 700x40C | 40-622 | 120 | Carbon Fiber | 380 | Dual | 75 | Black | EXO/TR |
| NEW | TB00096700 | 700x40C | 40-622 | 60 | Carbon Fiber | 430 | Dual | 75 | Black | SilkShield/TR |
| RE-FU | ISE | | | | | | | | | |
| | TB90924000 | 27.5x2.00 | 50-584 | 60 | Foldable | 610 | Dual | 60 | Black | MaxxShield/TR |
| NEW | TB00033900 | 700x32C | 32-622 | 60 | Carbon Fiber | 380 | Dual | 75 | Black | MaxxShield/TR/Skinwall |
| | TB88896000 | 700x32C | 32-622 | 60 | Carbon Fiber | 395 | Dual | 75 | Black | MaxxShield/TR |
| | TB88861100 | 700x32C | 32-622 | 60 | Foldable | 405 | Single | 100 | Black | MaxxShield |
| | TB95987000 | 700x40C | 40-622 | 60 | Carbon Fiber | 525 | Dual | 75 | Black | MaxxShield/TR |
| NEW | TB00034000 | 700x40C | 40-622 | 60 | Carbon Fiber | 520 | Dual | 75 | Black | MaxxShield/TR/Skinwall |
| RAMB | LER | | | | | | | | | |
| | TB85889100 | 27.5x1.50 | 40-584 | 60 | Foldable | 480 | Dual | 75 | Black | SilkShield/TR |
| | TB85889000 | 27.5x1.50 | 40-584 | 120 | Foldable | 430 | Dual | 75 | Black | EXO/TR |
| | TB97613200 | 700x38C | 38-622 | 120 | Carbon Fiber | 380 | Dual | 75 | Black | EXO/TR |
| | TB97613100 | 700x38C | 38-622 | 60 | Carbon Fiber | 420 | Dual | 75 | Black | SilkShield/TR |
| NEW | TB00033700 | 700x38C | 38-622 | 60 | Carbon Fiber | 395 | Dual | 75 | Black | EXO/TR/Skinwall |
| | TB96268000 | 700x40C | 40-622 | 120 | Carbon Fiber | 405 | Dual | 75 | Black | EXO/TR |
| | TB96268100 | 700x40C | 40-622 | 60 | Carbon Fiber | 445 | Dual | 75 | Black | SilkShield/TR |
| NEW | TB00033800 | 700x40C | 40-622 | 60 | Carbon Fiber | 420 | Dual | 75 | Black | EXO/TR/Skinwall |
| NEW | TB96269100 | 700x40C | 40-622 | 60 | Foldable | 430 | Dual | 75 | Black | SilkShield |
| NEW | TB00143200 | 700x45C | 45-622 | 120 | Carbon Fiber | 520 | Dual | 75 | Black | EXO/TR |
| NEW | TB00143100 | 700x45C | 45-622 | 60 | Carbon Fiber | 580 | Dual | 75 | Black | SilkShield/TR |
| RAVA | GER | | | | | | | | | |
| | TB96015000 | 700x40C | 40-622 | 60 | Carbon Fiber | 530 | Dual | 75 | Black | SilkShield/TR |
| | TB96015100 | 700x40C | 40-622 | 120 | Carbon Fiber | 480 | Dual | 75 | Black | EXO/TR |

| HYBRI | ID | | | | | | | | | |
|-------|------------|---------|--------|-----|------|--------|----------|---------|-------|------------------|
| | PART # | SIZE | ETRTO | TPI | BEAD | WEIGHT | COMPOUND | MAX PSI | COLOR | TECH |
| ROAM | MER | | | | | | | | | |
| | TB23110000 | 20x1.65 | 42-406 | 60 | Wire | 460 | Dual | 100 | Black | Kevlar® Inside |
| | TB60865000 | 26x1.65 | 42-559 | 60 | Wire | 580 | Dual | 80 | Black | Kevlar® Inside |
| | TB96354000 | 700x42C | 44-622 | 60 | Wire | 690 | Dual | 75 | Black | Kevlar® Inside |
| | TB96356000 | 700x42C | 44-622 | 60 | Wire | 690 | Dual | 75 | Black | SilkShield/eBike |
| GYPS | Υ | | | | | | | | | |
| | TB22781000 | 20x1.50 | 38-406 | 60 | Wire | 400 | Dual | 100 | Black | Silkworm |
| | TB58915000 | 26x1.50 | 38-559 | 60 | Wire | 495 | Dual | 80 | Black | Silkworm |
| | TB69917000 | 26x2.10 | 53-559 | 60 | Wire | 790 | Dual | 65 | Black | SilkShield/eBike |
| | TB95734000 | 700x38C | 40-622 | 60 | Wire | 655 | Dual | 85 | Black | SilkShield |
| | TB95735000 | 700x38C | 40-622 | 60 | Wire | 655 | Dual | 85 | Black | SilkShield/eBike |
| RE-VO | OLT | | | | | | | | | |
| | TB96630000 | 700x47C | 47-622 | 60 | Wire | 750 | Dual | 75 | Black | SilkShield/eBike |

| MOUN | ITAIN | | | | | | | | | |
|-------|------------|-----------|--------|-------|----------|------------|--------------|---------|----------|--------------------|
| | PART # | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| REKO | N RACE | | 1 | | 1 | | | | | |
| NEW | TB00046300 | 29x2.25 | 57-622 | 120 | Foldable | 680 | Dual | 60 | Black | EXO/TR |
| NEW | TB00039200 | 29x2.25 | 57-622 | 120 | Foldable | 625 | Dual | 60 | Black | TR |
| NEW | TB00139800 | 29x2.35 | 57-622 | 120 | Foldable | 710 | Dual | 60 | Black | EXO/TR |
| NEW | TB00139700 | 29x2.35 | 57-622 | 60 | Foldable | 750 | Dual | 60 | Black | EXO/TR |
| ASPEN | N | | | I. | | | | | I | |
| | TB69797500 | 26x2.10 | 52-559 | 60 | Foldable | 560 | Dual | 65 | Black | _ |
| | TB69307100 | 26x2.10 | 52-559 | 120 | Foldable | 570 | Dual | 60 | Black | EXO/TR |
| | TB90958100 | 27.5x2.10 | 52-584 | 120 | Foldable | 590 | Dual | 60 | Black | EXO/TR |
| | TB96895400 | 29x2.25 | 57-622 | 120 | Foldable | 585 | Dual | 60 | Black | TR |
| | TB96895500 | 29x2.25 | 57-622 | 120 | Foldable | 660 | Dual | 60 | Black | EXO/TR |
| RACE | TT | | | | | | | | I | |
| | TB90919000 | 27.5×2.00 | 50-584 | 60 | Foldable | 625 | Dual | 60 | Black | EXO/TR |
| | TB90976000 | 27.5x2.20 | 56-584 | 60 | Foldable | 740 | Dual | 60 | Black | EXO/TR |
| | TB96822000 | 29x2.00 | 50-622 | 60 | Foldable | 670 | Dual | 60 | Black | EXO/TR |
| | TB96760000 | 29x2.20 | 56-622 | 60 | Foldable | 800 | Dual | 60 | Black | EXO/TR |
| CROS | SMARK II | | | | | | | | ' | |
| | TB69854100 | 26x2.10 | 53-559 | 60 | Foldable | 635 | Dual | 60 | Black | EXO/TR |
| | TB72642100 | 26x2.25 | 57-559 | 60 | Foldable | 705 | Dual | 60 | Black | EXO/TR |
| NEW | TB90953000 | 27.5x2.10 | 53-584 | 60 | Wire | 680 | Dual | 65 | Black | _ |
| NEW | TB90953100 | 27.5x2.10 | 53-584 | 60 | Foldable | 600 | Dual | 65 | Black | - |
| | TB90955100 | 27.5x2.10 | 53-584 | 60 | Foldable | 665 | Dual | 60 | Black | EXO/TR |
| | TB91032000 | 27.5x2.25 | 57-584 | 60 | Foldable | 690 | Dual | 60 | Black | TR |
| | TB91032100 | 27.5x2.25 | 57-584 | 60 | Foldable | 735 | Dual | 60 | Black | EXO/TR |
| | TB96752100 | 29x2.10 | 53-622 | 60 | Foldable | 710 | Dual | 60 | Black | EXO/TR |
| | TB96795100 | 29x2.25 | 57-622 | 60 | Foldable | 790 | Dual | 60 | Black | EXO/TR |
| IKON | | | | , | | | | | | |
| | TB72390000 | 26x2.20 | 57-559 | 120 | Foldable | 530 | 3C MaxxSpeed | 60 | Black | 3C/TR |
| | TB72385000 | 26x2.20 | 57-559 | 120 | Foldable | 540 | 3C MaxxSpeed | 65 | Black | 3C/EXO |
| | TB72390100 | 26x2.20 | 57-559 | 120 | Foldable | 590 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB73499100 | 26x2.35 | 60-559 | 120 | Foldable | 680 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB85920800 | 27.5x2.20 | 56-584 | 60 | Foldable | 685 | Single | 65 | Black | SilkShield/eBike |
| NEW | TB00176600 | 27.5x2.20 | 56-584 | 60 | Foldable | 590 | Dual | 60 | Skinwall | EXO/TR/Skinwall |
| | TB85919000 | 27.5x2.20 | 56-584 | 120 | Foldable | 600 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB85956000 | 27.5x2.35 | 60-584 | 120 | Foldable | 705 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB85956200 | 27.5x2.35 | 60-584 | 120x2 | Foldable | 935 | 3C MaxxSpeed | 60 | Black | 3C/TR/DD |
| | TB96646000 | 29x2.00 | 50-622 | 120 | Foldable | 565 | 3C MaxxSpeed | 60 | Black | 3C/TR |
| | TB96646100 | 29x2.00 | 50-622 | 120 | Foldable | 610 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB96753300 | 29x2.20 | 57-662 | 60 | Foldable | 600 | Dual | 65 | Black | - |
| | TB96740800 | 29x2.20 | 57-622 | 60 | Foldable | 630 | Dual | 60 | Skinwall | TR/Skinwall |
| | TB96740000 | 29x2.20 | 57-622 | 120 | Foldable | 590 | 3C MaxxSpeed | 60 | Black | 3C/TR |
| | TB96753000 | 29x2.20 | 57-622 | 120 | Foldable | 600 | 3C MaxxSpeed | 65 | Black | 3C/EXO |
| | TB96740100 | 29x2.20 | 57-622 | 120 | Foldable | 655 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| NEW | TB00119500 | 29x2.20 | 57-622 | 60 | Foldable | 690 | Dual | 60 | Skinwall | EXO/TR/Skinwall |
| | TB96740700 | 29x2.20 | 57-622 | 60 | Foldable | 690 | 3C MaxxSpeed | 60 | Skinwall | 3C/EXO/TR/Skinwall |
| | TB96729100 | 29x2.35 | 60-622 | 120 | Foldable | 730 | 3C MaxxSpeed | 65 | Black | 3C/EXO |
| | TB96731000 | 29x2.35 | 60-622 | 120 | Foldable | 700 | 3C MaxxSpeed | 60 | Black | 3C/TR |
| | TB96731100 | 29x2.35 | 60-622 | 120 | Foldable | 750 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB96731400 | 29x2.35 | 60-622 | 120x2 | Foldable | 1000 | 3C MaxxSpeed | 60 | Black | 3C/TR/DD |

| MOUN | TAIN | | | | | | | | | |
|--------|------------|-------------|-----------|-----|----------|-------------|--------------|---------|----------|------------------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| IKON (| CONTINUED) | | | | | 11121111(9) | | | 7777 | 1-2 |
| NEW | TB00038300 | 29x2.60WT | 66-622 | 120 | Foldable | 805 | 3C MaxxSpeed | 40 | Black | 3C/EXO/TR |
| NEW | TB00033400 | 29x2.60WT | 66-622 | 60 | Foldable | 810 | Dual | 40 | Black | EXO/TR |
| ARDEI | NT RACE | | | | l. | | | | | |
| | TB72374100 | 26x2.20 | 56-559 | 120 | Foldable | 650 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB85918100 | 27.5x2.20 | 56-584 | 120 | Foldable | 680 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB85945100 | 27.5x2.35 | 60-584 | 120 | Foldable | 730 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB91147100 | 27.5x2.60WT | 66-584 | 60 | Foldable | 860 | Dual | 40 | Black | EXO/TR |
| | TB91147000 | 27.5x2.60WT | 66-584 | 120 | Foldable | 760 | 3C MaxxSpeed | 40 | Black | 3C/EXO/TR |
| | TB96742100 | 29x2.20 | 56-622 | 120 | Foldable | 720 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| | TB96726100 | 29x2.35 | 60-622 | 120 | Foldable | 780 | 3C MaxxSpeed | 60 | Black | 3C/EXO/TR |
| ARDEI | NT | | | | | | | | ' | |
| | TB72555000 | 26x2.25 | 54/56-559 | 60 | Foldable | 650 | Single | 65 | Black | _ |
| | TB72560000 | 26x2.25 | 54/56-559 | 60 | Foldable | 705 | Single | 65 | Black | EXO |
| | TB72569100 | 26x2.25 | 56-559 | 60 | Foldable | 755 | Dual | 60 | Black | EXO/TR |
| | TB74177000 | 26x2.40WT | 58/60-559 | 60 | Foldable | 790 | Single | 65 | Black | EXO |
| | TB72917100 | 26x2.40WT | 61-559 | 60 | Foldable | 780 | Dual | 60 | Black | EXO/TR |
| | TB85971000 | 27.5x2.25 | 57-584 | 60 | Foldable | 785 | Single | 65 | Black | SilkShield/eBike |
| | TB85913000 | 27.5x2.25 | 57-584 | 60 | Wire | 740 | Single | 65 | Black | - |
| | TB85913100 | 27.5x2.25 | 57-584 | 60 | Foldable | 660 | Single | 65 | Black | - |
| | TB85913400 | 27.5x2.25 | 57-584 | 60 | Foldable | 720 | Single | 65 | Black | EXO |
| NEW | TB00176500 | 27.5x2.25 | 56-584 | 60 | Foldable | 800 | Dual | 60 | Skinwall | EXO/TR/Skinwall |
| | TB85955100 | 27.5x2.25 | 56-584 | 60 | Foldable | 785 | Dual | 60 | Black | EXO/TR |
| | TB85967100 | 27.5x2.40WT | 61-584 | 60 | Foldable | 810 | Dual | 60 | Black | EXO/TR |
| | TB96712000 | 29x2.25 | 54/56-622 | 60 | Wire | 785 | Single | 65 | Black | _ |
| | TB96712500 | 29x2.25 | 54/56-622 | 60 | Foldable | 705 | Single | 65 | Black | _ |
| | TB96712300 | 29x2.25 | 54/56-622 | 60 | Foldable | 705 | Single | 65 | Skinwall | Skinwall |
| | TB96712700 | 29x2.25 | 54/56-622 | 60 | Foldable | 760 | Single | 65 | Black | EXO |
| | TB96734100 | 29x2.25 | 56-622 | 60 | Foldable | 845 | Dual | 60 | Black | EXO/TR |
| NEW | TB00176400 | 29x2.25 | 56-622 | 60 | Foldable | 850 | Dual | 60 | Skinwall | EXO/TR/Skinwall |
| | TB96789100 | 29x2.40WT | 59/61-622 | 60 | Foldable | 750 | Single | 65 | Skinwall | Skinwall |
| | TB96789000 | 29x2.40WT | 59/61-622 | 60 | Foldable | 810 | Single | 65 | Black | EXO |
| | TB96793100 | 29x2.40WT | 61-622 | 60 | Foldable | 870 | Dual | 60 | Black | EXO/TR |
| | TB96793500 | 29x2.40WT | 61-622 | 60 | Foldable | 880 | Dual | 60 | Skinwall | EXO/TR/Skinwall |
| REKOI | ١ | | | | | 1 | | | | |
| NEW | TB00153500 | 24x2.20 | 56-507 | 60 | Foldable | 540 | Dual | 65 | Black | - |
| NEW | TB00017400 | 27.5×2.40WT | 61-584 | 60 | Foldable | 785 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| NEW | TB00018000 | 27.5x2.40WT | 61-584 | 60 | Foldable | 745 | Dual | 50 | Black | EXO/TR |
| | TB91145300 | 27.5x2.60WT | 66-584 | 60 | Foldable | 805 | Dual | 40 | Black | EXO/TR |
| | TB91145200 | 27.5x2.60WT | 66-584 | 120 | Foldable | 745 | 3C MaxxTerra | 40 | Black | 3C/EXO/TR |
| NEW | TB00111800 | 27.5x2.60WT | 66-584 | 120 | Foldable | 830 | 3C MaxxTerra | 40 | Black | 3C/EXO+/TR |
| | TB96899000 | 29x2.25 | 57-622 | 120 | Foldable | 615 | 3C MaxxTerra | 60 | Black | 3C/TR |
| | TB96899100 | 29x2.25 | 57-622 | 120 | Foldable | 670 | 3CMaxxTerra | 60 | Black | 3C/EXO/TR |
| NEW | TB00017500 | 29x2.40WT | 61-622 | 60 | Foldable | 845 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| NEW | TB00017700 | 29x2.40WT | 61-622 | 60 | Foldable | 805 | Dual | 50 | Black | EXO/TR |
| | TB96962100 | 29x2.60WT | 66-622 | 60 | Foldable | 865 | Dual | 40 | Black | EXO/TR |
| | TB96962000 | 29x2.60WT | 66-622 | 120 | Foldable | 805 | 3C MaxxTerra | 40 | Black | 3C/EXO/TR |
| NEW | TB00096500 | 29x2.60WT | 66-622 | 120 | Foldable | 895 | 3C MaxxTerra | 40 | Black | 3C/EXO+/TR |

| MOUN | ITAIN | | | | | | | | | |
|-------|------------|-------------|-----------|-------|----------|------------|---------------|---------|----------|------------------------------------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| FORE | KASTER | | | | | | | | | |
| | TB90978100 | 27.5x2.20 | 56-584 | 120 | Foldable | 655 | Dual | 60 | Black | EXO/TR |
| | TB85959500 | 27.5x2.35 | 60-584 | 120 | Foldable | 690 | Dual | 60 | Black | EXO/TR |
| | TB91144300 | 27.5x2.60WT | 66-584 | 60 | Foldable | 820 | Dual | 40 | Black | EXO/TR |
| | TB91144200 | 27.5x2.60WT | 66-584 | 120 | Foldable | 785 | 3C MaxxSpeed | 40 | Black | 3C/EXO/TR |
| | TB96705600 | 29×2.20 | 56-622 | 120 | Foldable | 695 | Dual | 60 | Black | EXO/TR |
| | TB96733100 | 29x2.35 | 60-622 | 120 | Foldable | 740 | Dual | 60 | Black | EXO/TR |
| NEW | TB00033100 | 29x2.60WT | 66-622 | 120 | Foldable | 840 | 3C MaxxSpeed | 40 | Black | 3C/EXO/TR |
| NEW | TB00033300 | 29x2.60WT | 66-622 | 60 | Foldable | 860 | Dual | 40 | Black | EXO/TR |
| AGGR | ESSOR | | | | | 1 | | | | |
| | TB73310000 | 26x2.30 | 58-559 | 60 | Foldable | 810 | Dual | 60 | Black | EXO/TR |
| | TB73310100 | 26×2.30 | 58-559 | 120x2 | Foldable | 995 | Dual | 60 | Black | TR/DD |
| | TB91009100 | 27.5×2.30 | 58-584 | 60 | Foldable | 845 | Dual | 60 | Black | EXO/TR |
| | TB91009200 | 27.5×2.30 | 58-584 | 120x2 | Foldable | 1040 | Dual | 60 | Black | TR/DD |
| | TB85984000 | 27.5x2.50WT | 63-584 | 60 | Foldable | 915 | Dual | 50 | Black | EXO/TR |
| | TB85984100 | 27.5x2.50WT | 63-584 | 120x2 | Foldable | 1105 | Dual | 50 | Black | TR/DD |
| | TB96882000 | 29x2.30 | 58-622 | 60 | Foldable | 900 | Dual | 60 | Black | EXO/TR |
| | TB96882100 | 29x2.30 | 58-622 | 120x2 | Foldable | 1110 | Dual | 60 | Black | TR/DD |
| | TB96870000 | 29x2.50WT | 63-622 | 60 | Foldable | 985 | Dual | 50 | Black | EXO/TR |
| | TB96870100 | 29x2.50WT | 63-622 | 120x2 | Foldable | 1180 | Dual | 50 | Black | TR/DD |
| MINIC | ON SS | | | | | | <u> </u> | | | |
| | TB73434000 | 26x2.30 | 58-559 | 60 | Foldable | 745 | Dual | 60 | Black | EXO/TR |
| | TB73434100 | 26x2.30 | 58-559 | 60 | Foldable | 760 | Dual | 60 | Black | Silkworm/EXO/TR |
| | TB73434200 | 26x2.30 | 58-559 | 120x2 | Foldable | 925 | Dual | 60 | Black | TR/DD |
| | TB91007100 | 27.5x2.30 | 58-584 | 60 | Foldable | 790 | Dual | 60 | Black | Silkworm/EXO/TR |
| | TB91007000 | 27.5x2.30 | 58-584 | 60 | Foldable | 775 | Dual | 60 | Black | EXO/TR |
| | TB91007300 | 27.5x2.30 | 58-584 | 120x2 | Foldable | 965 | Dual | 60 | Black | TR/DD |
| | TB96778100 | 29x2.30 | 58-622 | 60 | Foldable | 845 | Dual | 60 | Black | Silkworm/EXO/TR |
| | TB96778000 | 29x2.30 | 58-622 | 60 | Foldable | 825 | Dual | 60 | Black | EXO/TR |
| | TB96778300 | 29x2.30 | 58-622 | 120x2 | Foldable | 1030 | Dual | 60 | Black | TR/DD |
| MINIC | ON DHF | | | | | | <u> </u> | | | |
| | TB00017600 | 24x2.40WT | 61-507 | 60 | Foldable | 765 | 3C Maxx Terra | 60 | Black | 3C/EXO/TR |
| NEW | TB00139500 | 24x2.40WT | 61-507 | 60 | Foldable | 800 | Dual | 60 | Black | EXO/TR |
| NEW | TB00153100 | 24x2.40WT | 61-507 | 60 | Foldable | 745 | Dual | 65 | Black | _ |
| | TB73305100 | 26x2.30 | 58-559 | 60 | Foldable | 850 | Dual | 60 | Black | EXO/TR |
| | TB73305200 | 26x2.30 | 58-559 | 60 | Foldable | 840 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB73305400 | 26x2.30 | 58-559 | 120x2 | Foldable | 1025 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB73550000 | 26x2.35 | 52-559 | 60 | Wire | 830 | Super Tacky | 65 | Black | ST |
| | TB73550400 | 26x2.35 | 52-559 | 60 | Wire | 785 | Single | 65 | Black | _ |
| | TB73550800 | 26x2.35 | 52-559 | 60 | Foldable | 700 | Single | 65 | Black | _ |
| | TB74267000 | 26x2.50WT | 55/59-559 | 60 | Foldable | 880 | Single | 65 | Black | EXO |
| | TB74267300 | 26x2.50WT | 55/59-559 | 60 | Foldable | 860 | 3C MaxxTerra | 65 | Black | 3C/EXO |
| | TB74267400 | 26x2.50WT | 55/59-559 | 60 | Foldable | 940 | Dual | 65 | Black | ST/EXO |
| | TB74284100 | 26x2.50WT | 63-559 | 60 | Foldable | 905 | Dual | 50 | Black | EXO/TR |
| | TB74284000 | 26x2.50WT | 63-559 | 60 | Foldable | 920 | 3CMaxxTerra | 50 | Black | 3C/EXO/TR |
| | TB85925100 | 27.5x2.30 | 58-584 | 60 | Foldable | 875 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB85925600 | 27.5x2.30 | 58-584 | 120x2 | Foldable | 1065 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB85925500 | 27.5x2.30 | 58-584 | 60 | Foldable | 880 | 3C MaxxTerra | 60 | Skinwall | 3C/EXO/TR/Skinwall |
| | | | 55 . | | | | | | | ,,-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |

| MOUN | ITAIN | | | | | | | | | |
|-------|-------------|-------------|--------|-------|----------|------------|--------------|---------|-------|------------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| MINIC | N DHF (CONT | INUED) | | | | | | | 1 | |
| | TB85975100 | 27.5×2.50WT | 63-584 | 60 | Foldable | 945 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| | TB85975200 | 27.5×2.50WT | 63-584 | 60 | Foldable | 1000 | 3C MaxxGrip | 50 | Black | 3C/EXO/TR |
| | TB85975300 | 27.5×2.50WT | 63-584 | 120×2 | Foldable | 1190 | 3C MaxxGrip | 50 | Black | 3C/TR/DD |
| NEW | TB00112100 | 27.5×2.50WT | 63-584 | 120 | Foldable | 1005 | 3C MaxxTerra | 50 | Black | 3C/EXO+/TR |
| | TB91146200 | 27.5×2.60WT | 66-584 | 60 | Foldable | 965 | Dual | 40 | Black | EXO/TR |
| | TB91146300 | 27.5×2.60WT | 66-584 | 120 | Foldable | 925 | 3C MaxxTerra | 40 | Black | 3C/EXO/TR |
| NEW | TB00093700 | 27.5×2.60WT | 66-584 | 120 | Foldable | 1010 | 3C MaxxTerra | 40 | Black | 3C/EXO+/TR |
| | TB96785000 | 29×2.30 | 58-622 | 60 | Foldable | 930 | Dual | 60 | Black | EXO/TR |
| | TB96785100 | 29×2.30 | 58-622 | 60 | Foldable | 930 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB96785400 | 29×2.30 | 58-622 | 120x2 | Foldable | 1130 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB96800000 | 29x2.50WT | 63-622 | 60 | Foldable | 1010 | Dual | 50 | Black | EXO/TR |
| | TB96800300 | 29x2.50WT | 63-622 | 60 | Foldable | 1030 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| NEW | TB00144000 | 29x2.50WT | 63-622 | 60 | Foldable | 1060 | 3C MaxxGrip | 50 | Black | 3C/EXO/TR |
| NEW | TB00112000 | 29x2.50WT | 63-622 | 120 | Foldable | 1080 | 3C MaxxTerra | 50 | Black | 3C/EXO+/TR |
| NEW | TB00032800 | 29x2.60WT | 66-622 | 60 | Foldable | 1040 | Dual | 40 | Black | EXO/TR |
| NEW | TB00032600 | 29x2.60WT | 66-622 | 120 | Foldable | 1000 | 3C MaxxTerra | 40 | Black | 3C/EXO/TR |
| NEW | TB00096400 | 29x2.60WT | 66-622 | 120 | Foldable | 1085 | 3C MaxxTerra | 40 | Black | 3C/EXO+/TR |
| MINIC | ON DHR II | | | L | | | | | | |
| NEW | TB00153300 | 24x2.30 | 58-507 | 60 | Foldable | 695 | Dual | 65 | Black | _ |
| | TB73303000 | 26×2.30 | 58-559 | 60 | Foldable | 800 | Dual | 60 | Black | EXO/TR |
| | TB73303100 | 26×2.30 | 58-559 | 60 | Foldable | 775 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB73303200 | 26x2.30 | 58-559 | 120x2 | Foldable | 955 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB72907400 | 26×2.40WT | 61-559 | 60 | Foldable | 905 | Single | 65 | Black | EXO |
| | TB72907500 | 26×2.40WT | 61-559 | 60 | Foldable | 885 | Super Tacky | 65 | Black | ST/EXO |
| | TB72907300 | 26×2.40WT | 61-559 | 60 | Foldable | 880 | 3C MaxxTerra | 65 | Black | 3C/EXO |
| | TB72910000 | 26x2.40WT | 61-559 | 60 | Foldable | 865 | Dual | 50 | Black | EXO/TR |
| | TB72910100 | 26x2.40WT | 61-559 | 60 | Foldable | 865 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| | TB85927200 | 27.5x2.30 | 58-584 | 60 | Foldable | 835 | Dual | 60 | Black | EXO/TR |
| | TB85927000 | 27.5x2.30 | 58-584 | 60 | Foldable | 810 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB85927400 | 27.5x2.30 | 58-584 | 120x2 | Foldable | 995 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB85962000 | 27.5x2.40WT | 61-584 | 60 | Foldable | 900 | Dual | 50 | Black | EXO/TR |
| | TB85962100 | 27.5x2.40WT | 61-584 | 60 | Foldable | 900 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| NEW | TB00112300 | 27.5×2.40WT | 63-584 | 120 | Foldable | 940 | 3C MaxxTerra | 50 | Black | 3C/EXO+/TR |
| | TB91149100 | 27.5x2.60WT | 66-584 | 60 | Foldable | 950 | Dual | 40 | Black | EXO/TR |
| | TB91149000 | 27.5x2.60WT | 66-584 | 120 | Foldable | 885 | 3C MaxxTerra | 40 | Black | 3C/EXO/TR |
| NEW | TB00093900 | 27.5x2.60WT | 66-584 | 120 | Foldable | 970 | 3C MaxxTerra | 40 | Black | 3C/EXO+/TR |
| | TB96776000 | 29x2.30 | 58-622 | 60 | Foldable | 880 | Dual | 60 | Black | EXO/TR |
| | TB96776100 | 29x2.30 | 58-622 | 60 | Foldable | 860 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB96776400 | 29x2.30 | 58-622 | 120x2 | Foldable | 1060 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB96797000 | 29x2.40WT | 61-622 | 60 | Foldable | 960 | Dual | 50 | Black | EXO/TR |
| | TB96797100 | 29x2.40WT | 61-622 | 60 | Foldable | 960 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| NEW | TB00143900 | 29x2.40WT | 61-622 | 60 | Foldable | 1000 | 3C MaxxGrip | 50 | Black | 3C/EXO/TR |
| NEW | TB00112200 | 29x2.40WT | 63-622 | 120 | Foldable | 1015 | 3C MaxxTerra | 50 | Black | 3C/EXO+/TR |
| NEW | TB00073200 | 29x2.60WT | 66-622 | 60 | Foldable | 1020 | Dual | 40 | Black | EXO/TR |
| NEW | TB00073100 | 29x2.60WT | 66-622 | 120 | Foldable | 950 | 3C MaxxTerra | 40 | Black | 3C/EXO/TR |
| NEW | TB00096300 | 29x2.60WT | 66-622 | 120 | Foldable | 1040 | 3C MaxxTerra | 40 | Black | 3C/EXO+/TR |

| MOUN | ITAIN | | | | | | | | | |
|-------|------------|-------------|--------|-------|----------|------------|--------------|---------|-------|------------------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| HIGH | ROLLER II | | | | | , | , | | ' | |
| | TB73307000 | 26×2.30 | 58-559 | 60 | Foldable | 810 | Dual | 60 | Black | EXO/TR |
| | TB73307100 | 26×2.30 | 58-559 | 60 | Foldable | 835 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB73307300 | 26×2.30 | 58-559 | 120x2 | Foldable | 1015 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB74177300 | 26x2.40WT | 61-559 | 60 | Foldable | 870 | Single | 65 | Black | EXO |
| | TB74177500 | 26x2.40WT | 61-559 | 60 | Foldable | 855 | 3C MaxxTerra | 65 | Black | 3C/EXO |
| | TB85923000 | 27.5×2.30 | 58-584 | 60 | Foldable | 845 | Dual | 60 | Black | EXO/TR |
| | TB85923100 | 27.5×2.30 | 58-584 | 60 | Foldable | 870 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB85924600 | 27.5×2.30 | 58-584 | 120x2 | Foldable | 1055 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB85914800 | 27.5x2.40WT | 61-584 | 60 | Foldable | 975 | Single | 65 | Black | SilkShield/eBike |
| | TB85915400 | 27.5x2.40WT | 61-584 | 60 | Foldable | 910 | Single | 65 | Black | EXO |
| | TB85915500 | 27.5x2.40WT | 61-584 | 60 | Foldable | 890 | 3C MaxxTerra | 65 | Black | 3C/EXO |
| | TB91052100 | 27.5x2.40WT | 61-584 | 60 | Foldable | 910 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB85983000 | 27.5×2.50WT | 63-584 | 60 | Foldable | 925 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| | TB85983100 | 27.5×2.50WT | 63-584 | 120x2 | Foldable | 1115 | 3C MaxxTerra | 50 | Black | 3C/TR/DD |
| | TB00053000 | 27.5x2.60WT | 66-584 | 60 | Foldable | 965 | Dual | 40 | Black | EXO/TR |
| | TB00055100 | 27.5x2.60WT | 66-584 | 120 | Foldable | 925 | 3C MaxxTerra | 40 | Black | 3C/EXO/TR |
| | TB96769000 | 29×2.30 | 58-622 | 60 | Foldable | 895 | Dual | 60 | Black | EXO/TR |
| | TB96769100 | 29x2.30 | 58-622 | 60 | Foldable | 925 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB96769600 | 29x2.30 | 58-622 | 120x2 | Foldable | 1130 | 3C MaxxTerra | 60 | Black | 3C/TR/DD |
| | TB96803000 | 29×2.50WT | 63-622 | 60 | Foldable | 990 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| | TB96803100 | 29×2.50WT | 63-622 | 120x2 | Foldable | 1200 | 3C MaxxTerra | 50 | Black | 3C/TR/DD |
| ASSEC | SAI | | | | | | | | | |
| NEW | TB00163200 | 27.5x2.50WT | 63-584 | 60 | Foldable | 1020 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| NEW | TB00163300 | 27.5x2.50WT | 63-584 | 60 | Foldable | 1020 | Dual | 50 | Black | EXO/TR |
| NEW | TB00097500 | 27.5x2.50WT | 63-584 | 120x2 | Foldable | 1225 | 3C MaxxGrip | 50 | Black | 3C/TR/DD |
| NEW | TB00163000 | 29x2.50WT | 63-622 | 60 | Foldable | 1100 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| NEW | TB00163100 | 29x2.50WT | 63-622 | 60 | Foldable | 1100 | Dual | 50 | Black | EXO/TR |
| NEW | TB00097400 | 29x2.50WT | 63-622 | 120x2 | Foldable | 1305 | 3C MaxxGrip | 50 | Black | 3C/TR/DD |
| SHOR | TY | | | | | | | | | |
| | TB73309100 | 26×2.30 | 58-559 | 60 | Foldable | 825 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB74296000 | 26x2.50WT | 63-559 | 60 | Foldable | 925 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| | TB85924100 | 27.5x2.30 | 58-584 | 60 | Foldable | 865 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB85979000 | 27.5x2.50WT | 63-584 | 60 | Foldable | 965 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |
| | TB85979100 | 27.5x2.50WT | 63-584 | 120x2 | Foldable | 1170 | 3C MaxxGrip | 50 | Black | 3C/TR/DD |
| | TB96772100 | 29x2.30 | 58-622 | 60 | Foldable | 915 | 3C MaxxTerra | 60 | Black | 3C/EXO/TR |
| | TB96804000 | 29x2.50WT | 63-622 | 60 | Foldable | 1025 | 3C MaxxTerra | 50 | Black | 3C/EXO/TR |

| DOWN | NHILL | | | | | | | | | |
|--------|--------------------------|----------------------------|--------|-------|---------------------------------------|------------|-----------------|---------|-------|------------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| ASSEC | | | | | | | | | | · |
| IEW | TB00017200 | 27.5x2.50WT | 63-584 | 60x2 | Foldable | 1310 | 3C MaxxGrip | 50 | Black | 3C/DH/TR |
| 1EW | TB00064500 | 29×2.50WT | 63-622 | 60x2 | Foldable | 1400 | 3C MaxxGrip | 50 | Black | 3C/DH/TR |
| MINIO | | 2772.30 *** | 03 022 | OOKE | Tolddole | 1100 | 30 1110/00/01/p | | Black | 30/2/1/11 |
| | TB85973100 | 27.5x2.50WT | 63-584 | 60x2 | Wire | 1335 | Super Tacky | 65 | Black | ST/DH |
| | TB85973000 | 27.5x2.50WT | 63-584 | 60x2 | Wire | 1335 | 3C MaxxGrip | 65 | Black | 3C/DH |
| MINIO | N DHF | 27.3X2.30 VV 1 | 03 304 | OOXE | VVIIC | 1555 | эс тиахопр | 03 | Didek | 30/011 |
| | TB50614000 | 24x2.40WT | 61-507 | 60x2 | Wire | 1155 | 3C MaxxGrip | 65 | Black | 3C/DH |
| | TB74265700 | 26x2.50WT | 55-559 | 60x2 | Wire | 1180 | Single | 65 | Black | DH |
| | TB74265000 | 26x2.50WT | 55-559 | 60x2 | Wire | 1200 | Super Tacky | 65 | Black | ST/DH |
| | TB74265500 | 26x2.50WT | 55-559 | 60x2 | Wire | 1265 | 3C MaxxGrip | 65 | Black | 3C/DH |
| | TB85976600 | 27.5x2.50WT | 63-584 | 60x2 | Wire | 1390 | Single | 50 | Black | 3С/DП |
| | TB85976100 | | 63-584 | | | | | | | CT/DU |
| | | 27.5x2.50WT | | 60x2 | Wire | 1390 | Super Tacky | 50 | Black | ST/DH |
| | TB85976000 TB85975700 | 27.5x2.50WT 27.5x2.50WT | 63-584 | 60x2 | Wire | 1390 | 3C MaxxGrip | 50 | Black | 3C/DH |
| | | | 63-584 | 60x2 | Foldable | 1270 | 3C MaxxGrip | 50 | Black | 3C/TR/DH |
| AINIIG | TB96800700 | 29x2.50WT | 63-622 | 60x2 | Foldable | 1360 | 3C MaxxGrip | 50 | Black | 3C/TR/DH |
| DININ | ON DHR II | 0/ 0.40\4/T | (4.550 | (0.0 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 40.40 | C: 1 | /5 | DI I | D.I. |
| | TB72907000 | 26x2.40WT | 61-559 | 60x2 | Wire | 1240 | Single | 65 | Black | DH |
| | TB72907100 | 26x2.40WT | 61-559 | 60x2 | Wire | 1265 | 3C MaxxGrip | 65 | Black | 3C/DH |
| | TB72907200 | 26x2.40WT | 61-559 | 60x2 | Wire | 1225 | Super Tacky | 65 | Black | ST/DH |
| | TB91051600 | 27.5x2.40WT | 61-584 | 60x2 | Wire | 1285 | Single | 65 | Black | DH |
| | TB91051100 | 27.5×2.40WT | 61-584 | 60x2 | Wire | 1270 | Super Tacky | 65 | Black | ST/DH |
| | TB91051000 | 27.5×2.40WT | 61-584 | 60x2 | Wire | 1315 | 3C MaxxGrip | 65 | Black | 3C/DH |
| | TB85962700 | 27.5×2.40WT | 61-584 | 60x2 | Foldable | 1190 | 3C MaxxGrip | 50 | Black | 3C/TR/DH |
| | TB96797500 | 29×2.40WT | 61-622 | 60x2 | Foldable | 1270 | 3C MaxxGrip | 50 | Black | 3C/TR/DH |
| HIGH | ROLLER II | ı | | | | | | | | |
| | TB74177200 | 26x2.40WT | 61-559 | 60x2 | Wire | 1205 | Single | 65 | Black | DH |
| | TB74177100 | 26x2.40WT | 61-559 | 60x2 | Wire | 1260 | 3C MaxxGrip | 65 | Black | 3C/DH |
| | TB74177600 | 26x2.40WT | 61-559 | 60x2 | Wire | 1225 | Super Tacky | 65 | Black | ST/DH |
| | TB85915300 | 27.5×2.40WT | 61-584 | 60x2 | Wire | 1250 | Single | 65 | Black | DH |
| | TB85915100 | 27.5x2.40WT | 61-584 | 60x2 | Wire | 1270 | Super Tacky | 65 | Black | ST/DH |
| | TB85915200 | 27.5×2.40WT | 61-584 | 60x2 | Wire | 1305 | 3C MaxxGrip | 65 | Black | 3C/DH |
| | TB91052000 | 27.5×2.40WT | 61-584 | 60x2 | Foldable | 1215 | 3C MaxxGrip | 60 | Black | 3C / TR/DH |
| HOR | TY | | | | | | | | | |
| | TB72911100 | 26x2.40WT | 61-559 | 60x2 | Wire | 1215 | Super Tacky | 65 | Black | ST/DH |
| | TB72911000 | 26x2.40WT | 61-559 | 60x2 | Wire | 1215 | 3C MaxxGrip | 65 | Black | 3C/DH |
| | TB91056100 | 27.5x2.40WT | 61-584 | 60x2 | Wire | 1270 | Super Tacky | 65 | Black | ST/DH |
| | TB91056000 | 27.5x2.40WT | 61-584 | 60x2 | Wire | 1270 | 3C MaxxGrip | 65 | Black | 3C/DH |
| | TB85979200 | 27.5x2.50WT | 63-584 | 60x2 | Foldable | 1255 | 3C MaxxGrip | 50 | Black | 3C/TR/DH |
| | TB00020900 | 29×2.50WT | 63-622 | 60x2 | Foldable | 1340 | 3C MaxxGrip | 50 | Black | 3C/TR/DH |
| WET S | CREAM | | • | | | | | | | |
| | TB74276000 | 26x2.50 | 55-559 | 60x2 | Wire | 1160 | Super Tacky | 65 | Black | ST/DH |
| | TB85977000 | 27.5×2.50 | 55-584 | 60x2 | Wire | 1205 | Super Tacky | 65 | Black | ST/DH |
| | TB85977100 | 27.5x2.50 | 55-584 | 120×2 | Foldable | 1005 | Super Tacky | 65 | Black | ST/DD |

| FAT / PLU: | | 0.55 | | - | 55:- | | | | | |
|------------|-----------|-----------|---------|----------|----------|------------|---------------|---------|-------|------------------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| IKON + | | | | | | | | | | |
| T | B96904100 | 27.5x2.80 | 71-584 | 120 | Foldable | 765 | Dual | 35 | Black | EXO/TR |
| TE | B96904000 | 27.5x2.80 | 71-584 | 120 | Foldable | 765 | 3C MaxxSpeed | 35 | Black | 3C/EXO/TR |
| REKON + | | | | | 1 | | | | | |
| TI | B96906000 | 27.5x2.80 | 71-584 | 60 | Foldable | 900 | Dual | 35 | Black | EXO/TR |
| Т | B96906100 | 27.5x2.80 | 71-584 | 120 | Foldable | 855 | 3C MaxxTerra | 35 | Black | 3C/EXO/TR |
| TI | B96906600 | 27.5x2.80 | 71-584 | 60 | Foldable | 910 | 3C Maxx Terra | 35 | Black | 3C/EXO/TR/Skinwa |
| NEW T | B00161200 | 27.5x2.80 | 71-584 | 120 | Foldable | 950 | 3C MaxxTerra | 35 | Black | 3C/EXO+/TR |
| MINION | DHF | | | | | | | | | |
| Т | B74392100 | 26x2.80 | 71-559 | 60 | Foldable | 995 | Dual | 35 | Black | EXO/TR |
| Т | B74392000 | 26x2.80 | 71-559 | 120 | Foldable | 935 | 3C MaxxTerra | 35 | Black | 3C/EXO/TR |
| Т | B96908100 | 27.5x2.80 | 71-584 | 60 | Foldable | 1035 | Dual | 35 | Black | EXO/TR |
| TE | B96908000 | 27.5x2.80 | 71-584 | 120 | Foldable | 975 | 3C MaxxTerra | 35 | Black | 3C/EXO/TR |
| NEW T | B00093800 | 27.5x2.80 | 71-584 | 120 | Foldable | 1065 | 3C MaxxTerra | 35 | Black | 3C/EXO+/TR |
| MINION | DHR II | | | | | 1 | , | | ' | |
| Т | B74394100 | 26x2.80 | 71-559 | 60 | Foldable | 995 | Dual | 35 | Black | EXO/TR |
| TI | B74394000 | 26x2.80 | 71-559 | 120 | Foldable | 935 | 3C MaxxTerra | 35 | Black | 3C/EXO/TR |
| Т | B96909100 | 27.5x2.80 | 71-584 | 60 | Foldable | 1035 | Dual | 35 | Black | EXO/TR |
| Т | B96909000 | 27.5x2.80 | 71-584 | 120 | Foldable | 975 | 3C MaxxTerra | 35 | Black | 3C/EXO/TR |
| NEW T | B00113800 | 27.5x2.80 | 71-584 | 120 | Foldable | 1065 | 3C MaxxTerra | 35 | Black | 3C/EXO+/TR |
| HIGH RO | LLER II | | ' | | | | | | ' | |
| Т | B96910100 | 27.5x2.80 | 71-584 | 60 | Foldable | 970 | Dual | 35 | Black | EXO/TR |
| Т | B96910000 | 27.5x2.80 | 71-584 | 120 | Foldable | 915 | 3C MaxxTerra | 35 | Black | 3C/EXO/TR |
| MINION | FBF | | | | ı | | ı | | | |
| Т | B72655200 | 26x4.00 | 102-559 | 60 | Foldable | 1290 | Dual | 30 | Black | _ |
| Т | B72655000 | 26×4.00 | 102-559 | 120 | Foldable | 1295 | Dual | 30 | Black | EXO/TR |
| Т | B72662200 | 26x4.80 | 122-559 | 60 | Foldable | 1650 | Dual | 20 | Black | _ |
| Т | B72662000 | 26×4.80 | 122-559 | 120 | Foldable | 1645 | Dual | 20 | Black | EXO/TR |
| Т | B91183000 | 27.5x3.80 | 97-584 | 60 | Foldable | 1470 | Dual | 30 | Black | _ |
| Т | B91182000 | 27.5x3.80 | 97-584 | 120 | Foldable | 1475 | Dual | 30 | Black | EXO/TR |
| MINION | FBR | | | | | 1 | | | | |
| Т | B72656200 | 26×4.00 | 102-559 | 60 | Foldable | 1360 | Dual | 30 | Black | _ |
| | B72656000 | 26x4.00 | 102-559 | 120 | Foldable | 1365 | Dual | 30 | Black | EXO/TR |
| | B72664200 | 26x4.80 | 122-559 | 60 | Foldable | 1625 | Dual | 20 | Black | _ |
| | B72664000 | 26x4.80 | 122-559 | 120 | Foldable | 1620 | Dual | 20 | Black | EXO/TR |
| | B91184200 | 27.5x3.80 | 97-584 | 60 | Foldable | 1280 | Dual | 30 | Black | |
| | B91184000 | 27.5x3.80 | 97-584 | 120 | Foldable | 1285 | Dual | 30 | Black | EXO/TR |

| URBAN | ٧ | | | | | | | | | |
|-------|------------|---------|-----------|-----|----------|------------|----------|---------|----------|----------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| DTH | | | | | | | | | | |
| | TB72683000 | 26x2.15 | 52/54-559 | 60 | Foldable | 550 | Single | 80 | Black | _ |
| | TB72683100 | 26x2.15 | 52/54-559 | 60 | Foldable | 555 | Single | 80 | Skinwall | Skinwall |
| | TB73300000 | 26x2.30 | 55/58-559 | 60 | Wire | 730 | Single | 65 | Black | _ |
| | TB73301000 | 26x2.30 | 55/58-559 | 60 | Foldable | 650 | Single | 65 | Black | _ |
| | TB73300300 | 26x2.30 | 55/58-559 | 60 | Foldable | 650 | Single | 65 | Skinwall | Skinwall |
| TORC | н | | | | | | | | | |
| | TB96651200 | 29x2.10 | 53-622 | 120 | Foldable | 630 | Single | 65 | Black | Silkworm |

| ВМХ | | | | | | | | | | |
|-------|------------|----------|--------|-----|----------|------------|----------|---------|----------|------------|
| | PART# | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| DTH | | | | | | | | | | |
| | TB20352000 | 20x1 1/8 | 28-451 | 120 | Wire | 245 | Dual | 85 | Black | Silkworm |
| | TB20629000 | 20x1 3/8 | 37-451 | 120 | Wire | 315 | Dual | 65 | Black | Silkworm |
| | TB22329500 | 20x1.50 | 38-406 | 120 | Foldable | 295 | Dual | 110 | Black | Silkworm |
| | TB24751000 | 20x1.75 | 44-406 | 120 | Foldable | 345 | Dual | 110 | Black | Silkworm |
| | TB29464500 | 20x1.95 | 49-406 | 120 | Foldable | 375 | Dual | 110 | Black | Silkworm |
| | TB31025000 | 20x2.20 | 56-406 | 120 | Foldable | 485 | Dual | 110 | Black | Silkworm |
| | TB47649000 | 24x1.75 | 44-507 | 120 | Wire | 440 | Dual | 65 | Black | Silkworm |
| GRIFT | ER | | | | | | | | | |
| | TB29643000 | 20x1.85 | 48-406 | 120 | Foldable | 410 | Dual | 110 | Black | SilkShield |
| | TB29643100 | 20x1.85 | 48-406 | 60 | Foldable | 505 | Dual | 110 | Skinwall | Skinwall |
| | TB30704600 | 20x2.10 | 53-406 | 120 | Foldable | 455 | Dual | 110 | Black | SilkShield |
| | TB30704200 | 20x2.10 | 53-406 | 60 | Foldable | 550 | Dual | 110 | Skinwall | Skinwall |
| | TB35849200 | 20x2.30 | 58-406 | 120 | Foldable | 560 | Dual | 110 | Black | SilkShield |
| | TB35849000 | 20x2.30 | 58-406 | 60 | Foldable | 635 | Dual | 110 | Skinwall | Skinwall |
| | TB35949000 | 20x2.40 | 61-406 | 60 | Foldable | 605 | Dual | 110 | Black | SilkShield |
| RELIX | | | | | | | | | | |
| | TB28950000 | 20x1.75 | 44-406 | 120 | Foldable | 330 | Dual | 110 | Black | Silkworm |
| | TB28950100 | 20x1.75 | 44-406 | 120 | Foldable | 360 | Dual | 110 | Black | SilkShield |
| TORC | Н | | | | | | | | | |
| | TB20354000 | 20x1 1/8 | 28-451 | 120 | Wire | 260 | Dual | 85 | Black | Silkworm |
| | TB20626000 | 20x1 3/8 | 37-451 | 120 | Wire | 310 | Dual | 100 | Black | Silkworm |
| | TB24755200 | 20x1.75 | 44-406 | 60 | Foldable | 445 | Dual | 110 | Skinwall | Skinwall |
| | TB24755100 | 20x1.75 | 44-406 | 120 | Foldable | 360 | Dual | 110 | Black | SilkShield |
| | TB29089100 | 20x1.75 | 44-406 | 120 | Foldable | 380 | Dual | 100 | Black | EXO/TR |
| | TB29519300 | 20x1.95 | 49-406 | 60 | Foldable | 490 | Dual | 110 | Skinwall | Skinwall |
| | TB29519100 | 20x1.95 | 49-406 | 120 | Foldable | 395 | Dual | 110 | Black | SilkShield |
| | TB31032000 | 20x2.20 | 56-406 | 60 | Foldable | 475 | Dual | 110 | Black | SilkShield |
| | TB47641000 | 24×1.75 | 44-507 | 120 | Wire | 450 | Dual | 65 | Black | Silkworm |

| MODII | MODIFIED TRIALS | | | | | | | | | |
|-------|------------------|---------|--------|-----|------|------------|-------------|---------|-------|------|
| | PART # | SIZE | ETRTO | TPI | BEAD | WEIGHT (g) | COMPOUND | MAX PSI | COLOR | TECH |
| CREE | CREEPY CRAWLER F | | | | | | | | | |
| | TB29688100 | 20x2.00 | 54-406 | 60 | Wire | 625 | Super Tacky | 50 | Black | ST |
| CREE | CREEPY CRAWLER R | | | | | | | | | |
| | TB35877000 | 20x2.50 | 67-387 | 25 | Wire | 1050 | Super Tacky | 50 | Black | ST |

| MODULAR VALVE SYSTEM | | | | | | | |
|--|---------------|------------------|--------|-------|--|--|--|
| PART# | SIZE | WEIGHT (g) COLOR | | VALVE | | | |
| MODULAR VALVE SYSTEM (MVS) | | | | | | | |
| OT00119000 | 60MM | 4 | Black | MVS | | | |
| OT00127000 | 60MM | 4 | Orange | MVS | | | |
| OT00128000 | 80MM | 5 | Black | MVS | | | |
| OT00136000 | 80MM | 5 | Orange | MVS | | | |
| MODULAR VALVE SYSTEM (MVS) FLYWEIGHT TUBE | | | | | | | |
| IB65002000 | 26×1.90/2.125 | 90 | Black | MVS | | | |
| IB84002000 | 700x18/25C | 45 | Black | MVS | | | |
| MODULAR VALVE SYSTEM (MVS) ULTRALIGHT TUBE | | | | | | | |
| IB65001000 | 26x1.90/2.125 | 121 | Black | MVS | | | |
| IB84001000 | 700×18/25C | 61 | Black | MVS | | | |

| TUBES | | | | | | | |
|------------|-----------------|-----|-----------------|--|--|--|--|
| PART# | PART # SIZE | | VALVE | | | | |
| FLYWEIGHT | | | | | | | |
| IB63884100 | 26×1.90/2.125 | 94 | Presta RVC | | | | |
| IB63887200 | 26×1.90/2.125 | 96 | Presta 48mm RVC | | | | |
| IB63898200 | 26×1.90/2.125 | 96 | Presta 60mm RVC | | | | |
| IB63890000 | 26×1.90/2.125 | 95 | Schrader | | | | |
| IB75120000 | 27.5x1.90/2.125 | 110 | Presta RVC | | | | |
| IB96845000 | 29×1.90/2.125 | 116 | Presta RVC | | | | |
| IB69878200 | 700×18/25C | 52 | Presta 60mm RVC | | | | |
| IB69886100 | 700x18/25C | 51 | Presta 48mm RVC | | | | |
| IB69880200 | 700x18/25C | 50 | Presta RVC | | | | |

| TUBES | | | | | | | |
|------------|----------------|------------|-----------------------|--|--|--|--|
| PART# | SIZE | WEIGHT (g) | VALVE | | | | |
| ULTRALIGHT | | | | | | | |
| IB25400000 | 20x1.50/1.75 | 82 | Schrader | | | | |
| IB24078700 | 20x1.50/1.75 | 83 | Presta RVC (low lead) | | | | |
| IB29520000 | 20x1.90/2.125 | 96 | Schrader | | | | |
| IB29566100 | 20x1.90/2.125 | 96 | Presta RVC (low lead) | | | | |
| IB59763900 | 26x1.50/1.75 | 108 | Presta RVC | | | | |
| IB60064200 | 26×1.50/1.75 | 109 | Presta 48mm RVC | | | | |
| IB60059100 | 26x1.50/1.75 | 110 | Presta 60 mmRVC | | | | |
| IB59777000 | 26×1.50/1.75 | 108 | Schrader | | | | |
| IB63828900 | 26x1.90/2.125 | 125 | Presta RVC | | | | |
| IB63874200 | 26×1.90/2.125 | 127 | Presta 48mm RVC | | | | |
| IB63832100 | 26×1.90/2.125 | 127 | Presta 60 mmRVC | | | | |
| IB63810000 | 26×1.90/2.125 | 126 | Schrader | | | | |
| IB51596200 | 650x18/25 | 69 | Presta 48mm RVC | | | | |
| IB75076300 | 27.5×1.90/2.35 | 145 | Presta RVC | | | | |
| IB75077200 | 27.5×1.90/2.35 | 147 | Presta 48mm RVC | | | | |
| IB69846300 | 700x18/25C | 65 | Presta RVC | | | | |
| IB69838600 | 700x18/25C | 66 | Presta 48mm RVC | | | | |
| IB69859200 | 700x18/25C | 67 | Presta 60 mmRVC | | | | |
| IB96827400 | 29x1.90/2.35 | 154 | Presta RVC | | | | |
| IB96827600 | 29x1.90/2.35 | 156 | Presta 48mm RVC | | | | |

| TUBES | | | |
|------------|---|------------|-----------------------|
| PART # | SIZE | WEIGHT (g) | VALVE |
| WELTERWEIG | GHT | | |
| IB14205000 | 16x1.90/2.125 | 97 | Schrader (low lead) |
| IB23952600 | 20x1.30/1.50 | 90 | Presta 48mm |
| IB23940600 | 20x1.30/1.50 | 88 | Presta 48mm RVC |
| IB29513000 | 20x1.90/2.125 | 122 | Schrader (low lead) |
| IB22993000 | 20x1 1/4-1 3/8 | 105 | Presta RVC |
| IB22992000 | 20x1 1/4-1 3/8 | 106 | Schrader (low lead) |
| IB22994000 | 20x1 1/4-1 3/8 | 107 | Presta RVC (low lead) |
| IB29513200 | 20x1.90/2.125 | 121 | Presta RVC |
| IB48713000 | 24x1.90/2.125 | 147 | Presta RVC |
| IB48713200 | 24x1.90/2.125 | 148 | Presta RVC (low lead) |
| IB49899000 | 24×2.125 | 166 | Schrader |
| IB48701000 | 24x1.90/2.125 | 148 | Schrader (low lead) |
| IB51707100 | 26X1.0/1.25 | 86 | Presta RVC |
| IB51709100 | 26X1.0/1.25 | 87 | Presta 48mm RVC |
| IB60065200 | 26×1.50/1.75 | 139 | Presta 48mm RVC |
| IB63464200 | 26x1.90/2.125 | 161 | Presta RVC |
| IB63871200 | 26x1.90/2.125 | 163 | Presta 48mm RVC |
| IB63464300 | 26x1.90/2.125 | 163 | Presta 60 mmRVC |
| IB67681000 | 26×2.125 | 179 | Schrader |
| IB63803200 | 26x1.90/2.125 | 162 | Schrader |
| IB63761200 | 26x1.90/2.125 | 165 | Schrader 48mm |
| IB67705900 | 26X2.2/2.5 | 212 | Presta RVC |
| IB67706200 | 26X2.2/2.5 | 212 | Schrader |
| IB75071100 | 27.5x1.5/1.75 | 143 | Schrader |
| IB75071200 | 27.5x1.5/1.75 | 146 | Schrader 48mm |
| IB75081700 | 27.5x1.5/1.75 | 143 | Presta RVC |
| IB75081400 | 27.5x1.5/1.75 | 144 | Schrader 48mm |
| IB75080100 | 27.5x1.90/2.35 | 188 | Schrader |
| IB75080400 | 27.5x1.90/2.35 | 191 | Schrader 48mm |
| IB75078400 | 27.5x1.90/2.35 | 187 | Presta RVC |
| IB75079300 | 27.5x1.90/2.35 | 189 | Presta 48mm RVC |
| IB75081100 | 27.5x1.90/2.35 | 189 | Presta 60 mmRVC |
| IB75098000 | 27.5x2.20/2.50 | 223 | Schrader |
| IB75097100 | 27.5x2.20/2.50 | 223 | Presta RVC |
| IB96822500 | 29×1.90/2.35 | 177 | Schrader |
| IB96826100 | 29×1.90/2.35 | 176 | Presta RVC |
| IB96826200 | 29×1.90/2.35 | 178 | Presta 48 mmRVC |
| IB81558000 | 700x18/25,27x7/8-1 | 83 | Schrader |
| IB81559000 | 700x18/25,27x7/8-1 | 86 | Schrader 48mm |
| IB81557100 | 700x18/25,27x7/8-1 | 83 | Presta RVC |
| IB81555100 | 700x18/25,27x7/8-1 | 84 | Presta 48 mmRVC |
| IB81556100 | 700x18/25,27x7/8-1 | 85 | Presta 60 mmRVC |
| IB69823100 | 700×18/25C | 87 | Presta 80 mmRVC |
| IB93836100 | 700X25/32C | 95 | Presta 48 mmRVC |
| IB93836300 | 700X25/32C | 96 | Presta 60 mmRVC |
| IB94199000 | 700x35/45,27x1 3/8-1 3/4 | 127 | Schrader |
| IB94199100 | 700x35/45,27x1 3/8-1 3/4 | 130 | Schrader 48mm |
| IB94198100 | 700x35/45,27x1 3/8-1 3/4 | 127 | Presta RVC |
| | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | |

| TUBES | | | | | | | |
|------------|----------------|------------|-----------------|--|--|--|--|
| PART# | SIZE | WEIGHT (g) | VALVE | | | | |
| FREERIDE | | | | | | | |
| IB67446800 | 26×2.20/2.50 | 292 | Presta RVC | | | | |
| IB67447400 | 26×2.20/2.50 | 293 | Presta 48mm RVC | | | | |
| IB67445000 | 26×2.20/2.50 | 292 | Schrader | | | | |
| IB67445600 | 26×2.20/2.50 | 295 | Schrader 48mm | | | | |
| IB75102000 | 27.5×2.20/2.50 | 326 | Schrader | | | | |
| IB75105100 | 27.5×2.20/2.50 | 326 | Presta RVC | | | | |
| IB75109100 | 27.5×2.20/2.50 | 327 | Presta 48mm RVC | | | | |

| TUBES | | | | | | | |
|-------------|--------------|------------|---------------------|--|--|--|--|
| PART # SIZE | | WEIGHT (g) | VALVE | | | | |
| FAT/PLUS | | | | | | | |
| IB68600200 | 26x3.8/5.0 | 429 | Presta RVC | | | | |
| IB68600800 | 26x3.8/5.0 | 429 | Schrader | | | | |
| IB75660000 | 27.5×3.8/5.0 | 438 | Presta RVC | | | | |
| IB75665000 | 27.5×3.8/5.0 | 439 | Presta 48mm RVC | | | | |
| IB75670000 | 27.5×3.8/5.0 | 438 | Schrader | | | | |
| IB00041800 | 27.5×2.5/3.0 | 274 | Schrader (low lead) | | | | |
| IB00026200 | 27.5×2.5/3.0 | 274 | Presta RVC | | | | |
| IB00026300 | 27.5×2.5/3.0 | 275 | Presta 48mm RVC | | | | |
| IB75507000 | 27.5×2.5/3.0 | 503 | Presta RVC | | | | |
| IB75517000 | 27.5×2.5/3.0 | 503 | Schrader | | | | |
| IB97200600 | 29×2.5/3.0 | 389 | Schrader | | | | |
| IB00041900 | 29×2.5/3.0 | 294 | Schrader (low lead) | | | | |
| IB00026400 | 29×2.5/3.0 | 294 | Presta RVC | | | | |
| IB00026500 | 29×2.5/3.0 | 295 | Presta 48mm RVC | | | | |

| TUBES | | | | | | | |
|------------|----------------|------------|-----------------|--|--|--|--|
| PART# | SIZE | WEIGHT (g) | VALVE | | | | |
| DOWNHILL | | | | | | | |
| IB49959900 | 24×2.50/2.70 | 423 | Presta RVC | | | | |
| IB49963000 | 24×2.50/2.70 | 423 | Schrader | | | | |
| IB68560100 | 26×2.50/2.70 | 447 | Presta RVC | | | | |
| IB68562200 | 26×2.50/2.70 | 448 | Presta 48mm RVC | | | | |
| IB68566000 | 26×2.50/2.70 | 447 | Schrader | | | | |
| IB75105100 | 27.5×2.20/2.50 | 326 | Presta RVC | | | | |
| IB75109100 | 27.5×2.20/2.50 | 327 | Presta 48mm RVC | | | | |









- Consult your owner's manual for specific tire information.
- Clearance around tires must be maintained. Increased tire size may require an increased rim width. Inspect tires closely for sufficient clearance.
- Always wear protective eyewear when installing inner tubes or tires.
- When replacing tires, be sure to also replace the inner tubes. Stretched inner tubes can crease and fail due to thinning of the inner tube
- Consult your bicycle professional for correct rim strip replacement.
- Make sure your tube size markings match the tire size.
- Use tire only for designated terrain, on an appropriate bicycle and using proper safety equipment at all times.
- Follow tire pressure guidelines located on your tire.
- Check tire pressure before every ride.
- Check your valve cores for damage. If valve cores are damaged, replace them.
- Check your tires for damage before and after riding. Punctured, cracked, bulging or blistered tires should be replaced immediately. If not replaced, damage can result in sudden and complete tire failure.
- Check to ensure that the beads of the tires are fully and evenly seated around the entire circumference of the rims before every ride.
- After replacing worn tires, take time to become acquainted with the handling and performance of your new tires.
- Do not cut, sipe or otherwise modify your tires.
- Check for broken or damaged spokes and replace as necessary.
- Replace bent or damaged rims or wheels immediately.
- Liquid sealants should only be used in the following types of tires: Tubeless Road, Tubular, and Tubeless Ready. The use of liquid sealants in any other Maxxis tire will void the warranty.
- Tube-type tires should only be used in conjunction with an inner tube on an approved rim.
- Do not store tires in direct sunlight for extended periods of time.
- Allowing tires to stand in oil, gasoline or other chemicals may have an adverse effect on the rubber compounds of the tire.
- Failure to follow these guidelines can result in accelerated tread wear and may cause catastrophic tire failure.

